	EDIZIONE	DESCRIZIONE MO	DIFICA		LIAIA	FIRMA
	41.15.45	NT 1710NE 25 N T 1001 200				
	ALIME	NTAZIONE 3P+N+T 100A 380	V			
		L1 L2 L3 N ⊕				
		P P P P				
	35mm					
		* - - - - - - - -	¬			
			1			
	In =100A					
	TIPO C	5 5 5 0.75mm ²				
			—— BE 			
			7	<u> </u>		
		* * * * * * 0.75mm²		· –√/ E		
	In =100A	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		·		
	Idn=0.03A					
	TIPO AC					
	111 0 712	→				
		 				
	+	 • 				
16mm²	2.5m	m² 🗼 🗼				
	Ĭ 1	- 7,7,7				
	_	'¦ À À				
		<u> </u>				
	†					
	<u></u>					
L1 L2 L3 N ⊕ L1 L2 L3 ⊕ L N ⊕ L N €		L N 🕀				
PRESA INTERBLOCCATA PRESA INTERBLOCCATA PRESA INTERBLOCCATA PRESA INTERBLO 3P+N+T 63A 380V 3P+T 16A 380V 2P+T 16A 220V 2P+T 16A 220V		ESA INTERBLOCCATA P+T 16A 220V				
באר וויות באינו ויות אינו אינו אינוער אינער אינוער אינוער איינער אינער			MATERIALE			
	quadro MIC	quadro MIUI-morsettiera pr:3 3p/16A		TRATTAMENTI		ESECUTIVO X SPERIMENTALE
		+ 1 4P/16A + 15P/63A SCALA TOLL GENE			RAGGI NON QUOTATI	DATA
FANION SPA CONSELVE (PD)						03/08/2021
	U A TENZI SENZA AUTUKIZZAZIUNE BELLA PANTUN SPA	A. Rossin	D. Pivosude Pia 74	·874 II	MT108	