


## Myriad square - spot

MYRIAD SQUARE HOUS SPOT 3K ELEC WHITE REFL

2056284

### Caratteristiche prodotto

- MYRIAD SQUARE HOUSING SPOT 3000K ELEC WHITE REFLECTOR COLOR



### PANORAMICA DEL PRODOTTO

Nome prodotto	MYRIAD SQUARE HOUS SPOT 3K ELEC WHITE REFL
Tecnologia	LED
Housing	Alluminio
Montaggio	Ceiling recessed mounting
Environment	Interior
General application	Strutture alberghiere, Uffici, Esercizi commerciali, Residential & Consumer
ETIM Class	EC001744
Garanzia	5 years
Fixture luminous flux (lm)	1092
Luminaire efficacy (lm/W)	109
L.O.R. (%)	100
Temperatura di colore (K)	3000
Colore della luce	Bianco Caldo
CRI (Ra)	90
Beam Angle (°)	25
Potenza totale (W)	10
Electrical protection	Classe II
Dimming method	N/A
Colore corpo lampada	Alluminio
IP rating	IP20
IK rating	IK02
Product EAN number	5025768562848

### TABELLA DATI

#### Dati generali

Nome prodotto	MYRIAD SQUARE HOUS SPOT 3K ELEC WHITE REFL
Tecnologia	LED
Housing	Alluminio
Montaggio	Ceiling recessed mounting
Environment	Interior
General application	Strutture alberghiere, Uffici, Esercizi commerciali, Residential & Consumer

## Myriad square - spot

*MYRIAD SQUARE HOUS SPOT 3K ELEC WHITE REFL*  
2056284

Performance ambient temperature Tq (°C)	25
ETIM Class	EC001744
Garanzia	5 years

### Dati ottici

Fixture luminous flux (lm)	1092
Luminaire efficacy (lm/W)	109
L.O.R. (%)	100
Temperatura di colore (K)	3000
Colore della luce	Bianco Caldo
CRI (Ra)	90
Cromaticità regolabile	No
Beam Angle (°)	25

### Dati elettrici

Potenza totale (W)	10
Tensione di rete (V)	230-240V
Electrical protection	Classe II
Transformer required	Sì
Dimming method	N/A
Drive current (mA)	250
Energy Efficiency Class (A->G) of contained light source	E
Nominal Frequency (Hz)	50/60Hz

### Dati vita utile

Vita utile nominale - L70 B50	50000
-------------------------------	-------

### Dati dimensionali

Colore corpo lampada	Alluminio
IP rating	IP20
IK rating	IK02
Finitura del riflettore	Bianco
Larghezza nominale prodotto (mm)	72
Nominal Product Height (mm)	64
Cutout Dimensions (W x L in mm or Diameter in mm)	72
Peso (Kg)	0.37
Recessed Depth (mm)	64


### Dati di imballo

Tipologia imballo singolo	Carton
Product EAN number	5025768562848
Lunghezza imballo singolo (mm)	17.5
Larghezza imballo singolo (cm)	15.0
Packaging single depth (cm)	17.5
DUN14 (outer)	05025768562848
Quantità per imballo esterno	1
Packaging outer length / height (cm)	17.5

## Myriad square - spot MYRIAD SQUARE HOUS SPOT 3K ELEC WHITE REFL 2056284

Packaging outer width (cm)	15.0
Packaging outer depth (cm)	17.5

### FOTOMETRIA



### DISEGNI TECNICI

