

## Myriad Square Silver Reflector - Housing only

MYRIAD SQUARE HOUS FLOOD 4K STD SILVER REFL  
2056314

### Caratteristiche prodotto

- MYRIAD SQUARE HOUSING FLOOD 4000K STD SILVER REFLECTOR COLOR



### PANORAMICA DEL PRODOTTO

Nome prodotto	MYRIAD SQUARE HOUS FLOOD 4K STD SILVER REFL
Tecnologia	LED
Housing	Alluminio
Montaggio	Ceiling recessed mounting
Environment	Interior
General application	Strutture alberghiere, Uffici, Esercizi commerciali, Residential & Consumer
ETIM Class	EC001744
Garanzia	5 years
Fixture luminous flux (lm)	1142
Luminaire efficacy (lm/W)	114
L.O.R. (%)	100
Temperatura di colore (K)	4000
Colore della luce	Neutral White
CRI (Ra)	90
Beam Angle (°)	48
Potenza totale (W)	10
Electrical protection	Classe II
Dimming method	N/A
Colore corpo lampada	Alluminio
IP rating	IP20
IK rating	IK02
Product EAN number	5025768563142

### TABELLA DATI

#### Dati generali

Nome prodotto	MYRIAD SQUARE HOUS FLOOD 4K STD SILVER REFL
Tecnologia	LED
Housing	Alluminio
Montaggio	Ceiling recessed mounting
Environment	Interior
General application	Strutture alberghiere, Uffici, Esercizi commerciali, Residential & Consumer

## Myriad Square Silver Reflector - Housing only

MYRIAD SQUARE HOUS FLOOD 4K STD SILVER REFL  
2056314

Performance ambient temperature Tq (°C)	25
ETIM Class	EC001744
Garanzia	5 years

### Dati ottici

Fixture luminous flux (lm)	1142
Luminaire efficacy (lm/W)	114
L.O.R. (%)	100
Temperatura di colore (K)	4000
Colore della luce	Neutral White
CRI (Ra)	90
Cromaticità regolabile	No
Beam Angle (°)	48

### Dati elettrici

Potenza totale (W)	10
Tensione di rete (V)	230-240V
Electrical protection	Classe II
Transformer required	Sì
Dimming method	N/A
Drive current (mA)	250
Energy Efficiency Class (A->G) of contained light source	E
Nominal Frequency (Hz)	50/60Hz

### Dati vita utile

Vita utile nominale - L70 B50	50000
-------------------------------	-------

### Dati dimensionali

Colore corpo lampada	Alluminio
IP rating	IP20
IK rating	IK02
Larghezza nominale prodotto (mm)	72
Nominal Product Height (mm)	64
Cutout Dimensions (W x L in mm or Diameter in mm)	72
Peso (Kg)	0.37
Recessed Depth (mm)	64

### Dati di imballo


Tipologia imballo singolo	Carton
Product EAN number	5025768563142
Lunghezza imballo singolo (mm)	17.5
Larghezza imballo singolo (cm)	15.0
Packaging single depth (cm)	17.5
DUN14 (outer)	05025768563142
Quantità per imballo esterno	1
Packaging outer length / height (cm)	17.5
Packaging outer width (cm)	15.0

## Myriad Square Silver Reflector - Housing only *MYRIAD SQUARE HOUS FLOOD 4K STD SILVER REFL* 2056314

Packaging outer depth (cm)

17.5

### FOTOMETRIA



### DISEGNI TECNICI

