

This declaration of Conformity is issued under the sole responsibility of the manufacturer

The designated product(s) is (are) in conformity with the provisions of the following European Legislation:

2014/35/EU & amendments	Directive 2014/35/EU of the European Parliament and of the Council of 26 February 2014 on the harmonisation of the laws of the Member States relating to the making available on the market of electrical equipment designed for use within certain voltage
2014/30/EU & amendments	Directive 2014/30/EU of the European Parliament and of the Council of 26 February 2014 on the harmonisation of the laws of the Member States relating to electromagnetic compatibility
2009/125/EC & amendments	Directive of the European Parliament and of the Council of 21 October 2009 on the establishing a framework for the setting of ecodesign requirements for energy-related products.
2011/65/EU & amendments	Directive of the European Parliament and of the Council of 6 June 2011 on the restriction of the use of certain hazardous substances in electrical and electronic equipment.
2019/2020/EU & amendments	Commission regulation (EU) 2019/2020 Laying down ecodesign requirements for light sources and separate control gears (Single Lighting Regulation)

Product(s): See attached pages

Type Designation:

Start Surface IP66 Product Range

The conformity of the designated products(s) with the provisions of the EU Legislation is given by compliance with the following European standard(s) (the latest amendment applies in any case).

Applicable Standards:

EN IEC 60598-1:2021+A11:2022	Luminaires - Part 1: General requirements and tests.
EN 60598-2-1:2021	Luminaires - Part 2: Particular requirements - Section 1: Fixed general purpose luminaires

EN 62493:2015+A1:2022	Assessment of lighting equipment related to human exposure to electromagnetic fields.
EN 62471:2008	Photobiological safety of lamps and lamp systems.
EN IEC 55015:2019+A11:2020	Limits and methods of measurement of radio disturbance characteristics of electric lighting and similar equipment.
EN IEC 61000-3-2:2019+A1:2021	Electromagnetic compatibility (EMC) – limits for harmonic current emissions (equipment input current \leq 16A per phase).
EN 61000-3-3:2013/A2:2021	Electromagnetic compatibility (EMC) – limits of voltage changes. Voltage fluctuations and flicker in public low voltage supply system, for equipment with rated \leq 16A per phase and not subjected to conditional connection.
EN 61547:2023	Equipment for general lighting purposes – EMC immunity requirements.
EN IEC 63000:2018	Technical document for the assessment of electrical & electronic products with respect to the restriction of hazardous substances

CE first affixed: 2019
Date of issue: 15/10/2024
Place of issue: Tienen

TDF-NEW-19-306-Start Surface IP66 refers

Revision History:

Revision	Date	Subject
A	09/09/19	Creation of EC DoC from AEC TDF 19-067
B	29/10/19	CL11050 TT & CL11098 EMC adding late configured SKUs - Newhaven
C	28/05/20	CL11322 adding late configured SKUs - STE
D	21/12/21	AEC TDF updated to VA, SKUs added
E	15/10/24	AEC TDF updated to VD, SKU 0049930 added

Item	Description
0049000	Srt Surface IP66 1450lm 830 WH
0049001	Srt Surface IP66 1500lm 840 WH
0049002	Srt Surface IP66 1450lm 830 BK
0049003	Srt Surface IP66 1500lm 840 BK
0049016	Srt Surface IP66 2400lm 830 WH
0049017	Srt Surface IP66 2500lm 840 WH
0049018	Srt Surface IP66 2400lm 830 BK
0049019	Srt Surface IP66 2500lm 840 BK
0049032	START SURFACE IP66 350MM EYELID WHT
0049033	START SURFACE IP66 350MM EYELID BLK
0049034	START SURFACE IP66 350MM GRILLE WHT
0049035	START SURFACE IP66 350MM GRILLE BLK
0049245	Start Surface IP66 1450lm 830 IK10 DALI WHT
0049246	Start Surface IP66 1500lm 840 IK10 DALI WHT
0049247	Start Surface IP66 1450lm 830 IK10 DALI BLK
0049248	Start Surface IP66 1500lm 840 IK10 DALI BLK
0049253	Start Surface IP66 2350lm 830 IK10 DALI WHT
0049254	Start Surface IP66 2400lm 840 IK10 DALI WHT
0049255	Start Surface IP66 2350lm 830 IK10 DALI BLK
0049256	Start Surface IP66 2400lm 840 IK10 DALI BLK
0049292	SRT SURFACE IP66 860-2800LM 830 WH
0049293	SRT SURFACE IP66 900-2950LM 840 WH
0049294	SRT SURFACE IP66 860-2800LM 830 BK
0049295	SRT SURFACE IP66 900-2950LM 840 BK
0049926	START SURFACE IP66 1150LM 830 BLK
0049927	START SURFACE IP66 1250LM 840 BLK
0049928	START SURFACE IP66 1150LM 830 WHT
0049929	START SURFACE IP66 1250LM 840 WHT
0049930	START SURFACE IP66 1250LM 840 WHITE CX