

This declaration of Conformity is issued under the sole responsibility of the manufacturer

The designated product(s) is (are) in conformity with the provisions of the following European Legislation:

2014/35/EU & amendments	Directive 2014/35/EU of the European Parliament and of the Council of 26 February 2014 on the harmonisation of the laws of the Member States relating to the making available on the market of electrical equipment designed for use within certain voltage limits.
2009/125/EC & amendments	Directive of the European Parliament and of the Council of 21 October 2009 on the establishing a framework for the setting of ecodesign requirements for energy-related products.
2011/65/EU & amendments	Directive of the European Parliament and of the Council of 6 June 2011 on the restriction of the use of certain hazardous substances in electrical and electronic equipment.
2019/2020/EU & amendments	Commission regulation (EU) 2019/2020 Laying down ecodesign requirements for light sources and separate control gears (Single Lighting Regulation)

Product(s): See attached pages

Type Designation:

Start Flex Lighting Strip IP20+IP65 Product Range

The conformity of the designated products(s) with the provisions of the EU Legislation is given by compliance with the following European standard(s) (the latest amendment applies in any case).

Applicable Standards:

EN 60598-1:2015+A1:2018 Luminaires - Part 1: General requirements and tests.

EN 62493:2015 Assessment of lighting equipment related to human exposure to electromagnetic fields.
EN 62471:2008 Photobiological safety of lamps and lamp systems.
EN IEC 63000:2018 Technical document for the assessment of electrical & electronic products with respect to the restriction of hazardous substances

EN IEC 62031:2020 LED modules for general lighting. Safety specifications
EN 60598-2-21:2015 Luminaires - Particular requirements. Rope lights

CE first affixed: 2019
Date of issue: 21/03/2025
Place of issue: Tienen

TDF-NEW-19-029-Start Flex Lighting Strip IP20+IP65 refers

Revision History:

Revision	Date	Subject
A	28/02/19	creation of EC DoC from AEC TDF 18-087
B	17/04/19	CL10924 - profiles & drivers added (drivers approved against Tridonic EC DoCs)
C	21/08/19	Hang Mount Kits added
D	16/01/20	profiles added
E	24/06/20	AEC TDF 18-087 updated to VB, connectors added & IS updated
F	09/09/20	AEC TDF 18-087 updated to VC, connectors added & IS updated
G	14/09/20	Kit SKU (0021596) added
H	15/10/20	AEC TDF 18-087 updated to VD, SKUs added
I	16/12/20	more profiles added, address updated
J	02/02/21	multipack cover SKUs added
K	11/02/21	more profiles added
L	25/02/21	more profiles added
M	21/03/22	MEA SKU 0049055 added, standards updated, commission regulation added
N	31/05/22	connector SKU added, no further testing required
O	31/08/22	0022667 to 0022688 SKU's added.
P	18/08/23	0068191,0068203,0068204,0068035..37 added. / 9014913...9014928 removed these are non branded sku's / EMC standards removed
Q	21/03/25	AEC TDF updated to VG 0068215,16 added

Item	Description
0021568	PROFILE SHALLOW 20 2M SET
0021569	PROFILE RECESS TRIMLESS 20 2M SET
0021570	PROFILE RECESS 20 2M SET
0021571	PROFILE DEEP WIDE SURFACE 30 2M SET
0021572	PROFILE SHALLOW WIDE SURFACE 30 2M SET
0021573	PROFILE H 30 2M SET
0021574	PROFILE SHALLOW 20 2M SET BW
0021575	PROFILE RECESS 20 2M SET BW
0021576	PROFILE CORNER SURFACE 14 2M SET BW
0021577	SEMI DEEP 20 CONNECTOR 180D
0021578	PROFILE DEEP WIDE SURFACE 30 2M SET BW
0021579	PROFILE SHALLOW WIDE SUR 30 2M SET BW
0021580	PROFILE H 30 2M SET BW
0021581	PROFILE SHALLOW 20 2M SET BB
0021582	PROFILE RECESS 20 2M SET BB
0021583	PROFILE CORNER SURFACE 14 2M SET BB
0021584	PROFILE DEEP WIDE SURFACE 30 2M SET BB
0021585	PROFILE SHALLOW WIDE SUR 30 2M SET BB
0021586	PROFILE H 30 2M SET BB
0021587	20M ROLL OF F CLICK DIFFUSER
0021588	PROFILE SHALLOW NARROW 14 2M SET BW
0021589	PROFILE SEMI DEEP SURFACE 16 SET BW
0021590	PROFILE SHALLOW NARROW 14 2M SET BB
0021591	PROFILE SEMI DEEP SURFACE 16 SET BB
0021594	PROFILE SHALLOW NARROW 14 F OPAL 2M SET
0021595	PROFILE CORNER SURFACE 14 F OPAL 2M SET
0021596	PROFILE SEMI DEEP SRFC 16 B/U4 2M SET
0022076	PROFILE FLAT 8 H/U 1M
0022077	PROFILE FLAT 8 H/U 2M
0022078	PROFILE FLAT 8 H/U 3M
0022079	COVER H SLIDE 1M
0022080	COVER H SLIDE 2M
0022081	COVER H SLIDE 3M
0022082	ENDING FLAT 8
0022587	PROFILE RECESS 20 EF/U7 1M
0022588	PROFILE SEMI DEEP SRFC 16 B/U4 1M
0022589	PROFILE SEMI DEEP SRFC 20 EF/T 1M
0022590	PROFILE DEEP WIDE SRFC 30 CDE-9/T 1M
0022591	PROFILE SHLLW WIDE SRFC 30 CDE-9/T 1M
0022592	PROFILE SHALLOW NARROW 14 EF/T 1M
0022593	PROFILE CORNER SURFACE 14 EF/T 1M
0022594	PROFILE CORNER SURFACE 27 G/U 1M
0022595	PROFILE HO SURFACE 16 RAW ALU. 1M
0022596	PROFILE RECESS 20 EF/U7 2M
0022597	PROFILE SEMI DEEP SRFC 16 B/U4 2M
0022598	PROFILE SEMI DEEP SRFC 20 EF/T 2M
0022599	PROFILE DEEP WIDE SRFC 30 CDE-9/T 2M
0022600	PROFILE SHLLW WIDE SRFC 30 CDE-9/T 2M
0022601	PROFILE SHALLOW NARROW 14 EF/T 2M
0022602	PROFILE CORNER SURFACE 14 EF/T 2M
0022603	PROFILE CORNER SURFACE 27 G/U 2M
0022604	PROFILE HO SURFACE 16 RAW ALU. 2M
0022605	PROFILE RECESS 20 EF/U7 3M
0022606	PROFILE SEMI DEEP SRFC 16 B/U4 3M
0022607	PROFILE SEMI DEEP SRFC 20 EF/T 3M
0022608	PROFILE DEEP WIDE SRFC 30 CDE-9/T 3M

0022609	PROFILE SHLLW WIDE SRFC 30 CDE-9/T 3M
0022610	PROFILE SHALLOW NARROW 14 EF/T 3M
0022611	PROFILE CORNER SURFACE 14 EF/T 3M
0022612	PROFILE CORNER SURFACE 27 G/U 3M
0022613	PROFILE HO SURFACE 16 RAW ALU. 3M
0022614	COVER E SLIDE 1M OPAL
0022615	COVER F CLICK 1M OPAL
0022616	COVER C9 CLICK 1M OPAL
0022617	COVER D9 CLICK 1M OPAL
0022618	COVER E SLIDE 2M OPAL
0022619	COVER F CLICK 2M OPAL
0022620	COVER C9 CLICK 2M OPAL
0022621	COVER D9 CLICK 2M OPAL
0022622	COVER E SLIDE 3M FROSTED
0022623	COVER F CLICK 3M OPAL
0022624	COVER C9 CLICK 3M OPAL
0022625	COVER D9 CLICK 3M FROSTED
0022626	COVER B SLIDE 1M OPAL
0022627	COVER E9 CLICK 1M OPAL
0022628	COVER G SLIDE 1M OPAL
0022629	COVER B SLIDE 2M OPAL
0022630	COVER E9 CLICK 2M OPAL
0022631	COVER G SLIDE 2M OPAL
0022632	COVER B SLIDE 3M FROSTED
0022633	COVER E9 CLICK 3M OPAL
0022634	COVER G SLIDE 3M FROSTED
0022635	ENDING RECESS 20
0022636	ENDING SEMI DEEP SURFACE 16
0022637	ENDING SEMI DEEP SURFACE 20
0022638	ENDING SHALLOW WIDE SUFACE 30
0022639	ENDING DEEP WIDE SUFACE 30
0022640	ENDING SHALLOW NARROW
0022641	ENDING CORNER SURFACE 14
0022642	ENDING CORNER SURFACE 27
0022643	HOLDER U4 INOX
0022644	HOLDER U7 RECESS
0022645	HOLDER T
0022646	MOUNTING CLIPS RECESS 20
0022647	DOUBLE SIDED TAPE 15MM X 50M
0022648	HOLDER U
0022649	ENDING FOR D9 COVER
0022650	ENDING FOR E9 COVER
0022651	HANG MOUNT KIT 1500 STD CHROME
0022652	HANG MOUNT KIT 1500 50V SILVER
0022653	COVER H SLIDE 1M OPAL X10
0022654	COVER H SLIDE 2M OPAL X10
0022655	COVER H SLIDE 3M FROSTED X10
0022656	COVER E SLIDE 1M OPAL X10
0022657	COVER E SLIDE 2M OPAL X10
0022658	COVER E SLIDE 3M FROSTED X10
0022659	COVER B SLIDE 1M OPAL X10
0022660	COVER G SLIDE 1M OPAL X10
0022661	COVER B SLIDE 2M OPAL X10
0022662	COVER G SLIDE 2M OPAL X10
0022663	COVER B SLIDE 3M FROSTED X10
0022664	COVER G SLIDE 3M FROSTED X10
0022665	COVER F CLICK 2M TRANSPARENT
0022666	COVER F CLICK 3M TRANSPARENT
0022667	End caps shallow narrow 14 BB (x2)
0022668	End caps semi deep surface 16 BB (x2)
0022669	End caps corner surface 14 BB (x2)
0022670	End caps semi deep surface 20 BB (x2)
0022671	End caps recess 20 BB (x2)
0022672	End caps deep wide surface 30 BB (x2)
0022673	End caps shallow wide surface 30 BB (x2)
0022674	End caps H 30 BB (x2)
0022675	Profile shallow narrow 14 1m SET
0022676	Profile semi deep surface 16 1m SET
0022677	Profile corner surface 14 1m SET
0022678	Profile semi deep surface 20 1m SET
0022679	Profile recess 20 1m SET
0022680	Profile deep wide surface 30 1m SET
0022681	Profile shallow wide surface 30 1m SET
0022682	Profile shallow narrow 14 3m SET
0022683	Profile semi deep surface 16 3m SET
0022684	Profile corner surface 14 3m SET
0022685	Profile semi deep surface 20 3m SET
0022686	Profile recess 20 3m SET
0022687	Profile deep wide surface 30 3m SET
0022688	Profile shallow wide surface 30 3m SET

0049055 PROFILE SHALLOW NARROW 14 2M SET
0068004 START FLEX IP20 STRAIGHT CONNECTOR X 10
0068005 START FLEX IP20 RGB STRAIGHT CONNECTOR X 10
0068006 START FLEX IP20 CONNECTOR X 5 + 1M LEAD
0068007 START FLEX IP65 STRAIGHT CONN X 10
0068008 START FLEX HO IP65 STRAIGHT CONN X 10
0068009 START FLEX HO IP65 CORNER CONNECTOR X 5
0068010 START FLEX IP20 CORNER CONNECTOR X 10
0068011 START FLEX IP20 RGB CORNER CONNECTOR X 10
0068012 START FLEX IP65 CORNER CONNECTOR X 5
0068013 START FLEX IP67 CORNER CONNECTOR X 5
0068014 START FLEX IP67 RGB CORNER CONNECTOR X 5
0068021 START FLEX HO IP20 STRAIGHT CONNECTOR X 10
0068022 START FLEX HO IP20 CONNECTOR X 5 + 1M LEAD
0068023 START FLEX HO IP20 CORNER CONNECTOR X 10
0068026 START FLEX IP67 RGB STRAIGHT CONN X 10
0068027 START FLEX IP65 STRAIGHT CONNECTOR X 5 + 1M LEAD
0068028 START FLEX HO IP65 STRAIGHT CONN X 5 + 1M LEAD
0068029 START FLEX IP67 STRAIGHT CONNECTOR X 5
0068030 START FLEX IP67 STRAIGHT CONN X 5 + 2M LEAD
0068031 S FLEX IP67 RGBW STR CONN X 5 + 1M LEAD
0068032 START FLEX IP67 RGBW STRAIGHT CONN X 10
0068033 START FLEX IP67 RGBW CORNER CONN X 10
0068034 S FLEX IP67 RGB STR CONN X 5 + 1 M LEAD
0068035 FLEX PRO IP67 STRAIGHT CONNECTOR IP65X5
0068036 FLEX PRO IP67 STR CONN IP65 X 5 + 2M LEAD
0068037 FLEX PRO IP67 CORNER CONNECTOR IP65X 5
0068100 START Flex IP20 830 2500lm
0068101 START Flex IP20 840 2600lm
0068102 START Flex IP20 830 5000lm
0068103 START Flex IP20 840 5100lm
0068104 START ECO Flex IP67 830 2150lm
0068105 START ECO Flex IP67 840 2200lm
0068106 START ECO Flex IP67 830 4300lm
0068107 START ECO Flex IP67 840 4550lm
0068112 START ECO Flex IP67 830 6500lm
0068113 START ECO Flex IP67 840 6800lm
0068114 START Flex IP20 830 10000lm
0068115 START Flex IP20 840 10700lm
0068116 START Flex IP20 830 11200lm
0068117 START Flex IP20 840 11800lm
0068118 START Flex IP65 830 9350lm
0068119 START Flex IP65 840 10100lm
0068120 START Flex IP65 830 10400lm
0068121 START Flex IP65 840 11000lm
0068122 START ECO Flex IP20 RGBW 3200lm
0068124 START ECO Flex IP67 RGBW 2600lm
0068125 START ECO Flex IP20 RGB 1600lm
0068126 START ECO Flex IP67 RGB 1300lm
0068127 START Flex IP65 830 2300lm
0068128 START Flex IP65 840 2400lm
0068129 START Flex IP20 827 2500lm
0068130 START Flex IP65 827 2500lm
0068131 START Flex IP20 827 10000lm
0068132 START Flex IP65 827 9350lm
0068133 S FLEX IP20 RGBW STRAIGHT CONX5+2M LEAD
0068134 S FLEX IP20 RGB STRAIGHT CONX5 +2M LEAD
0068135 START ECO Flex IP67 827 4100LM
0068136 START FLEX IP20 RGBW STRAIGHT CONN X 10
0068137 START FLEX IP20 RGBW CORNER CONN X 10
0068167 FLEX PRO IP20 2300LM 927
0068168 FLEX PRO IP20 2450LM 930
0068169 FLEX PRO IP20 2500LM 940
0068170 FLEX PRO IP20 2400LM 965
0068171 FLEX PRO IP65 2100LM 927
0068172 FLEX PRO IP65 2250LM 930
0068173 FLEX PRO IP65 2300LM 940
0068174 FLEX PRO IP65 2300LM 965
0068175 FLEX PRO IP20 4200LM 927
0068176 FLEX PRO IP20 4750LM 930
0068177 FLEX PRO IP20 5150LM 940
0068178 FLEX PRO IP20 4900LM 965
0068179 FLEX PRO IP65 3900LM 927
0068180 FLEX PRO IP65 4400LM 930
0068181 FLEX PRO IP65 4800LM 940
0068182 FLEX PRO IP65 4500LM 965
0068183 FLEX PRO IP20 8250LM 927
0068184 FLEX PRO IP20 9000LM 930
0068185 FLEX PRO IP20 9700LM 940
0068186 FLEX PRO IP20 9500LM 965
0068187 FLEX PRO IP65 7600LM 927



EU DECLARATION OF CONFORMITY

0068188	FLEX PRO IP65 8250LM 930
0068189	FLEX PRO IP65 8900LM 940
0068190	FLEX PRO IP65 8750LM 965
0068191	FLEX PRO IP67 8200LM 940
0068203	FLEX PRO IP67 7600LM 927
0068204	FLEX PRO IP67 7900LM 930
0068215	Flex Pro IP67 2800LM 930
0068216	Flex Pro IP67 3000LM 940