

This declaration of Conformity is issued under the sole responsibility of the manufacturer

The designated product(s) is (are) in conformity with the provisions of the following European Directives:

2014/35/EU & amendments	Directive 2014/35/EU of the European Parliament and of the Council of 26 February 2014 on the harmonisation of the laws of the Member States relating to the making available on the market of electrical equipment designed for use within certain voltage
2014/30/EU & amendments	Directive 2014/30/EU of the European Parliament and of the Council of 26 February 2014 on the harmonisation of the laws of the Member States relating to electromagnetic compatibility
2009/125/EC & amendments	Directive of the European Parliament and of the Council of 21 October 2009 on the establishing a framework for the setting of ecodesign requirements for energy-related products.
2011/65/EU & amendments	Directive of the European Parliament and of the Council of 6 June 2011 on the restriction of the use of certain hazardous substances in electrical and electronic equipment.
COMMISSION REGULATION (EU) 2019/2020 & amendments	Laying down ecodesign requirements for light sources and separate control gears (Single Lighting Regulation)

Product(s): See attached pages

Type Designation:

Colossal LED Emergency Product Range

The conformity of the designated products(s) with the provisions of the European Directives is given by compliance with the following European standard(s) (the latest amendment applies in any case).

Applicable Standards:

EN60598.1:2015+A1:2018	Luminaires - Part 1: General requirements and tests.
EN60598.2.1:2021	Luminaires - Part 2.1: Particular requirements for fixed general purpose Luminaires.
EN60598-2-22:2014	Luminaires - Part 2.22: Particular requirements for Luminaires for emergency lighting.
EN62493:2015	Assessment of lighting equipment related to human exposure to electromagnetic fields.
EN62471:2008	Photobiological safety of lamps and lamp systems.
EN55015:2019+A11:2020	Limits and methods of measurement of radio disturbance characteristics of electric lighting and similar equipment.
EN61000.3.2:2019	Electromagnetic compatibility (EMC) – limits for harmonic current emissions (equipment input current \leq 16A per phase).
EN61000-3-3:2013+A1:2019	Electromagnetic compatibility (EMC) – limits of voltage changes. Voltage fluctuations and flicker in public low voltage supply system, for equipment with rated \leq 16A per phase and not subjected to conditional connection.
EN61547:2009	Equipment for general lighting purposes – EMC immunity requirements.
EN50581:2012	Technical document for the assessment of electrical & electronic products with respect to the restriction of hazardous substances

CE first affixed: 2022
Date of issue: 16/05/2022
Place of issue: Newhaven

TDF-NEW-22-004-Colossal LED Refers

2071234	COLOSSAL 900 830 OP DIR WHT DALI EM
2071238	COLOSSAL 900 830 PR DIR WHT DALI EM
2071242	COLOSSAL 900 840 OP DIR WHT DALI EM
2071246	COLOSSAL 900 840 PR DIR WHT DALI EM
2071250	COLOSSAL 900 940 OP DIR WHT DALI EM
2071254	COLOSSAL 900 940 PR DIR WHT DALI EM
2071258	COLOSSAL 900 830 OP DIR+H WHT DALI EM
2071262	COLOSSAL 900 830 PR DIR+H WHT DALI EM
2071266	COLOSSAL 900 840 OP DIR+H WHT DALI EM
2071270	COLOSSAL 900 840 PR DIR+H WHT DALI EM
2071274	COLOSSAL 900 940 OP DIR+H WHT DALI EM
2071278	COLOSSAL 900 940 PR DIR+H WHT DALI EM
2071282	COLOSSAL 1200 830 OP DIR WHT DALI EM
2071286	COLOSSAL 1200 830 PR DIR WHT DALI EM
2071290	COLOSSAL 1200 840 OP DIR WHT DALI EM
2071294	COLOSSAL 1200 840 PR DIR WHT DALI EM
2071298	COLOSSAL 1200 940 OP DIR WHT DALI EM
2071302	COLOSSAL 1200 940 PR DIR WHT DALI EM
2071306	COLOSSAL 1200 830 OP DIR+H WHT DALI EM
2071310	COLOSSAL 1200 830 PR DIR+H WHT DALI EM
2071314	COLOSSAL 1200 840 OP DIR+H WHT DALI EM
2071318	COLOSSAL 1200 840 PR DIR+H WHT DALI EM
2071322	COLOSSAL 1200 940 OP DIR+H WHT DALI EM
2071326	COLOSSAL 1200 940 PR DIR+H WHT DALI EM
2071330	COLOSSAL 400 HO 840 OP DIR WHT EM
2071332	COLOSSAL 400 HO 840 OP DIR WHT DALI EM
2071334	COLOSSAL 400 HO 840 OP DIR+H WHT EM
2071336	COLOSSAL 400 HO 840 OP DIR+H WHT DALI EM