

This declaration of Conformity is issued under the sole responsibility of the manufacturer

The designated product(s) is (are) in conformity with the provisions of the following European Directives:

2014/35/EU & amendments	Directive 2014/35/EU of the European Parliament and of the Council of 26 February 2014 on the harmonisation of the laws of the Member States relating to the making available on the market of electrical equipment designed for use within certain voltage
2014/30/EU & amendments	Directive 2014/30/EU of the European Parliament and of the Council of 26 February 2014 on the harmonisation of the laws of the Member States relating to electromagnetic compatibility
2009/125/EC & amendments	Directive of the European Parliament and of the Council of 21 October 2009 on the establishing a framework for the setting of ecodesign requirements for energy-related products.
2011/65/EU & amendments	Directive of the European Parliament and of the Council of 6 June 2011 on the restriction of the use of certain hazardous substances in electrical and electronic equipment.
COMMISSION REGULATION (EU) 2019/2020 & amendments	Laying down ecodesign requirements for light sources and separate control gears (Single Lighting Regulation)

Product(s): See attached pages

Type Designation:

Colossal LED Standard Product Range

The conformity of the designated products(s) with the provisions of the European Directives is given by compliance with the following European standard(s) (the latest amendment applies in any case).

Applicable Standards:

EN60598.1:2015+A1:2018	Luminaires - Part 1: General requirements and tests.
EN60598.2.1:2021	Luminaires - Part 2.1: Particular requirements for fixed general purpose Luminaires.

EN62493:2015	Assessment of lighting equipment related to human exposure to electromagnetic fields.
EN62471:2008	Photobiological safety of lamps and lamp systems.
EN55015:2019+A11:2020	Limits and methods of measurement of radio disturbance characteristics of electric lighting and similar equipment.
EN61000.3.2:2019	Electromagnetic compatibility (EMC) – limits for harmonic current emissions (equipment input current \leq 16A per phase).
EN61000-3-3:2013+A1:2019	Electromagnetic compatibility (EMC) – limits of voltage changes. Voltage fluctuations and flicker in public low voltage supply system, for equipment with rated \leq 16A per phase and not subjected to conditional connection.
EN61547:2009	Equipment for general lighting purposes – EMC immunity requirements.
EN50581:2012	Technical document for the assessment of electrical & electronic products with respect to the restriction of hazardous substances

CE first affixed: 2022
Date of issue: 09/06/2022
Place of issue: Newhaven

TDF-NEW-22-004-Colossal LED Refers

2071217	COLOSSAL 600 840 PR DIR+H WHT DALI
2071221	COLOSSAL 600 940 OP DIR+H WHT
2071223	COLOSSAL 600 940 OP DIR+H WHT DALI
2071227	COLOSSAL 600 940 PR DIR+H WHT
2071229	COLOSSAL 600 940 PR DIR+H WHT DALI
2071233	COLOSSAL 900 830 OP DIR WHT DALI
2071237	COLOSSAL 900 830 PR DIR WHT DALI
2071241	COLOSSAL 900 840 OP DIR WHT DALI
2071245	COLOSSAL 900 840 PR DIR WHT DALI
2071249	COLOSSAL 900 940 OP DIR WHT DALI
2071253	COLOSSAL 900 940 PR DIR WHT DALI
2071257	COLOSSAL 900 830 OP DIR+H WHT DALI
2071261	COLOSSAL 900 830 PR DIR+H WHT DALI
2071265	COLOSSAL 900 840 OP DIR+H WHT DALI
2071269	COLOSSAL 900 840 PR DIR+H WHT DALI
2071273	COLOSSAL 900 940 OP DIR+H WHT DALI
2071277	COLOSSAL 900 940 PR DIR+H WHT DALI
2071281	COLOSSAL 1200 830 OP DIR WHT DALI
2071285	COLOSSAL 1200 830 PR DIR WHT DALI
2071289	COLOSSAL 1200 840 OP DIR WHT DALI
2071293	COLOSSAL 1200 840 PR DIR WHT DALI
2071297	COLOSSAL 1200 940 OP DIR WHT DALI
2071301	COLOSSAL 1200 940 PR DIR WHT DALI
2071305	COLOSSAL 1200 830 OP DIR+H WHT DALI
2071309	COLOSSAL 1200 830 PR DIR+H WHT DALI
2071313	COLOSSAL 1200 840 OP DIR+H WHT DALI
2071317	COLOSSAL 1200 840 PR DIR+H WHT DALI
2071321	COLOSSAL 1200 940 OP DIR+H WHT DALI
2071325	COLOSSAL 1200 940 PR DIR+H WHT DALI
2071329	COLOSSAL 400 HO 840 OP DIR WHT
2071331	COLOSSAL 400 HO 840 OP DIR WHT DALI
2071333	COLOSSAL 400 HO 840 OP DIR+H WHT
2071335	COLOSSAL 400 HO 840 OP DIR+H WHT DALI