

This declaration of Conformity is issued under the sole responsibility of the manufacturer

The designated product(s) is (are) in conformity with the provisions of the following European Directives:

<p>2014/35/EU & amendments</p> <p>2014/30/EU & amendments 2009/125/EC & amendments 2011/65/EU & amendments COMMISSION REGULATION (EU) 2019/2020 & amendments</p>	<p>Directive 2014/35/EU of the European Parliament and of the Council of 26 February 2014 on the harmonisation of the laws of the Member States relating to the making available on the market of electrical equipment designed for use within certain voltage limits.</p> <p>Directive 2014/30/EU of the European Parliament and of the Council of 26 February 2014 on the harmonisation of the laws of the Member States relating to electromagnetic compatibility</p> <p>Directive of the European Parliament and of the Council of 21 October 2009 on the establishing a framework for the setting of ecodesign requirements for energy-related products.</p> <p>Directive of the European Parliament and of the Council of 6 June 2011 on the restriction of the use of certain hazardous substances in electrical and electronic equipment.</p> <p>Laying down ecodesign requirements for light sources and separate control gears (Single Lighting Regulation)</p>
---	---

Product(s): See attached pages
Type Designation:

Mini Continuum Product Range

The conformity of the designated products(s) with the provisions of the European Directives is given by compliance with the following European standard(s) (the latest amendment applies in any case).

Applicable Standards:

<p>EN60598.1:2015 EN60598.2.1:1989 EN60598.2.2:2012</p>	<p>Luminaires - Part 1: General requirements and tests. Luminaires - Part2.1: Particular requirements for fixed general purpose Luminaires. Luminaires' - Part2.2: Particular requirements for recessed general purpose Luminaires'.</p>
--	--

<p>EN62493:2015 EN62471:2008 EN55015:2019+A11:2020 EN61000-3-2:2019 EN61000-3-3:2013+A1:2019</p> <p>EN61547:2009 EN50581:2012</p>	<p>Assessment of lighting equipment related to human exposure to electromagnetic fields. Photobiological safety of lamps and lamp systems. Limits and methods of measurement of radio disturbance characteristics of electric lighting and similar equipment. Electromagnetic compatibility (EMC) – limits for harmonic current emissions (equipment input current <= 16A per phase). Electromagnetic compatibility (EMC) – limits of voltage changes. Voltage fluctuations and flicker in public low voltage supply system, for equipment with rated <= 16A per phase and not subjected to conditional connection, Equipment for general lighting purposes – EMC immunity requirements. Technical document for the assessment of electrical & electronic products with respect to the restriction of hazardous substances</p>
--	--

Revision History:

Revision	Date	Subject
Zn	21/12/15	CE Document updated with 2015 standards and new Directives and revision history added
Zo	26/01/16	Standard EN61000.3.3:2013 removed
Zp	29/01/16	MC2 SKUs added
Zq	03/03/16	Directive and standard amendments
Zr	28/07/14	diffuser infill SKU added 2059602
Zs	29/08/17	60598.2-22 updated to 2014
Zt	05/10/17	CL9751 to update to 2015
Zu	10/01/18	CL8906A added accessory SKUs
Zv	26/02/2018	out of scope directives removed
Zw	25/04/2018	61000.3.3 added
Zx	02/08/2018	Lit corner skus added
Zy	12/09/2018	Lit corner description changed
Zz	24/09/2018	Right hand lit corners added & Ems moved to 18-060
ZzA	03/09/2019	Obsolete SKUs removed & signatory changed
ZzB	20/04/2022	Commission regulation added & EMC standards updated

CE first affixed: **2010**
Date of issue: **20/04/2022**
Place of issue: **Newhaven**

TDF-NEW- 13-037-Mini Continuum refers

Feilo Sylvania International Group Kft.
Duna Tower – Building C, 5th Floor
22 Nepfurdo Street
Budapest
H-1138
Hungary

Nigel Box
Technical Director



<u>Item</u>	<u>Description</u>
2054872	MINI CON LED3K 1.2M WH 25W
2054878	MINI CON LED3K 1.2M WH TRIM 25W
2054896	MINI CON LED4K 1.2M WH TRIM 25W
2056009	MC LED3K 0.6M SIL 12W DALI
2056018	MC LED3K 0.9M WH 19W TRIM
2056021	MC LED3K 0.9M SIL 19W DALI
2054909	MINI CON PLASTERBOARD BRKT
2054910	MC2 TRIMLESS END CAP WHT
2054911	MINI CON TRIMLESS END CAP SIL
2054912	MINI CON TRIM END CAP WH
2054913	MINI CON TRIM END CAP SIL
2054914	MC2 MECH JOINER & GASKET
2055115	MINI CON WIREABLE 5WAY CONN
2055380	MC2 WIREABLE5WAY MAINS+DALI
2059332	MC2 D/I 1.2M 4K DALI WHT OPAL
2059334	MC2 D/I 2.4M 4K DALI WHT OPAL
2059336	MC2 D/I 1.2M 4K DALI WHT PRIS
2059338	MC2 D/I 2.4M 4K DALI WHT PRIS
2059602	MC2 DIFFUSER INFILL 300MM
2093089	MC2 D/I 1.2M 3K DALI WHT OPAL
2093091	MC2 D/I 2.4M 3K DALI WHT OPAL
2093093	MC2 D/I 1.2M 3K DALI WHT PRIS
2093095	MC2 D/I 2.4M 3K DALI WHT PRIS
2093097	MC2-KIT D/I 1.2M 4K DALI WHT OPAL
2093099	MC2-KIT D/I 2.4M 4K DALI WHT OPAL
2093101	MC2-KIT D/I 1.2M 4K DALI WHT PRIS
2093103	MC2-KIT D/I 2.4M 4K DALI WHT PRIS
2093105	MC2-KIT D/I 1.2M 3K DALI WHT OPAL
2093107	MC2-KIT D/I 2.4M 3K DALI WHT OPAL
2093109	MC2-KIT D/I 1.2M 3K DALI WHT PRIS
2093111	MC2-KIT D/I 2.4M 3K DALI WHT PRIS
2093115	MC2 1.2M 4K DALI WHT OPAL
2093117	MC2 2.4M 4K DALI WHT OPAL
2093119	MC2 3.6M 4K DALI WHT OPAL
2093121	MC2 1.2M 3K DALI WHT OPAL
2093123	MC2 2.4M 3K DALI WHT OPAL
2093125	MC2 3.6M 3K DALI WHT OPAL
2093127	MC2 TRIM 1.2M 4K DALI WHT OPAL
2093129	MC2 TRIM 2.4M 4K DALI WHT OPAL
2093131	MC2 TRIM 3.6M 4K DALI WHT OPAL
2093133	MC2 TRIM 1.2M 3K DALI WHT OPAL
2093135	MC2 TRIM 2.4M 3K DALI WHT OPAL
2093137	MC2 TRIM 3.6M 3K DALI WHT OPAL
2093139	MC2-KIT 1.2M 4K DALI WHT OPAL
2093141	MC2-KIT 2.4M 4K DALI WHT OPAL
2093143	MC2-KIT 1.2M 4K DALI WHT PRIS
2093145	MC2-KIT 2.4M 4K DALI WHT PRIS
2093147	MC2-KIT 1.2M 3K DALI WHT OPAL
2093149	MC2-KIT 2.4M 3K DALI WHT OPAL
2093151	MC2-KIT 1.2M 3K DALI WHT PRIS
2093153	MC2-KIT 2.4M 3K DALI WHT PRIS
2093155	MC2 90DEG HORIZ-CORNER WHT OPAL
2093156	MC2 90° VERTI-CORNER WHT OPAL
2093157	MC2 TRIM 90° HORIZ-CORNER WHT OPAL
2093158	MC2 0.6M 4K DALI WHT OPAL
2093159	MC2 0.6M 3K DALI WHT OPAL
2093160	MC2 TRIM 0.6M 4K DALI WHT OPAL
2093161	MC2 TRIM 0.6M 3K DALI WHT OPAL
2093162	MC2 0.9M 4K DALI WHT OPAL
2093163	MC2 0.9M 3K DALI WHT OPAL
2093164	MC2 TRIM 0.9M 4K DALI WHT OPAL
2093165	MC2 TRIM 0.9M 3K DALI WHT OPAL
2093183	MC2 90DEG HORIZ-CORNER EL WHT OPAL
2093184	MC2 90DEG VERTI-CORNER EL WHT OPAL
2093185	MC2 TRIM 90DEG HORIZ-CORNER EL WHT OPAL

2093192	MC2 TRIM 90° CORNER L 4K DALI WHT OPAL
2093193	MC2 TRIM 90° CORNER L 3K DALI WHT OPAL
2093194	MC2 TRIM 90° CORNER L 4K DALI WHT PRIS
2093195	MC2 TRIM 90° CORNER L 3K DALI WHT PRIS
2093196	MC2 90° CORNER L 4K DALI WHT OPAL
2093197	MC2 90° CORNER L 3K DALI WHT OPAL
2093198	MC2 90° CORNER L 4K DALI WHT PRIS
2093199	MC2 90° CORNER L 3K DALI WHT PRIS
2093228	MC2 TRIM 90° CORNER R 4K DALI WHT OPAL
2093229	MC2 TRIM 90° CORNER R 3K DALI WHT OPAL
2093230	MC2 TRIM 90° CORNER R 4K DALI WHT PRIS
2093231	MC2 TRIM 90° CORNER R 3K DALI WHT PRIS
2093232	MC2 90° CORNER R 4K DALI WHT OPAL
2093233	MC2 90° CORNER R 3K DALI WHT OPAL
2093234	MC2 90° CORNER R 4K DALI WHT PRIS
2093235	MC2 90° CORNER R 3K DALI WHT PRIS
2692176	MAZDA M/C3000TK EB 8M PRI FEED
2692177	MAZDA M/C3000TK EB PRI STD
2692178	MAZDA M/C2700TK EB 8M PRI FEED
2692179	MAZDA M/C2700TK EB PRI STD
2693464	CON DALI GTY NW 2.4M STD