

DS-D5AC9C3-4S6 Android OPS Module



- Ultra HD display with up to 3840 × 2160 resolution of input signal available.
- 20px ultra fine writing, and 2 mm diameter recognizable with the precision of 1 mm.
- Built-in Wi-Fi realizes miracasting without any cable connection.
- Built-in interactive whiteboard system allows annotating and sharing by QR code.
- Built-in Android system provides kinds of applications.


▪ Specification


Built-in System	
Operation System	Android 11
Processor	A72*2, 1.8GHz+A53*4, 1.4 GHz
Memory	4 GB
Storage	64 GB
Internal Function	
Bluetooth	Bluetooth 5.0
Interface	
Control interface	RS-232*1
Data Transmission Interface	USB-A 3.0*1
Power	
Input Voltage	12V-19V DC
Max. Consumption	30W
Working Environment	
Working Temperature	0°C-40°C
Working Humidity	10%-90%
Storage Temperature	-20°C-60°C
Storage Humidity	10%-90%
General	
Product Dimensions (W × H × D)	180*195*30mm
Net Weight	About 1.24kg
Color	Black


▪ Available Model

DS-D5AC9C3-4S6-盒子, DS-D5AC9C3-4S6

▪ Dimension







Headquarters

No.555 Qianmo Road, Binjiang District,
Hangzhou 310051, China
T +86-571-8807-5998
www.hikvision.com



Follow us on social media to get the latest product and solution information.

