



## FUSIBILI 6x32F TIPO UL / CSA

### Caratteristiche generali:

- Fusibili miniatura;
- Dimensioni: 6,3 x 32 mm;
- Caratteristica d'intervento: rapido (F);
- Conformi alle norme: CEI 32-6/1, CEI 32-6/2, IEC 60127-1, IEC 60127-2, UL 248-14, CSA C22.2;
- Corpo in vetro;
- Contatti in rame argentato;
- Corrente nominale: da 32mA a 10A;
- Tensione nominale: 250V;
- Temperatura di lavoro: -30°C / + 80°C;
- Confezione minima: 100 pezzi;
- Produttore: Hollyland;
- Codice produttore: 61NM;

### Foto del prodotto / Product image




## UL / CSA TYPE 6x32F FUSES

### General characteristics:

- Miniature fuses;
- Dimensions: 6,3 x 32 mm;
- Time-current characteristic: fast (F);
- Conform to standards: CEI 32-6/1, CEI 32-6/2, IEC 60127-1, IEC 60127-2, UL 248-14, CSA C22.2;
- Glass body;
- Silver plated contacts;
- Rated current: from 32mA to 10A;
- Rated voltage: 250V;
- Operating temperature: -30°C / +80°C;
- Minimum packaging: 100 pieces;
- Manufacturer: Hollyland;
- Manufacturer code: 61NM;

### Disegno / Drawing

(dimensioni in mm) / (dimensions in mm)



Pagine totali del documento: 3

Document total pages: 3

Ultimo aggiornamento: 1 Luglio 2014

Last updated: 1st July 2014



**Codici per l'ordinazione:**

**Ordering codes:**

| Codice fusibile<br><i>Fuse code</i> | In    | Vn   | Potere di interruzione<br>a 125V AC (A)<br><i>Breaking capacity at<br/>125V AC (A)</i> | Potere di interruzione<br>a 250V AC (A)<br><i>Breaking capacity at<br/>250V AC (A)</i> | Conf<br>Pack |
|-------------------------------------|-------|------|----------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|--------------|
| 0360032                             | 32mA  | 250V | 10.000                                                                                 | 35                                                                                     | 100          |
| 0360050                             | 50mA  | 250V | 10.000                                                                                 | 35                                                                                     | 100          |
| 0360063                             | 63mA  | 250V | 10.000                                                                                 | 35                                                                                     | 100          |
| 0360080                             | 80mA  | 250V | 10.000                                                                                 | 35                                                                                     | 100          |
| 0360100                             | 100mA | 250V | 10.000                                                                                 | 35                                                                                     | 100          |
| 0360125                             | 125mA | 250V | 10.000                                                                                 | 35                                                                                     | 100          |
| 0360160                             | 160mA | 250V | 10.000                                                                                 | 35                                                                                     | 100          |
| 0360200                             | 200mA | 250V | 10.000                                                                                 | 35                                                                                     | 100          |
| 0360250                             | 250mA | 250V | 10.000                                                                                 | 35                                                                                     | 100          |
| 0360315                             | 315mA | 250V | 10.000                                                                                 | 35                                                                                     | 100          |
| 0360400                             | 400mA | 250V | 10.000                                                                                 | 35                                                                                     | 100          |
| 0360500                             | 500mA | 250V | 10.000                                                                                 | 35                                                                                     | 100          |
| 0360630                             | 630mA | 250V | 10.000                                                                                 | 35                                                                                     | 100          |
| 0360800                             | 800mA | 250V | 10.000                                                                                 | 35                                                                                     | 100          |
| 0361001                             | 1A    | 250V | 10.000                                                                                 | 35                                                                                     | 100          |
| 0361251                             | 1,25A | 250V | 10.000                                                                                 | 100                                                                                    | 100          |
| 0361601                             | 1,6A  | 250V | 10.000                                                                                 | 100                                                                                    | 100          |
| 0362002                             | 2A    | 250V | 10.000                                                                                 | 100                                                                                    | 100          |
| 0362502                             | 2,5A  | 250V | 10.000                                                                                 | 100                                                                                    | 100          |
| 0363153                             | 3,15A | 250V | 10.000                                                                                 | 100                                                                                    | 100          |
| 0364004                             | 4A    | 250V | 10.000                                                                                 | 200                                                                                    | 100          |
| 0365005                             | 5A    | 250V | 10.000                                                                                 | 200                                                                                    | 100          |
| 0366306                             | 6,3A  | 250V | 10.000                                                                                 | 200                                                                                    | 100          |
| 0366307                             | 8A    | 250V | 10.000                                                                                 | 200                                                                                    | 100          |
| 0366308                             | 10A   | 250V | 10.000                                                                                 | 200                                                                                    | 100          |

- Tutti i codici sopra indicati sono omologati UL e CSA;
- Omologazione UL: E156471;
- Omologazione CSA: LR 101178-1;

*All the above indicated codes have UL and CSA approvals;*

*UL approval: E156471;*

*CSA approval: LR 101178-1;*



**Curve caratteristiche tempo / corrente:**

***Time / current characteristic curves:***

