



**BASI PORTAFUSIBILI UL/CSA 600V
CLASSE T**

Caratteristiche generali:

- Tipo prodotto: basi portafusibili omologate UL/CSA;
- Conformi alle norme: UL 4248-15, CSA C22.2;
- Corpo in materiale plastico con grado di autoestinguenza: UL94-V0;
- Corrente nominale: fino a 600A;
- Tensione nominale: 600V AC;
- Confezione minima: 1 pezzo;

**UL/CSA 600V FUSE BASES
CLASS T**

General characteristics:

- Product type: UL/CSA approved fuse bases;
- Conform to standards: UL 4248-15, CSA C22.2;
- Body made in thermoplastic UL94-V0 self extinguishing material;
- Rated current: up to 600A;
- Rated voltage: 600V AC;
- Minimum packaging: 1 piece;

Foto del prodotto / Product image



Pagine totali del documento: 5

Document total pages: 5

Ultimo aggiornamento: 20 Ottobre 2015

Last update: 20th October 2015



Codici per l'ordinazione:

Ordering codes:

codice code	Tipo type	poli poles	tipo fusibile fuse type	In (A)	conf. pack.
2680070	T60030-2SR	2	Class T – 1A / 30A	30	1
2680072	T60030-3SR	3	Class T – 1A / 30A	30	1
2680074	T60060-2SR	2	Class T – 35A / 60A	60	1
2680076	T60060-3SR	3	Class T – 35A / 60A	60	1
2680078	T60100-1C	1	Class T – 80A / 100A	100	1
2680080	T60100-3C	3	Class T – 80A / 100A	100	1
2680082	T60200-1C	1	Class T – 125A / 200A	200	1
2680084	T60200-3C	3	Class T – 125A / 200A	200	1
2680086	T60400-1C	1	Class T – 250A / 400A	400	1
2680088	T60600-1C	1	Class T – 450A / 600A	600	1

Altre caratteristiche

- Produttore: Bussmann;
- Approvazione UL: IZLT.E14853;
- Approvazione CSA: 47235 / 6225.01;

Other characteristics


Manufacturer: Bussmann;
UL approval: IZLT.E14853;
CSA approval: 47235 / 6225.01;




DISEGNI (dimensioni in pollici)


DRAWINGS (dimensions in inches)

Portafusibili per fusibili 1-30A - Fuseholders for fuses 1-30A



Portafusibili per fusibili 35-60A - Fuseholders for fuses 35-60A







DISEGNI (dimensioni in pollici)


DRAWINGS (dimensions in inches)

Portafusibili per fusibili 80-100A - Fuseholders for fuses 80-100A



Portafusibili per fusibili 125-200A - Fuseholders for fuses 125-200A






DISEGNI (dimensioni in pollici)

DRAWINGS (dimensions in inches)

Portafusibili per fusibili 250-400A - Fuseholders for fuses 250-400A



Portafusibili per fusibili 450-600A - Fuseholders for fuses 450-600A

