


Wandleuchten - Deckenleuchten | 220-240 V | 1xE27
12122



Ø 280

Technische Daten	
Typ	Wandleuchten - Oberfläche - Oberfläche
Installationsposition	Wand - Decke
Installationsumgebung	Indoor
Leuchtmittel inbegriffen	Nein
Anschluss der Leuchte	1 x E27
Light emission direction	downward
Frequency	50-60 Hz
Optik	Diffuses
Isolierklasse	1
IP	IP20
IK	IK10
Glühdrahtprüfung	650°
Direkte Montage auf normal entflammaren Oberflächen	Ja
CE	Ja
Leuchte dimmbar	Nein
Schwenkbarkeit	Nein
Drehbarkeit	Nein
Begehbarkeit	Nein
Überrollbarkeit	Nein
Einschließlich Kabel	Nein
Harzbeschichtung	Nein
Nettogewicht	1.05 Kg

Oberfläche Oberfläche diffusor	
Material	PE
Farbe	Natural polyethilene
Oberfläche Oberfläche fassung	
Material	PC
Farbe	Weiß

Wandleuchten - Deckenleuchten | 220-240 V | 1xE27
12122

Double emission wall lights, wall lights or ceiling downlights for indoor application.
Compatibility: LED lamp; lamp cap 1xE27.


The diffuser is made of pe; the mounting frame is made of PC, with a white finish.

The ingress protection degree is IP20; the total weight is of 1.05 kg.

The device features protection class I and can be wall lights or ceiling-mounted.

Compliant with the EN 60598-1 standard and its specific provisions.

Illuminotechnical Eigenschaften	
Light Output Ratio (LOR)	79 %
Leuchten Lichtstrom	321 lm
Consumption	30 W
Leuchten Lichtausbeute	13 lm/W
Verbindungstemperatur (Leuchte)	80
Lichtstrom (Lichtquelle)	1 x lm
OPTICAL	
Optik C0/C180	180°
Light distribution simmetry	Symmetrical



Wandleuchten - Deckenleuchten | 220-240 V | 1xE27

12122

Double emission wall lights, wall lights or ceiling downlights for indoor application.

Compatibility: LED lamp; lamp cap 1xE27.

The diffuser is made of pe; the mounting frame is made of PC, with a white finish.

The ingress protection degree is IP20; the total weight is of 1.05 kg.

The device features protection class I and can be wall lights or ceiling-mounted.

Compliant with the EN 60598-1 standard and its specific provisions.