



Wandleuchten - Deckenleuchten - Scheinwerfer | 220-240 V | 1xGU10
51365



Technische Daten	
Typ	Wandleuchten - Oberfläche - Deckenleuchten - Oberfläche - Oberfläche
Installationsposition	Wand - Decke - Boden
Installationsumgebung	Outdoor
Leuchtmittel inbegriffen	Nein
Anschluss der Leuchte	1 x GU10
Optik	Diffuses
Isolierklasse	1
IP	IP65
IK	IK06
Glühdrahtprüfung	850°
Direkte Montage auf normal entflammaren Oberflächen	Ja
CE	Ja
Leuchte dimmbar	Nein
Schwenkbarkeit	Orientabile
Gesamtwinkel (vertikale Ebene)	180 °
Gesamtwinkel (horizontale Ebene)	0 °
Drehbarkeit	Nein
Begehbarkeit	Nein
Überrollbarkeit	Nein
Einschließlich Kabel	Nein
Harzbeschichtung	Nein
Nettogewicht	0.722 Kg

Oberfläche Oberfläche Gehäuse	
Material	Stranggepresstes Aluminium EN AB - 46100
Farbe	Text brilliant grey RAL 9006
Bearbeitungstyp	Offenporige Anodisierung + Pulverlackierung
Oberfläche Oberfläche diffusor	
Material	Glas
Farbe	Transparent

Wandleuchten - Deckenleuchten - Scheinwerfer | 220-240 V | 1xGU10
51365

Single emission wall lights, wall lights, ceiling downlights, ceiling downlights or projectors for outdoor application. Compatibility: LED lamp; lamp cap 1xGU10.

The device body is made of die-cast aluminium en ab - 46100 and features a text brilliant grey ral 9006 finish, processed by means of open pore anodizing + powder coating; the diffuser is made of glass. Surface treatment of the product body through aluminum chemical conversion, followed by polyester powder coating, using exclusively coatings compliant with the Qualicoat standard.

The ingress protection degree is IP65; the total weight is of 0.722 kg.

The device features protection class I and can be wall lights, ceiling or floor-mounted.

Compliant with the EN 60598-1 standard and its specific provisions.

Vision_WJ | Projectors | Accessories
51365



Erdspießen

installationsposition: terreno,Material Verkleidung: pc

Code

50370