Ribbon Basic 60 LEDs/m

LED Strip | topLED 24 W DC 24 V | 4.8 W/m
570.2 Lm/m | CRI 80
98012



Technische Daten	
Länge	5000 mm
Minimaler Schnitt	100 mm
Typ	LED Strip
Installationsposition	Wand - Decke
Installationsumgebung	Indoor
Lichtquelle	LED
Circuit structure	topLED
Optik	Diffuses
Light emission direction	frontal
Lampe Nennleistung	24 W DC
Lampenleistung / m	4.8 W / m
Lichtstrom (Lichtquelle)	2851 lm
Lichtstrom (Lichtquelle) / m	570.2 lm / m
Ähnlichste Farbtemperatur / Tone	4000 K
Farbwiedergabeindex	80 Ra
Gleichstrom/Gleichspannung	CV
Isolierklasse	3
IP	IP20
Glühdrahtprüfung	Nein
Direkte Montage auf normal entflammbaren Oberflächen	Ja
CE	Ja
Einschließlich Driver	Nein
Leuchte dimmbar	DALI - 1-10V
Schwenkbarkeit	Nein
Drehbarkeit	Nein
Begehbarkeit	Nein
Überrollbarkeit	Nein
Einschließlich Kabel	Ja
Kabellänge	0.50 m
Harzbeschichtung	Nein
Typ Lichtabstrahlung	Einflammig
Nettogewicht	0.1 Kg
Schutz vor elektrostatischen Entladungen	Nein
Schutz vor Stoßspannungen	Nein

Oberfläche Oberfläche Gehäuse	
Material	Technopolymer
Farbe	Weiß

Elektronik

99331
On/Off Driver 198~264V AC / 176~275V DC 150 W (1 - 6 art.)

99332
1-10V Controller (1 - 6 art.)

99374
On/Off Driver 198~264V AC / 176~275V DC 75 W (1 - 3 art.)

99787
DALI Controller 100~305V AC / 142~431V DC 240 W (1 - 10 art.)

83062
DALI - Push and Simply Dim Controller 198~264V AC / V DC (1 - 6 art.)

Linea Light Group reserves the right, without any advance notice, to change the characteristics of their products, as well as the availability of the same at any time. No product, relative technical data, illustrations and information are binding for Linea Light Group. Linea Light Group will not be held liable for any illustration, text and/or translation\ errors. All values indicated are measured values. There is a +/- 10% tolerance for the flow, CCT and power data.

Ribbon Basic 60 LEDs/m

LED Strip | topLED 24 W DC 24 V | 4.8 W/m | 570.2 Lm/m | CRI 80
98012

Single emission led strip for indoor application. The natural white LED light source with a diffused light distribution is composed of 300 stripled LEDs with CCT of 4000 K and a CRI 80; the source luminous flux is 2851 lm, with a 118.8 lm/W nominal luminous efficacy.

The device body is made of technopolymer and features a white finish.

The ingress protection degree is IP20; the total weight is of 0.1 kg. The power supply driver is not provided and is to be ordered separately.

The total absorbed power is 24 W The power supply cable is included and features a 0.50 m length.

The device features protection class III and can be wall lights or ceiling-mounted.

Compliant with the EN 60598-1 standard and its specific provisions.

Energieeffizienzklasse	
Dieses Produkt enthält eine Lichtquelle der Energieeffizienzklasse F.	

F A↑G

Illuminotechnical Eigenschaften	
Light Output Ratio (LOR)	100 %
Lichtstrom (Lichtquelle)	2851 lm
Leuchten Lichtstrom	2852 lm
Consumption	24 W
Leuchten Lichtausbeute	118 lm/W
Farbtemperatur	4000 K
Farbwiedergabeindex	80 Ra
Standardumgebungstemperatur	-20 / +50°C

UGR	
UGR axial	26.8
UGR transversal	26.8
X=4H | Y=8H	S=0.25H
Reflection factor	70/50/20

OPTICAL	
Optik C0/C180	117°
Light distribution simmetry	Symmetrical





Linea Light Group reserves the right, without any advance notice, to change the characteristics of their products, as well as the availability of the same at any time. No product, relative technical data, illustrations and information are binding for Linea Light Group. Linea Light Group will not be held liable for any illustration, text and/or translation\ errors. All values indicated are measured values. There is a +/- 10% tolerance for the flow, CCT and power data.

Ribbon Basic 60 LEDs/m

LED Strip | topLED 24 W DC 24 V | 4.8 W/m | 570.2 Lm/m | CRI 80
98012

Components

Rive_17/16

Code
99905 - 98893 - 83130

Vojo

Code
98891 - 83129 - 98954 - 84446 - 99983



LUNO_20/27

Code
83137 - 98929



Roko_33/15

Code
98897



Armita_58/15

Code
98916



Papilio_41/41

Code
98919



Tabulo_35/14

Code
98921



Cela_18/18

Code
98903 - 83131

Ribbon Basic 60 LEDs/m

LED Strip | topLED 24 W DC 24 V | 4.8 W/m | 570.2 Lm/m | CRI 80
98012

Components

Narp_12/12

Code
63560L02M



Sageto_24/08

Code
98895 - 98965



Ghost_64/14

Code
98906



Suo_56/10

Code
98937



Ozner_25/10

Code
98419



Svik_00/00

Code
98956



Ice_14/11

Code
99977

Ice_10/10

Code
99979

LED Strip | topLED 24 W DC 24 V | 4.8 W/m | 570.2 Lm/m | CRI 80
98012

Components

Linea Light Group reserves the right, without any advance notice, to change the characteristics of their products, as well as the availability of the same at any time. No product, relative technical data, illustrations and information are binding for Linea Light Group. Linea Light Group will not be held liable for any illustration, text and/or translation\ errors. All values indicated are measured values. There is a +/- 10% tolerance for the flow, CCT and power data.

Ribbon Basic 60 LEDs/m | LED Strip | Accessories
98012

Befestigungssatz

Code
98398



Befestigungssatz - Aluminium-Profil + schwarze Profilabdeckung + Kunststoffkappen-Bausatz 2 Stück schwarz + 5 Metallbügel-Bausatz + 5 Schrauben

Code
84448



Befestigungssatz - schwarzes Aluminiumprofil + schwarze opale Profilabdeckung + 2 schwarze Kunststoffkappen + 5 Metallbügel + 5 Schrauben

Code
84450



Befestigungssatz - Aluminiumprofil + St. Opalprofilabdeckung + Kunststoffkappe 2 St. weiß + Satz 5 Metallwinkel + 5 Schrauben

Code
84452



Befestigungssatz - Aluminiumprofil + St. Opalprofilabdeckung + Kunststoffkappe 2 St. weiß + Satz 5 Metallwinkel + 5 Schrauben

Code
84453



Befestigungssatz - schwarzes Aluminiumprofil + schwarze opale Profilabdeckung + 2 schwarze Kunststoffkappen + 5 Metallbügel + 5 Schrauben

Code
84454



Befestigungssatz - Aluminiumprofil + St. Opalprofilabdeckung + Kunststoffkappe 2 St. weiß + Satz 5 Metallwinkel + 5 Schrauben

Code
99905



Befestigungssatz - Aluminiumprofil + schwarze Profilabdeckung + Kunststoffkappen-Bausatz 2 Stück schwarz + Bausatz mit 5 Kunststoffwinkeln + 5 Schrauben

Code
84456

Linea Light Group reserves the right, without any advance notice, to change the characteristics of their products, as well as the availability of the same at any time. No product, relative technical data, illustrations and information are binding for Linea Light Group. Linea Light Group will not be held liable for any illustration, text and/or translation\ errors. All values indicated are measured values. There is a +/- 10% tolerance for the flow, CCT and power data.

Ribbon Basic 60 LEDs/m | LED Strip | Accessories
98012



Befestigungssatz - Aluminiumprofil + St. Opalprofilabdeckung + Kunststoffkappen-Bausatz 2 St. weiß + Bausatz 5 Kunststoffbügel + 5 Schrauben

Code
99910



Befestigungssatz - Aluminiumprofil + St. Opalprofilabdeckung + Kunststoffkappen-Bausatz 2 St. weiß + Bausatz 5 Kunststoffbügel + 5 Schrauben

Code
99908




Befestigungssatz - Aluminium-Profil + opale Profilabdeckung + Aluminium-Kappen-Set 2 Stück weiß

Code
99989

Befestigungssatz - 10 x Aluminiumprofil + 10 x Profilabdeckung schwarz St.

Code
84447



Befestigungssatz - 10 x Aluminiumprofil + 10 x opale Profilabdeckung

Code
99907

Befestigungssatz - 10 x Aluminiumprofil + 10 x Profilabdeckung schwarz St.

Code
84449

Befestigungssatz - 10 x Aluminiumprofil + 10 x opale Profilabdeckung

Code
99906

Befestigungssatz - 10 x Aluminiumprofil + 10 x opale Profilabdeckung

Code
99984

Linea Light Group reserves the right, without any advance notice, to change the characteristics of their products, as well as the availability of the same at any time. No product, relative technical data, illustrations and information are binding for Linea Light Group. Linea Light Group will not be held liable for any illustration, text and/or translation\ errors. All values indicated are measured values. There is a +/- 10% tolerance for the flow, CCT and power data.

Ribbon Basic 60 LEDs/m | LED Strip | Accessories
98012



Befestigungssatz - 10 x Aluprofil schwarz + 10 x Opal PC Profilabdeckung schwarz

Code
84451



Befestigungssatz - 10 x Aluprofil schwarz + 10 x Opal PC Profilabdeckung schwarz

Code
84455



Befestigungssatz - 10 x Aluminiumprofil + 10 x opale Profilabdeckung

Code
99986



Befestigungssatz - 10 x Aluminiumprofil + 10 x opale Profilabdeckung

Code
99988



Befestigungssatz - 10 x Aluminiumprofil + 10 x Profilabdeckung schwarz St.

Code
84457



Befestigungssatz - 10 x Aluminiumprofil + 10 x opale Profilabdeckung

Code
99911

Befestigungssatz - 10 x Aluminiumprofil + 10 x opale Profilabdeckung

Code
83006





Federn für den Einbau - 5 Stück

Code
98420

Linea Light Group reserves the right, without any advance notice, to change the characteristics of their products, as well as the availability of the same at any time. No product, relative technical data, illustrations and information are binding for Linea Light Group. Linea Light Group will not be held liable for any illustration, text and/or translation\ errors. All values indicated are measured values. There is a +/- 10% tolerance for the flow, CCT and power data.

Ribbon Basic 60 LEDs/m | LED Strip | Accessories
98012



Diffusor
Diffusorart: opalen diffusor.
Material:PC, farbe:Opal.

Code
98395

Diffusor

Code
98941

Diffusor

Code
98942

Diffusor - Opalen Diffusor

Code
98943



Diffusor

Code
98934

Diffusor

Code
98930

Diffusor

Code
98898

Diffusor

Code
98899

Linea Light Group reserves the right, without any advance notice, to change the characteristics of their products, as well as the availability of the same at any time. No product, relative technical data, illustrations and information are binding for Linea Light Group. Linea Light Group will not be held liable for any illustration, text and/or translation\ errors. All values indicated are measured values. There is a +/- 10% tolerance for the flow, CCT and power data.

Ribbon Basic 60 LEDs/m | LED Strip | Accessories
98012

Diffusor

Code
98900

Diffusor

Code
98917



Diffusor

Code
98938

Diffusor

Code
98925

Diffusor
Material:PC, farbe:Black.

Code
83132

Diffusor
Material:PC, farbe:Black.

Code
83138

Diffusor
Material:PC, farbe:Black.

Code
83183

Endkappe

Code
98418

Linea Light Group reserves the right, without any advance notice, to change the characteristics of their products, as well as the availability of the same at any time. No product, relative technical data, illustrations and information are binding for Linea Light Group. Linea Light Group will not be held liable for any illustration, text and/or translation\ errors. All values indicated are measured values. There is a +/- 10% tolerance for the flow, CCT and power data.

Ribbon Basic 60 LEDs/m | LED Strip | Accessories
98012



Endkappe - Verschlusskappe
Material:PC, farbe:Weiß.

Code
98892



Endkappe
Material:PC, farbe:Grau.

Code
98894



Endkappe

Code
98928



Endkappe
Material:PC, farbe:Weiß.

Code
98936



Endkappe
Material:PC, farbe:Opal.

Code
98932

Endkappe
Material:PC, farbe:Grau.

Code
98905




Endkappe

Code
98896

Endkappe

Code
98902

Linea Light Group reserves the right, without any advance notice, to change the characteristics of their products, as well as the availability of the same at any time. No product, relative technical data, illustrations and information are binding for Linea Light Group. Linea Light Group will not be held liable for any illustration, text and/or translation\ errors. All values indicated are measured values. There is a +/- 10% tolerance for the flow, CCT and power data.

Ribbon Basic 60 LEDs/m | LED Strip | Accessories
98012



Endkappe
Material:Aluminium, farbe:Polished aluminium.

Code
98907



Endkappe
Material:PC, farbe:Weiß.

Code
98922



Endkappe
Material:PC, farbe:Weiß.

Code
98920



Endkappe
Material:PC, farbe:Weiß.

Code
98940



Endkappe
Material:PC, farbe:Weiß.

Code
98918



Endkappe
Material:UV beständiges Polycarbonat, farbe:Weiß matt.

Code
99976



Endkappe
Material:UV beständiges Polycarbonat, farbe:Weiß matt.

Code
99978



Endkappe
Material:PC, farbe:Black.

Code
83133

Linea Light Group reserves the right, without any advance notice, to change the characteristics of their products, as well as the availability of the same at any time. No product, relative technical data, illustrations and information are binding for Linea Light Group. Linea Light Group will not be held liable for any illustration, text and/or translation\ errors. All values indicated are measured values. There is a +/- 10% tolerance for the flow, CCT and power data.

Ribbon Basic 60 LEDs/m | LED Strip | Accessories
98012



Endkappe
Material:PC, farbe:Black.

Code
83135

Endkappe
Material:PC, farbe:Black.

Code
83136



Endkappe
Material:PC, farbe:Black.

Code
83139



Endkappe
Material:PC, farbe:Black.

Code
83184



Klammer - Montagehalterung
L=19mm, H=8mm, D=9mm.
Material:Eisen, farbe:Zink, bearbeitungstyp :Waschen.

Code
98944



Klammer
L=9mm, H=8.8mm, D=21.8mm.
Material:Eisen, farbe:poliert, bearbeitungstyp :Waschen.

Code
98931

Klammer
L=22mm, H=21.5mm, D=16.4mm.
Material:PC, farbe:Transparent.

Code
98904



Klammer
L=8mm, H=9mm, D=19mm.
Material:Eisen, farbe:poliert, bearbeitungstyp :Waschen.

Code
98939

Linea Light Group reserves the right, without any advance notice, to change the characteristics of their products, as well as the availability of the same at any time. No product, relative technical data, illustrations and information are binding for Linea Light Group. Linea Light Group will not be held liable for any illustration, text and/or translation\ errors. All values indicated are measured values. There is a +/- 10% tolerance for the flow, CCT and power data.

Ribbon Basic 60 LEDs/m | LED Strip | Accessories
98012



Klammer
L=12mm, H=15mm, D=30mm.
Material:PC, farbe:Weiß.

Code
98901

Profil - Bausatz mit dünnem Profil
Material:PC, farbe:Opal.

Code
xxx63560L02



Profil - Bodenprofil
Material:Aluminiumlegierung 6060, farbe:Anodised aluminium, bearbeitungstyp :Anodisierung 20 µm.

Code
xx98937

Profil - Komplettset: 10x Eloxiertes Aluminiumprofil + 10x Opal-Diffusor
Material:Aluminium, farbe:Anodised aluminium, bearbeitungstyp :Eloxierung.

Code
98955



Profil
Material:UV beständiges Polycarbonat, farbe:Weiß matt.

Code
xxx99977

Profil
Material:UV beständiges Polycarbonat, farbe:Weiß matt.

Code
xxx99979

Profil - 10 x Kühlkörper
Material:Aluminiumlegierung 6060, farbe:Anodised aluminium, bearbeitungstyp :Anodisierung 20 µm.

Code
99999

Linea Light Group reserves the right, without any advance notice, to change the characteristics of their products, as well as the availability of the same at any time. No product, relative technical data, illustrations and information are binding for Linea Light Group. Linea Light Group will not be held liable for any illustration, text and/or translation\ errors. All values indicated are measured values. There is a +/- 10% tolerance for the flow, CCT and power data.