
PU_C Plus 140 LEDs/m

LED Strip | topLED 125 W DC 24 V | 25 W/m
3172.4 Lm/m | CRI >90
C00125WHNDI









Technische Daten	
Länge	5000 mm
Minimaler Schnitt	50 mm
Typ	LED Strip
Installationsposition	Wand - Decke
Installationsumgebung	Outdoor
Lichtquelle	LED
Circuit structure	topLED
Optik	Diffuses
Light emission direction	downward
Lampe Nennleistung	125 W DC
Lampenleistung / m	25 W / m
Lichtstrom (Lichtquelle)	15862 lm
Lichtstrom (Lichtquelle) / m	3172.4 lm / m
Ähnlichste Farbtemperatur / Tone	4000 K
Farbwiedergabeindex	>90 Ra
Gleichstrom/Gleichspannung	CV
Isolierklasse	3
IP	IP66
Glühdrahtprüfung	650°
Direkte Montage auf normal entflammbaren Oberflächen	Ja
CE	Ja
Einschließlich Driver	Nein
Leuchte dimmbar	DALI - 1-10V
Schwenkbarkeit	Nein
Drehbarkeit	Nein
Begehbarkeit	Nein
Überrollbarkeit	Nein
Einschließlich Kabel	Ja
Kabellänge	1(M)x0.25m + 1(F)x1 m
Harzbeschichtung	Ja
Typ Lichtabstrahlung	Einflammig
Nettogewicht	0.575 Kg
Schutz vor elektrostatischen Entladungen	Nein
Schutz vor Stoßspannungen	Nein

Oberfläche Oberfläche Gehäuse	
Material	Technopolymer
Farbe	Weiß

Oberfläche Oberfläche diffusor	
Material	PU
Farbe	Opal

Elektronik



99331
On/Off Driver 198~264V AC / 176~275V DC 150 W (1 art.)



99332
1-10V Controller (1 art.)



99374
On/Off Driver 198~264V AC / 176~275V DC 75 W (1 art.)



83333
Push and Simply Dim - DALI-2 Controller (1 art.)



C-E400002
Push and Simply Dim - DALI-2 Controller (1 art.)

Linea Light Group reserves the right, without any advance notice, to change the characteristics of their products, as well as the availability of the same at any time. No product, relative technical data, illustrations and information are binding for Linea Light Group. Linea Light Group will not be held liable for any illustration, text and/or translation\ errors. All values indicated are measured values. There is a +/- 10% tolerance for the flow, CCT and power data.

LED Strip | topLED 125 W DC 24 V | 25 W/m | 3172.4 Lm/m | CRI >90
C00125WHNDI

Single emission led strip for outdoor application. The natural white LED light source with a diffused light distribution is composed of 700 topled LEDs with CCT of 4000 K and a CRI >90; the source luminous flux is 15862 lm, with a 126.9 lm/W nominal luminous efficacy.

The device body is made of technopolymer and features a white finish; the diffuser is made of pu.

The ingress protection degree is IP66; the total weight is of 0.575 kg. The power supply driver is not provided and is to be ordered separately.

The total absorbed power is 125 W The power supply cable is included and features a 1(M)x0.25m + 1(F)x1 m length.

The device features protection class III and can be wall lights or ceiling-mounted.

Compliant with the EN 60598-1 standard and its specific provisions.


Energieeffizienzklasse
Dieses Produkt enthält eine Lichtquelle der Energieeffizienzklasse E.


Illuminotechnical Eigenschaften	
Light Output Ratio (LOR)	77 %
Lichtstrom (Lichtquelle)	15862 lm
Leuchten Lichtstrom	12264 lm
Consumption	125 W
Leuchten Lichtausbeute	98 lm/W
Farbtemperatur	4000 K
Standard Deviation of Colour Matching	3 Step MacAdam
Farbwiedergabeindex	>90 Ra
Standardumgebungstemperatur	-20 / +55°C

LED Life / Failure Ratio
L90 B10 C0 54000h
L80 B10 C0 112000h

UGR	
UGR axial	32.7
UGR transversal	32.4
X=4H | Y=8H	S=0.25H
Reflection factor	70/50/20

OPTICAL	
Optik C0/C180	117°
Light distribution simmetry	Symmetrical






Linea Light Group reserves the right, without any advance notice, to change the characteristics of their products, as well as the availability of the same at any time. No product, relative technical data, illustrations and information are binding for Linea Light Group. Linea Light Group will not be held liable for any illustration, text and/or translation\ errors. All values indicated are measured values. There is a +/- 10% tolerance for the flow, CCT and power data.

LED Strip | topLED 125 W DC 24 V | 25 W/m | 3172.4 Lm/m | CRI >90
C00125WHNDI

Components






LUNO_20/27 - Profili | Modular

Code
C-K100017






LUNO_20/27 - Profili | Modular

Code
C-K100018






Rive_17/16 - Profili | Modular

Code
C-K100015






Rive_17/16 - Profili | Modular

Code
C-K100016






Tabulo_35/14 - Profili | Modular

Code
C-K100025






Rive_17/16 - Profili | Modular

Code
C-K100026





Rive_17/16 - Profili | Modular

Code
C-K100027

Linea Light Group reserves the right, without any advance notice, to change the characteristics of their products, as well as the availability of the same at any time. No product, relative technical data, illustrations and information are binding for Linea Light Group. Linea Light Group will not be held liable for any illustration, text and/or translation\ errors. All values indicated are measured values. There is a +/- 10% tolerance for the flow, CCT and power data.

PU_C Plus 140 LEDs/m | LED Strip | Accessories
C00125WHNDI






Diffusor
Material:PC, farbe:Black.

Code
83132





Klammer - Montagehalterung
L=19mm, H=8mm, D=9mm.
Material:Eisen, farbe:Zink, bearbeitungstyp :Waschen.

Code
98944






Endkappe

Code
98902





Klammer
L=12mm, H=15mm, D=30mm.
Material:PC, farbe:Weiß.

Code
98901





Diffusor

Code
98898



Diffusor


Code
98899



Diffusor

Code
98900






Endkappe
Material:Aluminium, farbe:Polished aluminium.

Code
98907

Linea Light Group reserves the right, without any advance notice, to change the characteristics of their products, as well as the availability of the same at any time. No product, relative technical data, illustrations and information are binding for Linea Light Group. Linea Light Group will not be held liable for any illustration, text and/or translation\ errors. All values indicated are measured values. There is a +/- 10% tolerance for the flow, CCT and power data.

PU_C Plus 140 LEDs/m | LED Strip | Accessories

C00125WHNDI



Diffusor

Diffusorart: opalen diffusor.

Material:PC, farbe:Opal.

Code

98395







Endkappe

Code

98418





Federn für den Einbau - 5 Stück

Code

98420





Diffusor

Code

98941





Diffusor

Code

98942





Diffusor - Opalen Diffusor

Code

98943






Klammer

L=22mm, H=21.5mm, D=16.4mm.

Material:PC, farbe:Transparent.

Code

98904



Endkappe

Material:Kunststoff ABS, farbe:Black.


Code

C-V400034

Linea Light Group reserves the right, without any advance notice, to change the characteristics of their products, as well as the availability of the same at any time. No product, relative technical data, illustrations and information are binding for Linea Light Group. Linea Light Group will not be held liable for any illustration, text and/or translation\ errors. All values indicated are measured values. There is a +/- 10% tolerance for the flow, CCT and power data.


PU_C Plus 140 LEDs/m | LED Strip | Accessories
C00125WHNDI





Endkappe
Material:Kunststoff, farbe:Grau.


Code
C-V400033



Endkappe
Material:Kunststoff ABS, farbe:Black.

Code
C-V400032





Endkappe
Material:Kunststoff, farbe:Grau.

Code
C-V400031




Diffusor
Material:PC, farbe:Black.

Code
C-K200008



Diffusor
Material:PC, farbe:Opal.

Code
C-K200007



Diffusor
Material:PC, farbe:Black.


Code
C-K200006



Diffusor
Material:PC, farbe:Opal.

Code
C-K200005






Endkappe
Material:Kunststoff ABS, farbe:Black.

Code
C-V400026

Linea Light Group reserves the right, without any advance notice, to change the characteristics of their products, as well as the availability of the same at any time. No product, relative technical data, illustrations and information are binding for Linea Light Group. Linea Light Group will not be held liable for any illustration, text and/or translation\ errors. All values indicated are measured values. There is a +/- 10% tolerance for the flow, CCT and power data.

PU_C Plus 140 LEDs/m | LED Strip | Accessories
C00125WHNDI





Endkappe
Material:Kunststoff, farbe:Grau.

Code
C-V400025






Diffusor
Material:PC, farbe:Opal.

Code
C-K200001





Klammer
L=9mm, H=8.8mm, D=21.8mm.
Material:Eisen, farbe:poliert, bearbeitungstyp :Waschen.

Code
98931



Diffusor
Material:PC, farbe:Opal.

Code
C-K200003





Diffusor
Material:PC, farbe:Black.


Code
C-K200004



Diffusor
Material:PC, farbe:Black.

Code
C-K200009





Endkappe
Material:Kunststoff, farbe:Grau.

Code
C-V400041



Verlängerungskabel

Code
99542

Linea Light Group reserves the right, without any advance notice, to change the characteristics of their products, as well as the availability of the same at any time. No product, relative technical data, illustrations and information are binding for Linea Light Group. Linea Light Group will not be held liable for any illustration, text and/or translation\ errors. All values indicated are measured values. There is a +/- 10% tolerance for the flow, CCT and power data.

PU_C Plus 140 LEDs/m | LED Strip | Accessories
C00125WHNDI



Klammer - Befestigungssatz für PU_C 5 m | 1 x Kleber, 20 x Bügel, 40 x M3 x 25 Schrauben, 10 x Dübel


Code
98964



Klammer - Halterungssatz für PU_C 5 m und Silicone_C 5 m | 10 x Halterungen, 20 x M3 x 25 Schrauben

Code
89223






Endkappe
Material:Kunststoff, farbe:Grau.

Code
C-V400019






Endkappe
Material:Kunststoff ABS, farbe:Black.

Code
C-V400020






Endkappe
Material:Kunststoff, farbe:Grau.

Code
C-V400021





Endkappe
Material:Kunststoff ABS, farbe:Black.

Code
C-V400022

Linea Light Group reserves the right, without any advance notice, to change the characteristics of their products, as well as the availability of the same at any time. No product, relative technical data, illustrations and information are binding for Linea Light Group. Linea Light Group will not be held liable for any illustration, text and/or translation\ errors. All values indicated are measured values. There is a +/- 10% tolerance for the flow, CCT and power data.