# Torino

Wandleuchten - Tischleuchten | 230-240 V
32 topLED 7 W DC - 8 W AC | CRI 90
**CZ003IMGMDI**




| Technische Daten | |
|---|---|
| Designer | Shigeaki Asahara |
| Jahr der Verwirklichung | 2025 |
| Typ | Wandleuchten - Tischleuchten |
| Installationsposition | Wand - Boden |
| Installationsumgebung | Indoor |
| Lichtquelle | LED |
| Circuit structure | topLED |
| Optik | Diffuses |
| Light emission direction | downward |
| Lampe Nennleistung | 7 W DC |
| Gesamtleistung | 8 W |
| Lichtstrom (Lichtquelle) | 947 lm |
| Nominale Eingangsspannung | 220 - 240 V AC |
| Eingangsspannungsbereich | 230 - 240 V AC |
| Frequency | 50 - 60 Hz |
| Ähnlichste Farbtemperatur / Tone | 2700 K |
| Farbwiedergabeindex | 90 Ra |
| Gleichstrom/Gleichspannung | AC |
| Isolierklasse | 2 |
| IP | IP20 |
| Glühdrahtprüfung | 850° |
| Direkte Montage auf normal entflammbaren Oberflächen | Ja |
| CE | Ja |
| Einschließlich Driver | Driver |
| Leuchte dimmbar | Touch |
| Schwenkbarkeit | Orientabile |
| Gesamtwinkel (vertikale Ebene) | 0 ° |
| Gesamtwinkel (horizontale Ebene) | 320 ° |
| Drehbarkeit | Ja |
| Gesamtwinkel (horizontale Ebene) | 0 ° |
| Gesamtwinkel (vertikale Ebene) | 220 ° |
| Begehbarkeit | Nein |
| Überrollbarkeit | Nein |
| Einschließlich Kabel | Ja |
| Steckdose | Type C |
| Kabellänge | 2.7 m |
| Harzbeschichtung | Nein |
| Typ Lichtabstrahlung | Einflammig |
| Nettogewicht | 0.725 Kg |
| Schutz vor elektrostatischen Entladungen | Nein |
| Schutz vor Stoßspannungen | Nein |

| Oberfläche Oberfläche Gehäuse | |
|---|---|
| Material | Aluminium |
| Farbe | Text grey (R7012) |
| Bearbeitungstyp | Lackierung |

| Oberfläche Oberfläche diffusor | |
|---|---|
| Material | PC |
| Farbe | Opal |



Linea Light Group reserves the right, without any advance notice, to change the characteristics of their products, as well as the availability of the same at any time. No product, relative technical data, illustrations and information are binding for Linea Light Group. Linea Light Group will not be held liable for any illustration, text and/or translation\ errors. All values indicated are measured values. There is a +/- 10% tolerance for the flow, CCT and power data.

Wandleuchten - Tischleuchten | 230-240 V | 32 topLED 7 W DC - 8 W AC | CRI 90
**CZ003IMGMDI**

Single emission wall lights or table lamps for indoor application. The super warm white LED light source with a diffused light distribution is composed of 32 topled LEDs with CCT of 2700 K and a CRI 90; the source luminous flux is 947 lm, with a 135.3 lm/W nominal luminous efficacy.

The device body is made of aluminium and features a text grey (r7012) finish, processed by means of coating; the diffuser is made of PC.

The ingress protection degree is IP20; the total weight is of 0.725 kg.

The total absorbed power is 8 W The power supply cable is included and features a 2.7 m length.

The device features protection class II and can be wall lights or floor-mounted.

Compliant with the EN 60598-1 standard and its specific provisions.

| Energieeffizienzklasse |
|---|
| Dieses Produkt enthält eine Lichtquelle der Energieeffizienzklasse E. |

| Illuminotechnical Eigenschaften | |
|---|---|
| Light Output Ratio (LOR) | 78 % |
| Lichtstrom (Lichtquelle) | 947 lm |
| Leuchten Lichtstrom | 744 lm |
| Consumption | 8 W |
| Leuchten Lichtausbeute | 93 lm/W |
| Farbtemperatur | 2700 K |
| Standard Deviation of Colour Matching | 3 Step MacAdam |
| Farbwiedergabeindex | 90 Ra |
| Verbindungstemperatur (Leuchte) | 80 |
| Standardumgebungstemperatur | 25°C |

| LED Life / Failure Ratio |
|---|
| L70 B10 C0 102000h (at Tj 115  Ta 25 ) |
| L90 B10 C0 55000h |

| UGR | |
|---|---|
| UGR axial | 27.8 |
| UGR transversal | 28.1 |
| X=4H \| Y=8H | S=0.25H |
| Reflection factor | 70/50/20 |

| OPTICAL | |
|---|---|
| Optik C0/C180 | 114° |
| Light distribution simmetry | Symmetrical |









Linea Light Group reserves the right, without any advance notice, to change the characteristics of their products, as well as the availability of the same at any time. No product, relative technical data, illustrations and information are binding for Linea Light Group. Linea Light Group will not be held liable for any illustration, text and/or translation\ errors. All values indicated are measured values. There is a +/- 10% tolerance for the flow, CCT and power data.

STILNOVO

# Torino

Wandleuchten - Tischleuchten | 230-240 V | 32 topLED 7 W DC - 8 W AC | CRI 90
**CZ003IMGMDI**

## Components





Torino - Base

**Code**
CZ004RWHEZZ




Torino - Base

**Code**
CZ004RBBEZZ




Torino - Base

**Code**
CZ004RMGEZZ




Torino - Base

**Code**
CZ004RLUEZZ




Torino - Base

**Code**
CZ004RGBEZZ




Torino - Base

**Code**
CZ004RBEEZZ





Torino - Morsetto

**Code**
CZ005RBBEZZ





Torino - Morsetto

**Code**
CZ005RLUEZZ

STILNOVO

# Torino

Wandleuchten - Tischleuchten | 230-240 V | 32 topLED 7 W DC - 8 W AC | CRI 90
**CZ003IMGMDI**

## Components




Torino - Morsetto

**Code**
CZ005RGBEZZ




Torino - Morsetto

**Code**
CZ005RMGEZZ




Torino - Morsetto

**Code**
CZ005RBEEZZ




Torino - Morsetto

**Code**
CZ005RWHEZZ




Torino - Staffa Applique

**Code**
CZ006RBBEZZ




Torino - Staffa Applique

**Code**
CZ006RLUEZZ




Torino - Staffa Applique

**Code**
CZ006RGBEZZ




Torino - Staffa Applique

**Code**
CZ006RMGEZZ

Wandleuchten - Tischleuchten | 230-240 V | 32 topLED 7 W DC - 8 W AC | CRI 90
**CZ003IMGMDI**

## Components




Torino - Staffa Applique

**Code**
CZ006RBEEZZ




Torino - Staffa Applique

**Code**
CZ006RWHEZZ



Linea Light Group reserves the right, without any advance notice, to change the characteristics of their products, as well as the availability of the same at any time. No product, relative technical data, illustrations and information are binding for Linea Light Group. Linea Light Group will not be held liable for any illustration, text and/or translation\ errors. All values indicated are measured values. There is a +/- 10% tolerance for the flow, CCT and power data.