


Systeme | 220-240 V | 1xR7s
TR4000-5



Technische Daten	
Typ	Systeme
Installationsposition	Decke
Installationsumgebung	Indoor
Leuchtmittel inbegriffen	Nein
Anschluss der Leuchte	1 x R7s Max 200W
Optik	Diffuses
Isolierklasse	2
IP	IP40
Glühdrahtprüfung	850°
Direkte Montage auf normal entflammaren Oberflächen	Ja
CE	Ja
Leuchte dimmbar	Nein
Schwenkbarkeit	Nein
Drehbarkeit	Nein
Begehbarkeit	Nein
Überrollbarkeit	Nein
Einschließlich Kabel	Nein
Harzbeschichtung	Nein
Nettogewicht	0.343 Kg

Oberfläche Oberfläche Gehäuse	
Material	PC
Farbe	Metall grau
Oberfläche Oberfläche diffuser	
Material	Glas
Farbe	Weiß
Bearbeitungstyp	Sandstrahlen

Systeme | 220-240 V | 1xR7s
TR4000-5

Single emission systems for indoor application. Compatibility:, halogen 200 W; lamp cap 1xR7s.


The device body is made of PC and features a metal gray finish; the diffuser is made of glass with a sandblasting treatment.

The ingress protection degree is IP40; the total weight is of 0.343 kg.

The device features protection class II and can be ceiling-mounted.

Compliant with the EN 60598-1 standard and its specific provisions.

Illuminotechnical Eigenschaften	
Light Output Ratio (LOR)	76 %
Leuchten Lichtstrom	2377 lm
Consumption	160 W
Leuchten Lichtausbeute	19 lm/W
Lichtstrom (Lichtquelle)	1 x lm
UGR	
UGR axial	33.8
UGR transversal	26
X=4H Y=8H	S=0.25H
Reflection factor	70/50/20
OPTICAL	
Optik C90/C270	180°
Optik C0/C180	106°
Light distribution simmetry	Symmetrical 2 assis



Systeme | 220-240 V | 1xR7s

TR4000-5

Single emission systems for indoor application. Compatibility:, halogen 200 W; lamp cap 1xR7s.

The device body is made of PC and features a metal gray finish; the diffuser is made of glass with a sandblasting treatment.

The ingress protection degree is IP40; the total weight is of 0.343 kg.








The device features protection class II and can be ceiling-mounted.

Compliant with the EN 60598-1 standard and its specific provisions.

Sisteme | 220-240 V | 1xR7s




TR4000-5

Components

 	300 System Accessories - Sistemi	Code <u>TR4101-4</u>
 	300 System Accessories - Sistemi	Code <u>TR4101-5</u>
 	300 System Accessories - Sistemi	Code <u>TR4103-4</u>
 	300 System Accessories - Sistemi	Code <u>TR4103-5</u>
 	300 System Accessories	Code <u>TR4104-3</u>
 	300 System Accessories - 1.5m - Grey - Sistemi	Code <u>TR4105-5</u>
 	300 System Accessories	Code <u>TR4109-4</u>
 	300 System Accessories	Code <u>TR4109-5</u>

Systeme | 220-240 V | 1xR7s
TR4000-5


Components

		Supporting cable - 50m - Sistemi	Code <u>TR4151-50</u>
		Supporting cable - 30m - Sistemi	Code <u>TR4151-30</u>
		Supporting cable - 20m - Sistemi	Code <u>TR4151-20</u>
		Supporting cable - 10m - Sistemi	Code <u>TR4151-10</u>
		Supporting cable - 5m - Sistemi	Code <u>TR4151-5</u>
		300 System Accessories - 1.5m - White - Sistemi	Code <u>TR4105-4R</u>
		300 System Accessories - Sistemi	Code <u>8721</u>
		300 System Accessories - Sistemi	Code <u>8722</u>

Sisteme | 220-240 V | 1xR7s

TR4000-5


Components



300 System Accessories - Sistemi

Code


8729



300 System Accessories - Sistemi

Code

9873



300 System Accessories

Code

9874



Supporting black cable - 5m

Code

TR4153-5



Supporting black cable - 10m - Sistemi

Code

TR4153-10



Supporting black cable - 20m - Sistemi

Code

TR4153-20



Supporting black cable - 30m - Sistemi

Code

TR4153-30



Supporting black cable - 50m - Sistemi

Code

TR4153-50


Systeme | 220-240 V | 1xR7s
TR4000-5

Components

		300 System Accessories - Sistemi	Code <u>TR4124-4</u>
		300 System Accessories - Sistemi	Code <u>TR4124-5</u>
		300 System Accessories - Sistemi	Code <u>TR4124-6</u>
		300 System Accessories - 1.5m - Grey - Sistemi	Code <u>TR4105-6</u>
		300 System Accessories - Sistemi	Code <u>TR4103-6</u>
		300 System Accessories - Sistemi	Code <u>TR4101-6</u>
		300 System Accessories - Sistemi	Code <u>TR4109-6</u>
		300 System Accessories - Sistemi	Code <u>8730</u>

Systeme | 220-240 V | 1xR7s
TR4000-5

Components



300 System Accessories - Sistemi

Code

8731