
TR4114-4






Technische Daten	
Typ	Mono System
Installationsposition	Decke
Installationsumgebung	Indoor
Leuchtmittel inbegriffen	Nein
Glühdrahtprüfung	850°
Direkte Montage auf normal entflammbaren Oberflächen	Ja
CE	Ja
Leuchte dimmbar	Nein
Schwenkbarkeit	Nein
Drehbarkeit	Nein
Begehbarkeit	Nein
Überrollbarkeit	Nein
Einschließlich Kabel	Nein
Harzbeschichtung	Nein
Nettogewicht	0.26 Kg

Oberfläche Oberfläche Gehäuse	
Material	Eisen
Farbe	Weiß RAL 9010
Bearbeitungstyp	Lackierung

Linea Light Group reserves the right, without any advance notice, to change the characteristics of their products, as well as the availability of the same at any time. No product, relative technical data, illustrations and information are binding for Linea Light Group. Linea Light Group will not be held liable for any illustration, text and/or translation\ errors. All values indicated are measured values. There is a +/- 10% tolerance for the flow, CCT and power data.

TR4114-4

Components

Iota-C

Code


9860 - 9859 - 9856 - 9855 - 9857 - 9858 - 9855M - 9856M - 9855N - 9856N - 9857M - 9858M - 9857N - 9858N - 9859M - 9860M - 9859N - 9860N




Trix-C

Code


8430 - 8431 - 8429

Circular

Code


8445 - 8446 - 8447



Oh!-C1

Code


10115 - 10116



Sisters-C_248

Code


8653



Sisters-C_310

Code

8656



Tu-V-C

Code

8650




Baton-C_1

Code

64652 - 64653


TR4114-4

Components




Baton-C_2

Code
64656 - 64657




Outlook-C

Code
8422


Andromeda-C_1

Code
TR4304-4R - TR4304-5 - TR4304-6


Eta-C

Code
9869 - 9868 - 9867 - 9871 - 9870 - 9872 - 9867M - 9870M - 9868M - 9871M - 9869M - 9872M - 9867N - 9870N - 9868N - 9871N - 9869N - 9872N


Oh!-C30_380

Code
12145



Oh!-C2_280

Code
12140



Oh!-C30_280

Code
12142





Orion-C_1

Code
59754

TR4114-4

Components





Orion-C_2

Code

59744

Linea Light Group reserves the right, without any advance notice, to change the characteristics of their products, as well as the availability of the same at any time. No product, relative technical data, illustrations and information are binding for Linea Light Group. Linea Light Group will not be held liable for any illustration, text and/or translation\ errors. All values indicated are measured values. There is a +/- 10% tolerance for the flow, CCT and power data.