


Systeme | 220-240 V | 1xGU10
TR4304-4R



Technische Daten	
Typ	Systeme
Installationsposition	Decke
Installationsumgebung	Indoor
Leuchtmittel inbegriffen	Nein
Anschluss der Leuchte	1 x GU10
Optik	Diffuses
Isolierklasse	2
IP	IP20
Glühdrahtprüfung	850°
Direkte Montage auf normal entflammaren Oberflächen	Ja
CE	Ja
Leuchte dimmbar	Nein
Schwenkbarkeit	Orientabile
Gesamtwinkel (vertikale Ebene)	90 °
Gesamtwinkel (horizontale Ebene)	350 °
Drehbarkeit	Nein
Begehbarkeit	Nein
Überrollbarkeit	Nein
Einschließlich Kabel	Nein
Harzbeschichtung	Nein
Nettogewicht	0.10 Kg

Oberfläche Oberfläche Gehäuse	
Material	Eisen
Farbe	Text white RAL9003
Bearbeitungstyp	Lackierung

Systeme | 220-240 V | 1xGU10
TR4304-4R

Single emission systems for indoor application. Compatibility: LED lamp; lamp cap 1xGU10.

The device body is made of iron and features a text white ral9003 finish, processed by means of coating.







The ingress protection degree is IP20; the total weight is of 0.10 kg.

The device features protection class II and can be ceiling-mounted.

Compliant with the EN 60598-1 standard and its specific provisions.

Systeme | 220-240 V | 1xGU10
TR4304-4R

Components





		Mono System Accessories	Code <u>TR4111-4</u>
		Mono System Accessories	Code <u>TR4111-5</u>
		Mono System Accessories	Code <u>TR4114-4</u>
		Mono System Accessories - Sistemi	Code <u>TR4114-5</u>
		Mono System Accessories	Code <u>TR4119-4</u>
		Mono System Accessories	Code <u>TR4119-5</u>
		Mono System Accessories - Sistemi	Code <u>TR4120-3</u>

Supporting cable - 50m - Sistemi

Code
TR4151-50





Systeme | 220-240 V | 1xGU10
TR4304-4R

Components

		Supporting cable - 30m - Sistemi	Code <u>TR4151-30</u>
		Supporting cable - 20m - Sistemi	Code <u>TR4151-20</u>
		Supporting cable - 10m - Sistemi	Code <u>TR4151-10</u>
		Supporting cable - 5m - Sistemi	Code <u>TR4151-5</u>
		Mono System Accessories - Sistemi	Code <u>TR4117-4R</u>
		Mono System Accessories - Sistemi	Code <u>TR4117-5</u>
		Mono System Accessories	Code <u>8706</u>
		Mono System Accessories	Code <u>8711</u>




Systeme | 220-240 V | 1xGU10
TR4304-4R

Components

	Mono System Accessories	Code <u>8712</u>
	Mono System Accessories - Sistemi	Code <u>9853</u>
	Mono System Accessories - Sistemi	Code <u>9854</u>
	Mono System Accessories	Code <u>TR4111-6</u>
	Mono System Accessories	Code <u>8713</u>
	Mono System Accessories - Sistemi	Code <u>TR4114-6</u>
	Mono System Accessories	Code <u>TR4117-6</u>
	Mono System Accessories	Code <u>TR4119-6</u>

Systeme | 220-240 V | 1xGU10
TR4304-4R

Components

	Supporting black cable - 5m	Code <u>TR4153-5</u>
	Supporting black cable - 10m - Sistemi	Code <u>TR4153-10</u>
	Supporting black cable - 20m - Sistemi	Code <u>TR4153-20</u>
	Supporting black cable - 30m - Sistemi	Code <u>TR4153-30</u>
	Supporting black cable - 50m - Sistemi	Code <u>TR4153-50</u>
 	150 System Accessories - Sistemi	Code <u>8720</u>
 	Mono System Accessories - Sistemi	Code <u>8704</u>
 	Mono System Accessories	Code <u>8705</u>

Systeme | 220-240 V | 1xGU10
TR4304-4R

Components
