



Sistemi - Elementi lineari | Modular
650102000 x
94

| Dati tecnici | |
|---|----------------------------|
| Tipologia | Sistemi - Elementi lineari |
| Posizione installativa | Soffitto |
| Ambiente installativo | Indoor |
| Lampadina inclusa | No |
| IK | IK08 |
| Prova del filo incandescente | 850° |
| Montaggio diretto su superfici normalmente incombustibili | Si |
| CE | Si |
| Articolo dimmerabile | No |
| Orientabilità | No |
| Basculante | No |
| Calpestabilità | No |
| Carrabilità | No |
| Cavo incluso | No |
| Resinatura | No |
| Peso netto | 2.44 Kg |
| Modularità | Modular |

| Finitura Finitura corpo | |
|-------------------------|--------------|
| Materiale | alluminio |
| Colore | Bianco gesso |
| Lavorazione | verniciatura |

























Sistemi - Elementi lineari | Modular
65010

Components

| | | | |
|--|--|--|-------------------------------------|
| | | <p>Ribbon PRO - LED Strip topLED 18 W DC 24 V 3.6 W/m 511.6 Lm/m</p> | <p>Code <u>82123</u></p> |
| | | | |
| | | <p>Ribbon PRO - LED Strip topLED 18 W DC 24 V 3.6 W/m 518 Lm/m</p> | <p>Code <u>82124</u></p> |
| | | | |
| | | <p>Ribbon PRO</p> | <p>Code <u>82125</u></p> |
| | | | |
| | | <p>Ribbon PRO</p> | <p>Code <u>82129</u></p> |
| | | | |
| | | <p>Ribbon PRO</p> | <p>Code <u>82130</u></p> |
| | | | |
| | | <p>Ribbon PRO - LED Strip topLED 48 W DC 24 V 9.6 W/m 1503.8 Lm/m</p> | <p>Code <u>82131</u></p> |
| | | | |
| | | <p>Ribbon PRO - LED Strip topLED 33.5 W DC 24 V 6.7 W/m 927.6 Lm/m</p> | <p>Code <u>82156</u></p> |
| | | | |
| | | <p>Ribbon PRO</p> | <p>Code <u>82157</u></p> |
| | | | |

Sistemi - Elementi lineari | Modular
65010

Components

| | | | |
|---|---|--|--|
|   |  | <p>Ribbon PRO - LED Strip topLED 33.5 W DC 24 V 6.7 W/m 1023 Lm/m</p> | <p>Code <u>82158</u></p> |
|   |  | <p>Ribbon PRO</p> | <p>Code <u>82162</u></p> |
|   |  | <p>Ribbon PRO - LED Strip topLED 68 W DC 24 V 13.6 W/m 2097.8 Lm/m</p> | <p>Code <u>82164</u></p> |
|   |  | <p>Ribbon PRO - LED Strip topLED 68 W DC 24 V 13.6 W/m 1961.2 Lm/m</p> | <p>Code <u>82163</u></p> |
|   |  | <p>Ribbon PRO - LED Strip topLED 84 W DC 24 V 16.8 W/m 2371.4 Lm/m</p> | <p>Code <u>82168</u></p> |
|   |  | <p>Ribbon PRO - LED Strip topLED 84 W DC 24 V 16.8 W/m 2419.6 Lm/m</p> | <p>Code <u>82169</u></p> |
|   |  | <p>Ribbon PRO - LED Strip topLED 84 W DC 24 V 16.8 W/m 2602.6 Lm/m</p> | <p>Code <u>82170</u></p> |
|   |  | <p>Ribbon PRO</p> | <p>Code <u>C00423WH</u></p> |

Sistemi - Elementi lineari | Modular
65010

Components

| | | | |
|--|--|---|-------------------------------------|
| | | <p>Ribbon Plus - LED Strip topLED 24 W DC 24 V 4.8 W/m 550 Lm/m</p> | <p>Code <u>82174</u></p> |
| | | <p>Ribbon Plus</p> | <p>Code <u>82175</u></p> |
| | | <p>Ribbon Plus</p> | <p>Code <u>82176</u></p> |
| | | <p>Ribbon Plus</p> | <p>Code <u>82180</u></p> |
| | | <p>Ribbon Plus - LED Strip topLED 48 W DC 24 V 9.6 W/m 1150 Lm/m</p> | <p>Code <u>82181</u></p> |
| | | <p>Ribbon Plus - LED Strip topLED 48 W DC 24 V 9.6 W/m 1260 Lm/m</p> | <p>Code <u>82182</u></p> |
| | | <p>Ribbon Plus</p> | <p>Code <u>82194</u></p> |
| | | <p>Ribbon Plus - LED Strip topLED 72 W DC 24 V 14.4 W/m 1870 Lm/m</p> | <p>Code <u>82193</u></p> |

Sistemi - Elementi lineari | Modular
65010

Components

| | | | |
|--|--|--|-----------------------------------|
| | | Ribbon Plus | Code <u>82192</u> |
| | | | |
| | | Ribbon Plus | Code <u>82187</u> |
| | | | |
| | | Ribbon Plus | Code <u>82186</u> |
| | | | |
| | | Ribbon Plus - LED Strip topLED 48 W DC 24 V 9.6 W/m 1252 Lm/m | Code <u>82188</u> |
| | | | |
| | | Ribbon Plus | Code <u>82207</u> |
| | | | |
| | | Ribbon Plus - LED Strip topLED 96 W DC 24 V 19.2 W/m 2306 Lm/m | Code <u>82209</u> |
| | | | |
| | | Ribbon Plus - LED Strip 700 topLED 96 W DC 24 V 19.2 W/m 2402 Lm/m | Code <u>82210</u> |
| | | | |
| | | Ribbon Plus WT - LED Strip topLED 65 W DC 24 V 13 W/m | Code <u>C00419WHSDI</u> |
| | | | |

Sistemi - Elementi lineari | Modular
65010

Components


| | | | |
|--|--|---|---|
| | | <p>Ribbon Plus Dynamic White - LED Strip topLED 62.5 W DC 24 V 12.5 W/m</p> | <p>Code <u>C00418WHDDI</u></p> |
| | | <p>Ribbon Plus RGBW - LED Strip topLED 96 W DC 24 V 19.2 W/m</p> | <p>Code <u>C00417WHVDI</u></p> |
| | | <p>Ribbon Basic_V2 - LED Strip topLED 24 W DC 24 V 4.8 W/m 466.2 Lm/m</p> | <p>Code <u>C00495WH</u></p> |
| | | <p>Ribbon Basic_V2</p> | <p>Code <u>C00496WH</u></p> |
| | | <p>Ribbon HF_V2 168 LEDs/m - LED Strip topLED 72 W DC 24 V 14.4 W/m 1730 Lm/m</p> | <p>Code <u>C00503WH</u></p> |
| | | <p>Ribbon HF_V2 238 LEDs/m - LED Strip topLED 98 W DC 24 V 19.6 W/m 2350 Lm/m</p> | <p>Code <u>C00504WH</u></p> |
| | | <p>Ribbon HE 160 LEDs/m - LED Strip topLED 60 W DC 24 V 12 W/m 1640 Lm/m</p> | <p>Code <u>C00506WH</u></p> |
| | | <p>Ribbon HE 160 LEDs/m - LED Strip 800 topLED 108 W DC 24 V 21.6 W/m 3037.4 Lm/m</p> | <p>Code <u>C00507WH</u></p> |

Sistemi - Elementi lineari | Modular
65010

Components

| | | | |
|--|--|--|--|
| | | <p>Ribbon HD 160 LEDs/m - LED Strip topLED 60 W DC 24 V 12 W/m 1278.8 Lm/m</p> | <p>Code <u>C00509WH</u></p> |
| | | <p>Ribbon HD 160 LEDs/m</p> | <p>Code <u>C00510WH</u></p> |
| | | <p>Ribbon Slim_V2 120 LEDs/m - LED Strip topLED 48 W DC 24 V 9.6 W/m 930.6 Lm/m</p> | <p>Code <u>C00511WH</u></p> |
| | | <p>Ribbon Slim_V2 160 LEDs/m</p> | <p>Code <u>C00512WH</u></p> |
| | | <p>Ribbon Distance 130 LEDs/m</p> | <p>Code <u>C00514WH</u></p> |
| | | <p>Ribbon Distance 130 LEDs/m - LED Strip topLED 207 W DC 48 V 13.8 W/m 1542.13 Lm/m</p> | <p>Code <u>C00515WH</u></p> |


Fylo+ Recessed_4 | Lines | Accessories
65010



Diffusore

Code



65054



Diffusore

Code

65055



Controcassa
posizione installativa: soffitto L=320mm, H=55mm, D=100mm

Code

62900