


Sistemi - Elementi lineari | Modular  
65027



1000 x  
97

Dati tecnici	
Tipologia	Sistemi - Elementi lineari
Posizione installativa	Parete
Ambiente installativo	Indoor
Lampadina inclusa	No
IK	IK08
Prova del filo incandescente	850°
Montaggio diretto su superfici normalmente incombustibili	Si
CE	Si
Articolo dimmerabile	No
Orientabilità	No
Basculante	No
Calpestabilità	No
Carrabilità	No
Cavo incluso	No
Resinatura	No
Peso netto	1.06 Kg
Modularità	Modular

Finitura Finitura corpo	
Materiale	alluminio
Colore	Bianco gesso
Lavorazione	verniciatura

















Sistemi - Elementi lineari | Modular  
65027

Components

		<p>Ribbon PRO - LED Strip   topLED 18 W DC 24 V   3.6 W/m   511.6 Lm/m</p>	<p><b>Code</b> <u>82123</u></p>
		<p>Ribbon PRO - LED Strip   topLED 18 W DC 24 V   3.6 W/m   518 Lm/m</p>	<p><b>Code</b> <u>82124</u></p>
		<p>Ribbon PRO</p>	<p><b>Code</b> <u>82125</u></p>
		<p>Ribbon PRO</p>	<p><b>Code</b> <u>82129</u></p>
		<p>Ribbon PRO</p>	<p><b>Code</b> <u>82130</u></p>
		<p>Ribbon PRO - LED Strip   topLED 48 W DC 24 V   9.6 W/m   1503.8 Lm/m</p>	<p><b>Code</b> <u>82131</u></p>
		<p>Ribbon PRO - LED Strip   topLED 33.5 W DC 24 V   6.7 W/m   927.6 Lm/m</p>	<p><b>Code</b> <u>82156</u></p>
		<p>Ribbon PRO</p>	<p><b>Code</b> <u>82157</u></p>

Sistemi - Elementi lineari | Modular  
65027

## Components

 	<p>Ribbon PRO - LED Strip   topLED 33.5 W DC 24 V   6.7 W/m   1023 Lm/m</p>	<p><b>Code</b> <u>82158</u></p>
 	<p>Ribbon PRO</p>	<p><b>Code</b> <u>82162</u></p>
 	<p>Ribbon PRO - LED Strip   topLED 68 W DC 24 V   13.6 W/m   2097.8 Lm/m</p>	<p><b>Code</b> <u>82164</u></p>
 	<p>Ribbon PRO - LED Strip   topLED 68 W DC 24 V   13.6 W/m   1961.2 Lm/m</p>	<p><b>Code</b> <u>82163</u></p>
 	<p>Ribbon PRO - LED Strip   topLED 84 W DC 24 V   16.8 W/m   2371.4 Lm/m</p>	<p><b>Code</b> <u>82168</u></p>
 	<p>Ribbon PRO - LED Strip   topLED 84 W DC 24 V   16.8 W/m   2419.6 Lm/m</p>	<p><b>Code</b> <u>82169</u></p>
 	<p>Ribbon PRO - LED Strip   topLED 84 W DC 24 V   16.8 W/m   2602.6 Lm/m</p>	<p><b>Code</b> <u>82170</u></p>
 	<p>Ribbon PRO</p>	<p><b>Code</b> <u>C00423WH</u></p>

Sistemi - Elementi lineari | Modular  
65027

Components

		<p>Ribbon Plus - LED Strip   topLED 24 W DC 24 V   4.8 W/m   550 Lm/m</p>	<p><b>Code</b> <u>82174</u></p>
		<p>Ribbon Plus</p>	<p><b>Code</b> <u>82175</u></p>
		<p>Ribbon Plus</p>	<p><b>Code</b> <u>82176</u></p>
		<p>Ribbon Plus</p>	<p><b>Code</b> <u>82180</u></p>
		<p>Ribbon Plus - LED Strip   topLED 48 W DC 24 V   9.6 W/m   1150 Lm/m</p>	<p><b>Code</b> <u>82181</u></p>
		<p>Ribbon Plus - LED Strip   topLED 48 W DC 24 V   9.6 W/m   1260 Lm/m</p>	<p><b>Code</b> <u>82182</u></p>
		<p>Ribbon Plus</p>	<p><b>Code</b> <u>82194</u></p>
		<p>Ribbon Plus - LED Strip   topLED 72 W DC 24 V   14.4 W/m   1870 Lm/m</p>	<p><b>Code</b> <u>82193</u></p>

















Sistemi - Elementi lineari | Modular  
65027

Components

		Ribbon Plus	<b>Code</b> 82192
		Ribbon Plus	<b>Code</b> 82187
		Ribbon Plus	<b>Code</b> 82186
		Ribbon Plus - LED Strip   topLED 48 W DC 24 V   9.6 W/m   1252 Lm/m	<b>Code</b> 82188
		Ribbon Plus	<b>Code</b> 82207
		Ribbon Plus - LED Strip   topLED 96 W DC 24 V   19.2 W/m   2306 Lm/m	<b>Code</b> 82209
		Ribbon Plus - LED Strip   700 topLED 96 W DC 24 V   19.2 W/m   2402 Lm/m	<b>Code</b> 82210
		Ribbon Plus WT - LED Strip   topLED 65 W DC 24 V   13 W/m	<b>Code</b> C00419WHSDI



















Sistemi - Elementi lineari | Modular  
65027

## Components











 	<p>Ribbon Plus Dynamic White - LED Strip   topLED 62.5 W DC 24 V   12.5 W/m</p>	<p><b>Code</b> <u>C00418WHDDI</u></p>
 	<p>Ribbon Plus RGBW - LED Strip   topLED 96 W DC 24 V   19.2 W/m</p>	<p><b>Code</b> <u>C00417WHVDI</u></p>
 	<p>Ribbon Basic_V2 - LED Strip   topLED 24 W DC 24 V   4.8 W/m   466.2 Lm/m</p>	<p><b>Code</b> <u>C00495WH</u></p>
 	<p>Ribbon Basic_V2</p>	<p><b>Code</b> <u>C00496WH</u></p>
 	<p>Ribbon HF_V2 168 LEDs/m - LED Strip   topLED 72 W DC 24 V   14.4 W/m   1730 Lm/m</p>	<p><b>Code</b> <u>C00503WH</u></p>
 	<p>Ribbon HF_V2 238 LEDs/m - LED Strip   topLED 98 W DC 24 V   19.6 W/m   2350 Lm/m</p>	<p><b>Code</b> <u>C00504WH</u></p>
 	<p>Ribbon HE 160 LEDs/m - LED Strip   topLED 60 W DC 24 V   12 W/m   1640 Lm/m</p>	<p><b>Code</b> <u>C00506WH</u></p>
 	<p>Ribbon HE 160 LEDs/m - LED Strip   800 topLED 108 W DC 24 V   21.6 W/m   3037.4 Lm/m</p>	<p><b>Code</b> <u>C00507WH</u></p>

Sistemi - Elementi lineari | Modular  
65027

## Components

 		<p>Ribbon HD 160 LEDs/m - LED Strip   topLED 60 W DC 24 V   12 W/m   1278.8 Lm/m</p>	<p><b>Code</b> <u>C00509WH</u></p>
 		<p>Ribbon HD 160 LEDs/m</p>	<p><b>Code</b> <u>C00510WH</u></p>
 		<p>Ribbon Slim_V2 120 LEDs/m - LED Strip   topLED 48 W DC 24 V   9.6 W/m   930.6 Lm/m</p>	<p><b>Code</b> <u>C00511WH</u></p>
 		<p>Ribbon Slim_V2 160 LEDs/m</p>	<p><b>Code</b> <u>C00512WH</u></p>
 		<p>Ribbon Distance 130 LEDs/m</p>	<p><b>Code</b> <u>C00514WH</u></p>
 		<p>Ribbon Distance 130 LEDs/m - LED Strip   topLED 207 W DC 48 V   13.8 W/m   1542.13 Lm/m</p>	<p><b>Code</b> <u>C00515WH</u></p>

Fylo+ Recessed\_1 | Lines | Accessories  
65027

		Diffusore	<b>Code</b> <u>65054</u>
		Diffusore	<b>Code</b> <u>65055</u>
		Copertura per incasso Materiale:gesso, colore:Bianco .	<b>Code</b> <u>65088</u>
		Copertura per incasso Materiale:gesso, colore:Bianco .	<b>Code</b> <u>65089</u>
		Controcassa posizione installativa: soffitto L=320mm, H=55mm, D=100mm	<b>Code</b> <u>62900</u>