




Modular  
98956



Dati tecnici	
Tipologia	Profili
Posizione installativa	Parete - Soffitto
Ambiente installativo	Indoor
Lampadina inclusa	No
Prova del filo incandescente	No
Montaggio diretto su superfici normalmente infiammabili	Si
CE	Si
Articolo dimmerabile	No
Orientabilità	No
Basculante	No
Calpestabilità	No
Carrabilità	No
Cavo incluso	No
Resinatura	No
Modularità	Modular

Finitura Finitura corpo	
Materiale	alluminio
Colore	alluminio
Lavorazione	anodizzazione

















Modular  
98956

Components

		<p>Dropper RGB 60 LEDs/m - LED Strip   topLED 72 W DC 24 V   14.4 W/m</p>	<p><b>Code</b> <u>98025</u></p>
		<p>Silicone_C Basic RGB 60 LEDs/m</p>	<p><b>Code</b> <u>98033</u></p>
			<p>-</p>
		<p>Ribbon Basic 60 LEDs/m - LED Strip   topLED 24 W DC 24 V   4.8 W/m   570.2 Lm/m</p>	<p><b>Code</b> <u>98012</u></p>
		<p>Ribbon Basic 60 LEDs/m - LED Strip   topLED 24 W DC 24 V   4.8 W/m   540 Lm/m</p>	<p><b>Code</b> <u>98011</u></p>
		<p>Ribbon 120 LEDs/m - LED Strip   topLED 60 W DC 24 V   12 W/m   1367.8 Lm/m</p>	<p><b>Code</b> <u>98077</u></p>
		<p>Ribbon 120 LEDs/m - LED Strip   topLED 60 W DC 24 V   12 W/m   1236 Lm/m</p>	<p><b>Code</b> <u>98078</u></p>
		<p>Ribbon RGB 60 LEDs/m - LED Strip   topLED 72 W DC 24 V   14.4 W/m</p>	<p><b>Code</b> <u>98017</u></p>

Modular  
98956

Components

		Silicone_C Hi-Flux 60 LEDs/m	<b>Code</b> 98042
		Ribbon 240 LEDs/m - LED Strip   1200 topLED 96 W DC 24 V   19.2 W/m   1689.8 Lm/m	<b>Code</b> 98083
		Ribbon 240 LEDs/m - LED Strip   topLED 96 W DC 24 V   19.2 W/m   1537.8 Lm/m	<b>Code</b> 98084
		Ribbon Basic 60 LEDs/m	<b>Code</b> 98556
		Ribbon 120 LEDs/m	<b>Code</b> 98568
		Ribbon 240 LEDs/m - LED Strip   topLED 96 W DC 24 V   19.2 W/m   1611.8 Lm/m	<b>Code</b> 98570
		Dropper 120 LEDs/m - LED Strip   topLED 48 W DC 24 V   9.6 W/m   720 Lm/m	<b>Code</b> 98572
		Dropper 120 LEDs/m - LED Strip   topLED 48 W DC 24 V   9.6 W/m   780 Lm/m	<b>Code</b> 98574






















Modular  
98956

Components

		<p>Ribbon Ribbon Plus 70 LEDs/m - LED Strip   topLED 16 W DC 24 V   3.2 W/m   394 Lm/m</p>	<p><b>Code</b> <u>98635</u></p>
		<p>Ribbon Plus 70 LEDs/m - LED Strip   topLED 16 W DC 24 V   3.2 W/m   428 Lm/m</p>	<p><b>Code</b> <u>98636</u></p>
		<p>Ribbon Plus 70 LEDs/m</p>	<p><b>Code</b> <u>98637</u></p>
		<p>Ribbon Plus Hi-Flux 70 LEDs/m - LED Strip   topLED 63 W DC 24 V   12.6 W/m   1475 Lm/m</p>	<p><b>Code</b> <u>98638</u></p>
		<p>Ribbon Plus Hi-Flux 70 LEDs/m</p>	<p><b>Code</b> <u>98639</u></p>
		<p>Ribbon Plus Hi-Flux 70 LEDs/m - LED Strip   topLED 63 W DC 24 V   12.6 W/m   1710 Lm/m</p>	<p><b>Code</b> <u>98640</u></p>
		<p>Ribbon Plus 140 LEDs/m - LED Strip   topLED 36 W DC 24 V   7.2 W/m   823 Lm/m</p>	<p><b>Code</b> <u>98945</u></p>
		<p>Ribbon Plus 140 LEDs/m - LED Strip   topLED 36 W DC 24 V   7.2 W/m   880 Lm/m</p>	<p><b>Code</b> <u>98946</u></p>

















Modular  
98956

Components

		<p>Ribbon Plus 140 LEDs/m</p>	<p><b>Code</b> <u>98948</u></p>
  	<p>PU_C Plus 70 LEDs/m - LED Strip   topLED 16 W DC 24 V   3.2 W/m   299 Lm/m</p>	<p><b>Code</b> <u>98774</u></p>	
  	<p>PU_C Plus 70 LEDs/m</p>	<p><b>Code</b> <u>98775</u></p>	
  	<p>PU_C Plus 70 LEDs/m - LED Strip   topLED 16 W DC 24 V   3.2 W/m   325 Lm/m</p>	<p><b>Code</b> <u>98776</u></p>	
  	<p>PU_C Plus Hi-Flux 70 LEDs/m</p>	<p><b>Code</b> <u>98777</u></p>	
  	<p>PU_C Plus Hi-Flux 70 LEDs/m</p>	<p><b>Code</b> <u>98779</u></p>	
 	<p>Ribbon Plus RGBW</p>	<p><b>Code</b> <u>99670</u></p>	
 	<p>Ribbon Plus WT 70+70 LEDs/m</p>	<p><b>Code</b> <u>99671</u></p>	

Modular  
98956

Components

		<p>Ribbon Plus Dynamic White 70+70 LEDs/m</p>	<p><b>Code</b> <u>99672</u></p>
		<p>Dropper Basic 60 LEDs/m - LED Strip   stripLED 25 W DC 24 V   5 W/m   539.8 Lm/m</p>	<p><b>Code</b> <u>99592</u></p>
		<p>Dropper Basic 60 LEDs/m - LED Strip   stripLED 25 W DC 24 V   5 W/m   529.8 Lm/m</p>	<p><b>Code</b> <u>99588</u></p>
		<p>Dropper Basic 60 LEDs/m - LED Strip   stripLED 25 W DC 24 V   5 W/m   549.8 Lm/m</p>	<p><b>Code</b> <u>99590</u></p>
		<p>Dropper Hi-Flux 60 LEDs/m - LED Strip   stripLED 60 W DC 24 V   12 W/m   1044 Lm/m</p>	<p><b>Code</b> <u>99628</u></p>
		<p>Dropper Hi-Flux 60 LEDs/m - LED Strip   stripLED 60 W DC 24 V   12 W/m   1068.6 Lm/m</p>	<p><b>Code</b> <u>99632</u></p>
		<p>Dropper Hi-Flux 60 LEDs/m - LED Strip   stripLED 60 W DC 24 V   12 W/m   1151.8 Lm/m</p>	<p><b>Code</b> <u>99630</u></p>
		<p>Silicone_C Hi-Flux 60 LEDs/m - LED Strip   topLED 60 W DC 24 V   12 W/m   1127.8 Lm/m</p>	<p><b>Code</b> <u>99622</u></p>

Modular  
98956

Components

		<p>Silicone_C Hi-Flux 60 LEDs/m - LED Strip   topLED 60 W DC 24 V   12 W/m   1212.4 Lm/m</p>	<p><b>Code</b> <u>99620</u></p>
		<p>Silicone_C Basic 60 LEDs/m</p>	<p><b>Code</b> <u>99598</u></p>
		<p>Silicone_C Basic 60 LEDs/m - LED Strip   topLED 25 W DC 24 V   5 W/m   524.6 Lm/m</p>	<p><b>Code</b> <u>99602</u></p>
		<p>Silicone_C Basic 60 LEDs/m - LED Strip   topLED 25 W DC 24 V   5 W/m   529.8 Lm/m</p>	<p><b>Code</b> <u>99600</u></p>
		<p>Ribbon Hi-Flux 60 Leds/m - LED Strip   300 topLED 60 W DC 24 V   12 W/m   1163.8 Lm/m</p>	<p><b>Code</b> <u>99608</u></p>
		<p>Ribbon Hi-Flux 60 Leds/m - LED Strip   300 topLED 60 W DC 24 V   12 W/m   1176.4 Lm/m</p>	<p><b>Code</b> <u>99612</u></p>
		<p>Ribbon Hi-Flux 60 Leds/m - LED Strip   300 topLED 60 W DC 24 V   12 W/m   1223.8 Lm/m</p>	<p><b>Code</b> <u>99610</u></p>
		<p>Silicone_C 120 LEDs/m</p>	<p><b>Code</b> <u>62403</u></p>

Modular  
98956

Components

		<p>Silicone_C 120 LEDs/m - LED Strip   topLED 72 W DC 24 V   14.4 W/m   1435 Lm/m</p>	<p><b>Code</b> <u>62403N</u></p>
		<p>Ribbon Plus 140 Hi-flux LEDs/m</p>	<p><b>Code</b> <u>81956</u></p>
		<p>Ribbon Plus 140 Hi-flux LEDs/m</p>	<p><b>Code</b> <u>81957</u></p>
		<p>Ribbon Plus 140 Hi-flux LEDs/m</p>	<p><b>Code</b> <u>81958</u></p>
		<p>PU_C Plus 140 LEDs/m - LED Strip   topLED 36 W DC 24 V   7.2 W/m   690 Lm/m</p>	<p><b>Code</b> <u>81959</u></p>
		<p>PU_C Plus 140 LEDs/m - LED Strip   topLED 36 W DC 24 V   7.2 W/m   923 Lm/m</p>	<p><b>Code</b> <u>81960</u></p>
		<p>PU_C Plus 140 LEDs/m - LED Strip   topLED 36 W DC 24 V   7.2 W/m   755 Lm/m</p>	<p><b>Code</b> <u>81961</u></p>
		<p>PU_C Plus 140 Hi-Flux LEDs/m</p>	<p><b>Code</b> <u>81964</u></p>

Modular  
98956

Components

		<p>PU_C Plus 140 Hi-Flux LEDs/m - LED Strip   topLED 125 W DC 24 V   25 W/m   1800 Lm/m</p>	<p><b>Code</b> <u>81962</u></p>
		<p>PU_C Plus 140 Hi-Flux LEDs/m - LED Strip   topLED 125 W DC 24 V   25 W/m   1910 Lm/m</p>	<p><b>Code</b> <u>81963</u></p>
		<p>PU_C RGBW 60 LEDs/m - LED Strip   topLED 98 W DC 24 V   19.6 W/m</p>	<p><b>Code</b> <u>81965</u></p>
		<p>Ribbon 120 LEDs/m - LED Strip   topLED 48 W DC 24 V   9.6 W/m   1074.8 Lm/m</p>	<p><b>Code</b> <u>83657</u></p>
		<p>Ribbon 120 LEDs/m - LED Strip   topLED 48 W DC 24 V   9.6 W/m   1056 Lm/m</p>	<p><b>Code</b> <u>83659</u></p>
		<p>Ribbon 120 LEDs/m</p>	<p><b>Code</b> <u>83658</u></p>
		<p>Ribbon Hi-Flux 150 LEDs/m</p>	<p><b>Code</b> <u>84195</u></p>
		<p>Ribbon Hi-Flux 150 LEDs/m - LED Strip   topLED 200 W DC - 200 W AC   20 W/m   1878 Lm/m</p>	<p><b>Code</b> <u>84196</u></p>

Modular  
98956

Components




Ribbon RGBW 54 LEDs/m - LED Strip | 270 topLED 67.5 W DC 48 V | 13.5 W/m

**Code**  
84197




Ribbon RGBW 54 LEDs/m - LED Strip | topLED 67.5 W DC 48 V | 13.5 W/m

**Code**  
84198




Ribbon Slim 120 LEDs/m - LED Strip | topLED 42 W DC 24 V | 8.4 W/m | 730 Lm/m

**Code**  
84219



Ribbon Slim 120 LEDs/m - LED Strip | topLED 42 W DC 24 V | 8.4 W/m | 770 Lm/m

**Code**  
84220



Ribbon Slim 120 LEDs/m - LED Strip | topLED 42 W DC 24 V | 8.4 W/m | 800 Lm/m

**Code**  
84221

Svik\_00/00 | Profiles | Accessories  
98956



Profilo - 10 x Dissipatore di calore  
Materiale:Alluminio 6060, colore:Anodised aluminium, lavorazione:Anodizzazione 20 µm.

**Code**

99999



Antiabbagliamento  
Tipo Antiabbagliamento: palpebra.  
Materiale:Alluminio 6060, colore:Anodised aluminium, lavorazione:Anodizzazione 20 µm.

**Code**

98778