




Ribbon 70 led/m




Ribbon 140 led/m



Ribbon RGBW






Ribbon Dynamic White



Ribbon Plus		Ribbon Plus	
82174	Ribbon Plus BA	82192	Ribbon Plus HF
82175	Ribbon Plus BA	82193	Ribbon Plus HF
82176	Ribbon Plus BA	82194	Ribbon Plus HF
82180	Ribbon Plus HF	82207	Ribbon Plus HF
82181	Ribbon Plus HF	82209	Ribbon Plus HF
82182	Ribbon Plus HF	82210	Ribbon Plus HF
82186	Ribbon Plus BA	C00417WHVDI	Ribbon RGBW
82187	Ribbon Plus BA	C00418WHDDI	Ribbon Dynamic White
82188	Ribbon Plus BA	C00419WHSDI	Ribbon Warm Tune

Ribbon Plus		Ribbon Plus	
C0021MDI05000	Ribbon Plus BA	C0029MDI05000	Ribbon Plus HF
C0021WDI05000	Ribbon Plus BA	C0029WDI05000	Ribbon Plus HF
C0021NDI05000	Ribbon Plus BA	C0029NDI05000	Ribbon Plus HF
C0027MDI05000	Ribbon Plus HF	C0039MDI05000	Ribbon Plus HF
C0027WDI05000	Ribbon Plus HF	C0039WDI05000	Ribbon Plus HF
C0027NDI05000	Ribbon Plus HF	C0039NDI05000	Ribbon Plus HF
C0022MDI05000	Ribbon Plus BA	C0027VDI05000	Ribbon RGBW
C0022WDI05000	Ribbon Plus BA	C0027DDI05000	Ribbon Dynamic White
C0022NDI05000	Ribbon Plus BA	C0027SDI05000	Ribbon Warm Tune



ATTENZIONE
PER L'INSTALLAZIONE E UTILIZZO DELL'APPARECCHIO
ATTENERSI ALLE ISTRUZIONI DI SEGUITO.
QUALSIASI VARIANTE DEVE ESSERE CONCORDATA
CON L'AZIENDA PER NON PERDERE LA GARANZIA


ATTENTION
FOR INSTALLATION AND USE OF THE APPLIANCE,
FOLLOW THE INSTRUCTIONS BELOW.
ANY VARIANTS MUST BE AGREED ON WITH THE
COMPANY TO PREVENT VOIDING THE WARRANTY.

ATTENTION
POUR L'INSTALLATION ET L'UTILISATION DE
L'APPAREIL, SUIVEZ LES INSTRUCTIONS CI-DESSOUS.
TOUT ACCORD AVEC L'ENTREPRISE POUR TOUTE
VARIATION DOIT ÊTRE ACCEPTÉ AFIN D'ÉVITER
L'ANNULLATION DE LA GARANTIE.


AUFMERKSAMKEIT
BEFOLGEN SIE FÜR DIE INSTALLATION UND BENUTZUNG
DES GERÄTS DIE UNTENSTEHENDEN ANWEISUNGEN.
ALLE ABWEICHUNGEN MÜSSEN MIT DEM UNTERNEHMEN
ABGESEHEN WERDEN, DAMIT DIE GARANTIE NICHT ERLISCHT.

ATENCIÓN
PARA LA INSTALACIÓN Y EL USO DEL APARATO,
SIGA LAS INSTRUCCIONES A CONTINUACIÓN.
CUALQUIER VARIANTE DEBE ACORDARSE
CON LA EMPRESA PARA EVITAR LA ANULACIÓN
DE LA GARANTÍA.


1






2









3




4









Ribbon Plus 70 led/m




Ribbon Plus 140 led/m




Ribbon Plus RGBW



Ribbon Plus Dynamic white



Ribbon Plus WT



BASIC / HIGH-FLUX RIBBON

	Xmm	L1 m	L2 m	Code
	0,75	20	10	82174-82175-82176
	1,5	25	10	82174-82175-82176
	2,5	30	10	82174-82175-82176
	4	30	12	82174-82175-82176




	Xmm	L1 m	L2 m	Code
	0,75	15	6	82180-82181-82182
	1,5	25	5	82180-82181-82182
	2,5	30	5	82180-82181-82182
	4	20	9	82180-82181-82182

	Xmm	L1 m	L2 m	Code
	0,75	10	9	82186-82187-82188
	1,5	10	10	82186-82187-82188
	2,5	10	10	82186-82187-82188
	4	30	10	82186-82187-82188

	Xmm	L1 m	L2 m	Code
	0,75	10	5	82192-82193-82194
	1,5	15	5	82192-82193-82194
	2,5	30	5	82192-82193-82194
	4	30	5	82192-82193-82194

	Xmm	L1 m	L2 m	Code
	0,75	5	5	82207-82209-82210
	1,5	5	5	82207-82209-82210
	2,5	10	5	82207-82209-82210
	4	15	5	82207-82209-82210

$L2 = L3 + L4$



BASIC / HIGH-FLUX RIBBON

	Xmm	L1 m	L2 m	Code
	0,75	20	10	C0021...
	1,5	25	10	C0021...
	2,5	30	10	C0021...
	4	30	12	C0021...




	Xmm	L1 m	L2 m	Code
	0,75	15	6	C0027...
	1,5	25	5	C0027...
	2,5	30	5	C0027...
	4	20	9	C0027...

	Xmm	L1 m	L2 m	Code
	0,75	10	9	C0022...
	1,5	10	10	C0022...
	2,5	10	10	C0022...
	4	30	10	C0022...



	Xmm	L1 m	L2 m	Code
	0,75	10	5	C0029...
	1,5	15	5	C0029...
	2,5	30	5	C0029...
	4	30	5	C0029...



	Xmm	L1 m	L2 m	Code
	0,75	5	5	C0039...
	1,5	5	5	C0039...
	2,5	10	5	C0039...
	4	15	5	C0039...

$L2 = L3 + L4$





DYNAMIC WHITE RIBBON



	Xmm	L1 m	L2 m	Code
	1,5	✗	5	C00418WHDDI
	2,5	✗	5	C00418WHDDI
	Xmm	L1 m	L2 m	Code
	1,5	✗	5	C0027DDI05000
	2,5	✗	5	C0027DDI05000




WARM TUNE RIBBON


	Xmm	L1 m (MAX)	L2 m	Code
	1,5	5	5	C00419WHSDI
	2,5	10	5	C00419WHSDI

	Xmm	L1 m (MAX)	L2 m	Code
	1,5	5	5	C0027SDI05000
	2,5	10	5	C0027SDI05000





RGBW RIBBON

	Xmm	L1 m	L2 m	Code
	1,5	✗	5	C00417WHVDI
	2,5	✗	5	C00417WHVDI

	Xmm	L1 m	L2 m	Code
	1,5	✗	5	C0027VDI05000
	2,5	✗	5	C0027VDI05000

A



B

