



Features

Range	050 Segnalazione ed Illuminazione Quadri Elettrici
Product	Plafoniere con prese VDE
Type	Plafoniera lineare fluorescente, prese VDE, 8W, 240V, 50/60HZ
Item code	050PPE8
Description	Plafoniera lineare fluorescente con prese VDE, 8W, 240V, 50/60HZ, 200 lm, L 450 mm
Colour	Grigio RAL 7035
Weight - gr	990,000
Custom tariff no.	85122000
GTIN	8052878049423

Technical data

Approvals	CE, EAC
Compliance with standards	IEC-EN60598-1, IEC-EN60598-2-1, IEC-EN61347-1
Compliance with standards	IEC-EN61347-2-13, IEC-EN62471, IEC-EN55015,
Compliance to EMC standards	IEC-EN61547, IEC-EN61000-3-2, IEC-EN61000-3-3
Compliance to directives	2014/35/UE, 2006/42/EC, 2014/30/UE, RoHS 2002/95
Operating temperatures	-10° ÷ +50°C
Protection degree	IP20 (IEC-EN60529)
Protection against impact	IK03 (IEC-EN62262)
Housing material	Metal: Aluminum / Thermoplastic: PP Polypropylene
Overvoltage category	Class I (IEC-EN61140)
Operating voltage tolerance	+10% / -20%
Neon tube electrical life	8.000 hours
Neon tube light intensity	Lumen 350 (8W) - Lumen 650 (13W)
Neon tube type and colour temperature	T5 - 6400K
Rated insulation voltage	Ui 300V - Uimp 2.5KV
On-Off switch	Built-in
Light up possibility	Through door limit switch - 050F02S
Accessory	050S019 Magnetic mounting plate
Spare parts	Neon tube 050TNE8(8W), 050TNE13(13W), 050TNE21(21W)
Lamp wiring	Included. 4m of orange cable 2x1.5 + 1x1.5mm ²
Sockets	type CEE 7/4 - 250V-10A max

Data sheet

050PPE8

Plafoniera lineare fluorescente con prese VDE, 8W, 240V,
50/60HZ, 200 lm, L 450 mm



Warranty period

18 months

Data sheet

050PPE8

Plafoniera lineare fluorescente con prese VDE, 8W, 240V,
50/60HZ, 200 lm, L 450 mm

Technical drawings

