

# RJ45 Jack Modules: Category 6A by Panduit Corporation

# Health Product Declaration v2.0

CLASSIFICATION: 27 20 00

created via: HPDC Online Builder

PRODUCT DESCRIPTION: RJ45 JACKS FACILITATE THE MODULAR CONNECTION OF A PATCH CORD TO A PERMANENT CHANNEL. THE FOLLOWING JACK MODULES ARE INCLUDED IN THIS DECLARATION: CJ6X88TG\*\*,CJS6X88TG\*\* AND CJT6X88TG\*\*.

## Section 1: Summary

### CONTENT INVENTORY

- Threshold per material
- 100 ppm
  - 1,000 ppm
  - Per GHS SDS
  - Per OSHA MSDS
  - Other

- Residuals and impurities considered in
- 0 of 6 materials
- see Section 2: Material Notes
  - see Section 5: General Notes

Based on the selected Content Inventory Threshold:

Characterized.....	<input checked="" type="radio"/>	<input type="radio"/>
Are the Percent Weight and Role provided for all substances?	Yes	No
Screened.....	<input type="radio"/>	<input checked="" type="radio"/>
Are all substances screened using Priority Hazard Lists with results disclosed?	Yes	No
Identified.....	<input type="radio"/>	<input checked="" type="radio"/>
Are all substances disclosed by Name (Specific or Generic) and Identifier?	Yes	No

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY**  
**GREENSCREEN SCORE | HAZARD TYPE**

REAR SLED AND WIRE CAP [ POLYCARBONATE **LT-UNK** STYRENE, METHYL METHACRYLATE, BUTADIENE POLYMER **LT-UNK** FLAME RETARDANT **UNK** DIPOTASSIUM 3,3'-SULPHONYLBIS(BENZENESULPHONATE) **UNK** POTASSIUM 3-(PHENYLSULFONYL)BENZENESULFONATE **UNK** TITANIUM DIOXIDE **LT-1** | CAN ADDITIVE **UNK** PIGMENT **UNK** ] HOUSING [ ACRYLONITRILE-BUTADIENE-STYRENE COPOLYMER **LT-UNK** TETRABROMOBISPHENOL A (TBBPA) **BM-1** | AQU | CAN | PBT | END | MUL ANTIMONY TRIOXIDE **BM-1** | MAM | CAN | AQU | MUL CARBON BLACK **LT-1** | CAN C.I. SOLVENT VIOLET 14 **UNK** 1,2-BIS(OCTADECANAMIDO)ETHANE **LT-UNK** ADDITIVES **UNK** ] CONTACTS [ COPPER **LT-UNK** TIN **LT-UNK** PHOSPHORUS **BM-2** | AQU | PHY ZINC **LT-P1** | AQU | MUL | PHY IRON **LT-UNK** ] PRINTED CIRCUIT BOARD [ PRINTED CIRCUIT BOARD **UNK** ] CAT 6A FRONT SLED [ POLYBUTYLENE TEREPHTHALATE **UNK** SOLID GLASS AND GLASS / MINERAL FIBER (SEE VARIANTS) **LT-UNK** | CAN ANTIMONY TRIOXIDE **BM-1** | MAM | CAN | AQU | MUL UNDISCLOSED **LT-1** | PBT | END | MUL UNDISCLOSED **LT-UNK** ] FOIL [ ALUMINUM **LT-P1** | RES | END | PHY ]

Number of Greenscreen BM-4/BM3 contents..... 0

Contents highest concern GreenScreen  
Benchmark or List translator Score..... BM-1  
Nanomaterial..... No

### INVENTORY AND SCREENING NOTES:

At the time of publication, this product contains substances that are considered special conditions in the HPD v2.0 standard. These special conditions include metal alloys and electronic components. Since these special conditions do not have guidance on how to present the associated and relevant health hazards, single line entries have been made to transparently disclose these components.

### VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

### CERTIFICATIONS AND COMPLIANCE

LCA: Environmental Product Declaration: Panduit RJ45 Jack Modules

See Section 3 for additional listings.

<input checked="" type="radio"/> Self-Published*	VERIFIER:	SCREENING DATE: January 4, 2017	EXPIRY DATE*: January 12, 2020
<input type="radio"/> Third Party Verified	VERIFICATION #:	RELEASE DATE: January 12, 2017	* or within 3 months of significant change in product contents
*See HPDC website for details			



## Section 2: Content in Descending Order of Quantity

This section lists materials in a product and the substances in each material based on the Inventory Threshold for each material. If residuals or impurities from the manufacturing or extraction processes are considered for a material, these are inventoried and characterized to the extent described in the Material and/or General Notes. Chemical substances are screened against the HPD Priority Hazard Lists for human and environmental health impacts. Screening is based on best available information; "Not Found" does not necessarily mean there is no potential hazard associated with the product or its contents. More information about Priority Hazard Lists and the GreenScreen can be found online: [www.hpd-collaborative.org](http://www.hpd-collaborative.org) and [www.greenscreenchemicals.org](http://www.greenscreenchemicals.org).

### REAR SLED AND WIRE CAP %: 12.3800 - 30.7000 HPD URL:

Inventory Threshold: 1000 ppm Residuals Considered: No

Material Notes:

#### POLYCARBONATE

ID: 25037-45-0

%: 90.0000 - 100.0000

GS: LT-UNK

RC: None

NANO: NO

ROLE: Rear Sled and Wire Cap Resin

#### HAZARDS:

#### AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

#### SUBSTANCE NOTES:

#### STYRENE, METHYL METHACRYLATE, BUTADIENE POLYMER

ID: 25053-09-2

%: 1.0000 - 3.0000

GS: LT-UNK

RC: None

NANO: NO

ROLE: Impact Modifier

#### HAZARDS:

#### AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

#### SUBSTANCE NOTES:

#### FLAME RETARDANT

ID: UND

%: 1.0000 - 2.0000

GS: UNK

RC: None

NANO: NO

ROLE: Flame Retardant

#### HAZARDS:

#### AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: This ingredient is proprietary and was not disclosed by the supplier.

#### DIPOTASSIUM 3,3'-SULPHONYLBIS(BENZENESULPHONATE)

ID: 63316-33-6

%: 0.0000 - 1.0000

GS: UNK

RC: None

NANO: NO

ROLE: Flame Retardant

**HAZARDS:****AGENCY(IES) WITH WARNINGS:**

None Found

No warnings found on HPD Priority lists

## SUBSTANCE NOTES:

**POTASSIUM 3-(PHENYLSULFONYL)BENZENESULFONATE**

ID: 63316-43-8

%: 0.0000 - 1.0000

GS: UNK

RC: None

NANO: NO

ROLE: Flame Retardant

**HAZARDS:****AGENCY(IES) WITH WARNINGS:**

None Found

No warnings found on HPD Priority lists

## SUBSTANCE NOTES:

**TITANIUM DIOXIDE**

ID: 13463-67-7

%: 0.0000 - 2.0000

GS: LT-1

RC: None

NANO: NO

ROLE: Pigment

**HAZARDS:****AGENCY(IES) WITH WARNINGS:**

CANCER

US CDC - Occupational Carcinogens

Occupational Carcinogen

CANCER

CA EPA - Prop 65

Carcinogen - specific to chemical form or exposure route

CANCER

IARC

Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources

CANCER

MAK

Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value

## SUBSTANCE NOTES:

**ADDITIVE**

ID: UND

%: 0.0000 - 1.0000

GS: UNK

RC: None

NANO: NO

ROLE: Additive

**HAZARDS:****AGENCY(IES) WITH WARNINGS:**

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: This ingredient is proprietary and was not disclosed by the supplier.

**PIGMENT**

ID: UND

%: 0.0000 - 1.0000

GS: UNK

RC: None

NANO: NO

ROLE: Pigment

**HAZARDS:****AGENCY(IES) WITH WARNINGS:**

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: This ingredient is proprietary and was not disclosed by the supplier.

**HOUSING**

%: 12.3800 - 30.7000 HPD URL:

Inventory Threshold: Per OSHA MSDS Residuals Considered: No

Material Notes:

**ACRYLONITRILE-BUTADIENE-STYRENE COPOLYMER**

ID: 9003-56-9

%: 70.0000 - 85.0000

GS: LT-UNK

RC: None

NANO: NO

ROLE: Housing Resin

**HAZARDS:****AGENCY(IES) WITH WARNINGS:**

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

**TETRABROMOBISPHENOL A (TBBPA)**

ID: 79-94-7

%: 10.0000 - 20.0000

GS: BM-1

RC: None

NANO: NO

ROLE: Flame Retardant

**HAZARDS:****AGENCY(IES) WITH WARNINGS:**

ACUTE AQUATIC

EU - R-phrases

R50 - Very Toxic to Aquatic Organisms

CANCER

IARC

Group 2a - Agent is probably Carcinogenic to humans

PBT

WA DoE - PBT

PBT

PBT

US EPA - Toxics Release Inventory PBTs

PBT

PBT

OSPAR - Priority PBTs &amp; EDs &amp; equivalent concern

PBT - Chemical for Priority Action

ENDOCRINE

OSPAR - Priority PBTs &amp; EDs &amp; equivalent concern

Endocrine Disruptor - Chemical for Priority Action

PBT

OR DEQ - Priority Persistent Pollutants

Priority Persistent Pollutant - Tier 1

ACUTE AQUATIC

EU - GHS (H-Statements)

H400 - Very toxic to aquatic life

CHRON AQUATIC

EU - GHS (H-Statements)

H410 - Very toxic to aquatic life with long lasting effects

ENDOCRINE

ChemSec - SIN List

Endocrine Disruption

ENDOCRINE

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

MULTIPLE

German FEA - Substances Hazardous to Waters

Class 2 - Hazard to Waters

## SUBSTANCE NOTES:

## ANTIMONY TRIOXIDE

ID: 1309-64-4

%: 1.0000 - 8.0000

GS: BM-1

RC: None

NANO: NO

ROLE: Flame Retardant

## HAZARDS:

## AGENCY(IES) WITH WARNINGS:

MAMMALIAN	EU - R-phrases	R20 - Harmful by Inhalation (gas or vapor or dust/mist)
MAMMALIAN	EU - R-phrases	R22 - Harmful if Swallowed
CANCER	EU - R-phrases	R40 - Limited Evidence of Carcinogenic Effects
ACUTE AQUATIC	EU - R-phrases	R51 - Toxic to Aquatic Organisms
CANCER	IARC	Group 2b - Possibly carcinogenic to humans
CANCER	CA EPA - Prop 65	Carcinogen
CHRON AQUATIC	EU - GHS (H-Statements)	H411 - Toxic to aquatic life with long lasting effects
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
CANCER	MAK	Carcinogen Group 2 - Considered to be carcinogenic for man

## SUBSTANCE NOTES:

## CARBON BLACK

ID: 1333-86-4

%: 0.0000 - 0.5000

GS: LT-1

RC: None

NANO: NO

ROLE: Pigment

## HAZARDS:

## AGENCY(IES) WITH WARNINGS:

CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: This substance is used as a pigment for specific colors.

C.I. SOLVENT VIOLET 14

ID: 8005-40-1

%: 0.0000 - 0.1500 GS: UNK RC: None NANO: NO ROLE: Pigment

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

1,2-BIS(OCTADECANAMIDO)ETHANE

ID: 110-30-5

%: 0.0000 - 0.1500 GS: LT-UNK RC: None NANO: NO ROLE: Pigment

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

ADDITIVES

ID: UNK

%: 0.0000 - 3.0000 GS: UNK RC: None NANO: NO ROLE: Additives

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: This ingredient is proprietary and was not disclosed by the supplier.

CONTACTS

#: 8.9400 - 67.2500 HPD URL:

Inventory Threshold: 1000 ppm Residuals Considered: No

Material Notes:

COPPER

ID: 7440-50-8

%: 90.0000 - 100.0000 GS: LT-UNK RC: None NANO: NO ROLE: Alloy Metal

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: This substance is a part of an alloyed metal. Any associated hazards listed may not have exposure or risk associated with the final product.

TIN

ID: 7440-31-5

%: 0.0000 - 10.0000

GS: LT-UNK

RC: None

NANO: NO

ROLE: Alloy Metal

**HAZARDS:**

**AGENCY(IES) WITH WARNINGS:**

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: This substance is a part of an alloyed metal. Any associated hazards listed may not have exposure or risk associated with the final product.

**PHOSPHORUS**

ID: 7723-14-0

%: 0.0000 - 0.3500

GS: BM-2

RC: None

NANO: NO

ROLE: Alloy Metal

**HAZARDS:**

**AGENCY(IES) WITH WARNINGS:**

ACUTE AQUATIC

EU - R-phrases

R52 - Harmful to Aquatic Organisms

PHYSICAL HAZARD  
(REACTIVE)

EU - GHS (H-Statements)

H228 - Flammable solid

SUBSTANCE NOTES: This substance is a part of an alloyed metal. Any associated hazards listed may not have exposure or risk associated with the final product.

**ZINC**

ID: 7440-66-6

%: 0.0000 - 0.3000

GS: LT-P1

RC: None

NANO: NO

ROLE: Alloy Metal

**HAZARDS:**

**AGENCY(IES) WITH WARNINGS:**

ACUTE AQUATIC

EU - R-phrases

R50 - Very Toxic to Aquatic Organisms

ACUTE AQUATIC

EU - GHS (H-Statements)

H400 - Very toxic to aquatic life

CHRON AQUATIC

EU - GHS (H-Statements)

H410 - Very toxic to aquatic life with long lasting effects

MULTIPLE

German FEA - Substances Hazardous to Waters

Class 2 - Hazard to Waters

PHYSICAL HAZARD  
(REACTIVE)

EU - GHS (H-Statements)

H250 - Catches fire spontaneously if exposed to air

PHYSICAL HAZARD  
(REACTIVE)

EU - GHS (H-Statements)

H260 - In contact with water releases flammable gases which may ignite spontaneously

SUBSTANCE NOTES: This substance is a part of an alloyed metal. Any associated hazards listed may not have exposure or risk associated with the final product.

**IRON**

ID: 7439-89-6

%: 0.0000 - 0.1000

GS: LT-UNK

RC: None

NANO: NO

ROLE: Alloy Metal

**HAZARDS:****AGENCY(IES) WITH WARNINGS:**

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: This substance is a part of an alloyed metal. Any associated hazards listed may not have exposure or risk associated with the final product.

**PRINTED CIRCUIT BOARD** %: 8.9400 - 67.2500 HPD URL:

Inventory Threshold: Other Residuals Considered: No

Material Notes:

**PRINTED CIRCUIT BOARD**

ID:

%: 100.0000

GS: UNK

RC: None

NANO: NO

ROLE: Circuit Board

**HAZARDS:****AGENCY(IES) WITH WARNINGS:**

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Electronics are often highly complex mixtures of ingredients with a long and complicated supply chain. A printed circuit board is classified under the HPD v2.0 "Special Conditions" under electronics. Until further guidance from HPD v2.0, this material is disclosed as one line entry until further materials data is determined throughout the supply chain.

**CAT 6A FRONT SLED**

%: 4.0300 - 7.9100

HPD URL:

Inventory Threshold: Per GHS SDS

Residuals Considered: No

Material Notes: This material is disclosed beyond the level of the SDS to meet the 1000ppm disclosure criteria for the overall product.

**POLYBUTYLENE TEREPHTHALATE**

ID: 26062-94-2

%: 50.0000 - 70.0000

GS: UNK

RC: None

NANO: NO

ROLE: Sled Resin

**HAZARDS:****AGENCY(IES) WITH WARNINGS:**

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

**SOLID GLASS AND GLASS / MINERAL FIBER (SEE VARIANTS)**

ID: 65997-17-3

%: 11.0000 - 32.0000

GS: LT-UNK

RC: None

NANO: NO

ROLE: Reinforcement

**HAZARDS:****AGENCY(IES) WITH WARNINGS:**

CANCER

EU - R-phrases

R40 - Limited Evidence of Carcinogenic Effects

CANCER

EU - GHS (H-Statements)

H351 - Suspected of causing cancer

SUBSTANCE NOTES:

%: 3.0000 - 6.0000	GS: BM-1	RC: None	NANO: NO	ROLE: Flame Retardant
--------------------	----------	----------	----------	-----------------------

**HAZARDS:****AGENCY(IES) WITH WARNINGS:**

MAMMALIAN	EU - R-phrases	R20 - Harmful by Inhalation (gas or vapor or dust/mist)
MAMMALIAN	EU - R-phrases	R22 - Harmful if Swallowed
CANCER	EU - R-phrases	R40 - Limited Evidence of Carcinogenic Effects
ACUTE AQUATIC	EU - R-phrases	R51 - Toxic to Aquatic Organisms
CANCER	IARC	Group 2b - Possibly carcinogenic to humans
CANCER	CA EPA - Prop 65	Carcinogen
CHRON AQUATIC	EU - GHS (H-Statements)	H411 - Toxic to aquatic life with long lasting effects
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
CANCER	MAK	Carcinogen Group 2 - Considered to be carcinogenic for man

## SUBSTANCE NOTES:

## UNDISCLOSED

%: 0.0000 - 15.0000	GS: LT-1	RC: None	NANO: NO	ROLE: Flame Retardant
---------------------	----------	----------	----------	-----------------------

**HAZARDS:****AGENCY(IES) WITH WARNINGS:**

PBT	OSPAR - Priority PBTs & EDs & equivalent concern	PBT - Chemical for Priority Action
ENDOCRINE	OSPAR - Priority PBTs & EDs & equivalent concern	Endocrine Disruptor - Chemical for Priority Action
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
PBT	EHP - San Antonio Statement on BFRs & CFRs	Flame retardant substance class of concern for PB&T & long range transport

SUBSTANCE NOTES: This substance is an initial reactant of a co-polymer substance that does not have an available CAS number. The health hazards listed above may not be relevant to the final reacted co-polymer.

## UNDISCLOSED

%: 0.0000 - 14.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Flame Retardant
---------------------	------------	----------	----------	-----------------------

**HAZARDS:****AGENCY(IES) WITH WARNINGS:**

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: This substance is an initial reactant of a co-polymer substance that does not have an available CAS number. The health hazards listed above may not be relevant to the final reacted co-polymer.

**FOIL****%: 0.0000 - 3.1400 HPD URL:**

Inventory Threshold: 1000 ppm Residuals Considered: No

**Material Notes:****ALUMINUM**

ID: 7429-90-5

%: 100.0000

GS: LT-P1

RC: None

NANO: NO

ROLE: Shielding

**HAZARDS:****AGENCY(IES) WITH WARNINGS:**

RESPIRATORY

AOEC - Asthmagens

Asthmagen (ARs) - sensitizer-induced - inhalable forms only

ENDOCRINE

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

PHYSICAL HAZARD  
(REACTIVE)

EU - GHS (H-Statements)

H228 - Flammable solid

PHYSICAL HAZARD  
(REACTIVE)

EU - GHS (H-Statements)

H250 - Catches fire spontaneously if exposed to air

PHYSICAL HAZARD  
(REACTIVE)

EU - GHS (H-Statements)

H261 - In contact with water releases flammable gases

SUBSTANCE NOTES: This substance is a part of an alloyed metal. Any associated hazards listed may not have exposure or risk associated with the final product. At the time of this publication, metals are considered special conditions in the HPD v2.0 standard and do not have a best practice established for publishing the associated and relevant health hazards.

**Section 3: Certifications and Compliance**

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

**LCA**

CERTIFYING PARTY: Third Party

APPLICABLE FACILITIES: Orland Park, IL and Costa Rica

CERTIFICATE URL:

<http://www.panduit.com/ccurl/455/956/environmental%20product%20declaration-rj45-modular-jacks.pdf>

CERTIFICATION AND COMPLIANCE NOTES:

**Environmental Product Declaration: Panduit RJ45 Jack Modules**

ISSUE DATE:	EXPIRY DATE:	CERTIFIER OR LAB:
2016-09-26	2021-09-25	UL Environment

**Section 4: Accessories**

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

## Section 5: General Notes

This Health Product Declaration was prepared by Sustainable Solutions Corporation.

**MANUFACTURER INFORMATION**

MANUFACTURER: Panduit Corporation

CONTACT NAME: Technical Support

ADDRESS: 18900 Panduit Dr  
Tinley Park, IL 60487  
United States

TITLE: Technical Support

PHONE: 866-405-6654

WEBSITE: <http://www.panduit.com/>EMAIL: [TechSupport@panduit.com](mailto:TechSupport@panduit.com)**KEY****OSHA MSDS** Occupational Safety and Health Administration Material Safety Data Sheet**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

## Hazard Types

**AQU** Aquatic toxicity**GLO** Global warming**PHY** Physical Hazard (reactive)**CAN** Cancer**MAM** Mammalian/systemic/organ toxicity**REP** Reproductive toxicity**DEV** Developmental toxicity**MUL** Multiple hazards**RES** Respiratory sensitization**END** Endocrine activity**NEU** Neurotoxicity**SKI** Skin sensitization/irritation/corrosivity**EYE** Eye irritation/corrosivity**OZO** Ozone depletion**LAN** Land Toxicity**GEN** Gene mutation**PBT** Persistent Bioaccumulative Toxic**NF** Not found on Priority Hazard Lists

## GreenScreen (GS)

**BM-4** Benchmark 4 (prefer-safer chemical)**LT-P1** List Translator Possible Benchmark 1**BM-3** Benchmark 3 (use but still opportunity for improvement) BM-2  
Benchmark 2 (use but search for safer substitutes)**LT-1** List Translator Likely Benchmark 1**BM-1** Benchmark 1 (avoid - chemical of high concern)**LT-UNK** List Translator Benchmark Unknown (insufficient  
information from List Translator lists to benchmark)**BM-U** Benchmark Unspecified (insufficient data to benchmark)**UNK** Unknown (no data on List Translator Lists)

## Recycled Types

**PreC** Preconsumer (Post-Industrial)**PostC** Postconsumer**Both** Both Preconsumer and Postconsumer**Unk** Inclusion of recycled content is unknown**None** Does not include recycled content

## Other

**Nano** Composed of nanoscale particles or nanotechnology

## Declaration Level

**Self-declared** Manufacturer's self-declaration (First Party)**Independent Lab** Manufacturer's self-declaration using results from an independent lab**Second Party** Verification by trade association or other interested party**Third Party** Verification by independent certifier**Applicable facilities** Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator, and when available, full GreenScreen assessments. The HPD Open Standard does not provide an assessment of health impacts throughout the product life cycle. It does not provide an assessment of exposure or risk associated with product handling or use. It also does not address potential health impacts of: (i) substances used or created during the manufacturing process unless they remain in the final product, or (ii) substances created after the product is delivered for end use (e.g., if the product burns, degrades, or otherwise changes chemical composition).

The HPD Open Standard was created and is maintained and evolved by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry. The HPD Collaborative is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

A disclosure completed in compliance with the HPD Open Standard is referred to as a "Health Product Declaration," or "HPD." The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD Open Standard noted.