

RJ45 Lock-In Device

specifications

The RJ45 Lock-In Device shall work with most RJ45 patch cords, faceplates, patch panels and VoIP phones. Compact design shall not interfere with adjacent jacks or plugs. Concealed locking mechanism reduces potential tampering. There shall be three available options: standard, recessed and super recessed. Each design shall allow the plug to be locked into or released from a jack with the help of a key.



technical information

Material: Lock-In: Polycarbonate Key: Nylon

RoHS Compliant: Compliant

Packaging: Each package includes 10 devices and one key
Bulk package (-C) includes 100 devices and five keys

features and benefits

Tamper Resistant Prevents unauthorized removal of cable, IP phone, other networking equipment or critical connection; compatible with VoIP phones to deter unauthorized users from moving or stealing phones, helping maintain E911 availability and compliance.

Compact Design Can be installed without interfering with adjacent jacks and plugs, even in high density applications

Installation Removal Tool Allows plug to be locked or released from a jack providing physical security

Color Assortment Enable color coding for visual identification; available in eight colors

Saves Time and Money By reducing network downtime, security breaches and hardware replacement due to theft

Compatibility Works with most patch cords, faceplates and patch panels

Concealed Locking Mechanism Prevents unlocking the device without the key

applications

The Panduit RJ45 Plug Lock-In Device secures connections to reduce network downtime, data security breaches, and hardware replacement due to theft. The versatile design works with most patch cords, faceplates, patch panels, IP cameras and other IP devices. It is also compatible with VoIP phones to help prevent unauthorized removal and ensure E911 continuity. RJ45 Lock-In devices are available in three options:

Standard (Flushmount): ideal for installations where jack mounts flush with the surface, except for sloped faceplates.

Recessed: used when jacks sit slightly recessed from the surface.

Super Recessed: when jacks sit much deeper from the surface.

Standard (Includes White Cams)

PSL-DCPLE (Red)

PSL-DCPLE-C

PSL-DCPLE-**

PSL-DCPLE--C**

Recessed (Includes Clear Cams)

PSL-DCPLRE (Red)

PSL-DCPLRE-C

PSL-DCPLRE-**

PSL-DCPLRE--C**

Super Recessed (Includes Clear Cams)


PSL-DCPLSE (Red)

PSL-DCPLSE-C (Red)


**For colors other than Red, add suffix: BL, IW, YL, OR
It is recommended to test your specific patch cords and jacks before implementing widespread usage.

RJ45 Lock-In Device


PSL-DCPLE Standard (Flushmount)



PSL-DCPLRE Recessed



PSL-DCPLSE Super Recessed



Dimensions are in inches. [Dimensions in brackets are metric].

WORLDWIDE SUBSIDIARIES AND SALES OFFICES

PANDUIT US/CANADA
Phone: 800.777.3300

PANDUIT EUROPE LTD.
London, UK
Phone: 44.20.8601.7200

PANDUIT SINGAPORE PTE. LTD.
Republic of Singapore
Phone: 65.6305.7575

PANDUIT JAPAN
Tokyo, Japan
Phone: 81.3.6863.6000

PANDUIT LATIN AMERICA
Guadalajara, Mexico
Phone: 52.33.3777.6000

PANDUIT AUSTRALIA PTY. LTD.
Victoria, Australia
Phone: 61.3.9794.9020

For a copy of Panduit product warranties, log on to www.panduit.com/warranty

For more information

Visit us at www.panduit.com

Contact Customer Service by email: cs@panduit.com

or by phone: 800.777.3300

PANDUIT®

© 2021 Panduit Corp.
ALL RIGHTS RESERVED.
COSP479--WW-ENG
4/2021