

# More Meaningful Connections



## Outlet Offerings for EMEA

## Workstation Roadmap

Panduit offers the most comprehensive selection of communication outlets to extend your copper, audio/video and fibre cabling system to the work area. From a standard work station configuration to a MuTOA application, Panduit has a solution to support your requirements.

- Modular, accepting all Mini-Com™ Modules for copper, fibre and audio/video applications
- Superior design provides lower profile, higher density outlet products, creating a cost-effective solution for easy moves, adds and changes
- Aesthetically pleasing solution to complement all types of work areas

Work area outlets products are easily installed and provide a broad range of solutions. Outlets solutions consist of a variety of faceplate and adapter styles and port densities.

### UK Selections

Page 4



### France Selections

Page 5



### Germany Selections


Page 5



### Italy Selections

Page 6





## One-Position Adapters and Inserts

Page 6



## Modular Furniture Faceplates

Page 7



## Surface Mount Boxes

Page 8



## Labeling and Identification

Page 9

## UK Selections



CBUKAWY



CFPUKS2SAWY CFPUKS4SAW-2GY



CFPUKS2BAWY CFP86S2IWY



CFP86S4IWY



CFPL86F1SAW CFPL86F2SAW



CFPL86F4SAW



CM6CSAW-X CM6CSSAW-X



CM6CESAW-X CM6CESSAW-X

Part Number	Description	Colour	Label Type
<b>Faceplate Frames</b>			
CBUKAWY	86mm x 86mm, single gang faceplate frame with label. Accepts one 1/2-size module insert***.	Arctic White	C
<b>Sloped Shuttered Faceplate Kits</b>			
CFPUKS2SAWY	86mm x 86mm single gang faceplate frame and one 1/2-size sloped shuttered module insert.	Arctic White	C
CFPUKS4SAW-2GY	86mm x 146mm double gang faceplate frame and two 1/2-size sloped shuttered module inserts.		
<b>Sloped Faceplate</b>			
CFPUKS2BAWY	86mm x 86mm single gang faceplate holds up to two Mini-Com™ Modules. Supplied with CMB blank module.	Arctic White	F
CFP86S2IWY	86mm x 86mm single gang sloped faceplate with screw cover. Accepts two Mini-Com™ Modules.	International White	
CFP86S4IWY	86mm x 86mm single gang sloped faceplate with screw cover. Accepts four Mini-Com™ Modules.		
<b>Flat Shuttered Faceplates</b>			
CFPL86F1SAW	Single gang, 86mm x 86mm shuttered faceplate with label and icon slots. Accepts up to one Mini-Com™ Modules. Includes two M4.0-0.7 x 25mm panhead mounting screws.	Arctic White	C
CFPL86F2SAW	Single gang, 86mm x 86mm shuttered faceplate with label and icon slots. Accepts up to two Mini-Com™ Modules. Includes two M4.0-0.7 x 25mm panhead mounting screws.		
CFPL86F4SAW	Single gang, 86mm x 86mm shuttered faceplate with label and icon slots. Accepts up to four Mini-Com™ Modules. Includes two M4.0-0.7 x 25mm panhead mounting screws.		
<b>Adapters</b>			
CM6CSAW-X	Shuttered module snaps into standard UK LJU6C floor box mounting plates, faceplates and patch panels and holds a single Mini-Com™ Module. Compatible with standard UK LJU6C openings with 22.3mm x 36.9mm dimensions.	Arctic White	G
CM6CSSAW-X	Sloped, shuttered module snaps into standard UK LJU6C floor box mounting plates, faceplates and patch panels and holds a single Mini-Com™ Module. Compatible with standard UK LJU6C openings with 22.3mm x 36.9mm dimensions.		
CM6CESAW-X	25mm x 50mm shuttered Euro-mod adapter accepts one Mini-Com™ Module.		
CM6CESSAW-X	25mm x 50mm sloped, shuttered Euro-mod adapter accepts one Mini-Com™ Module.		

\*\*\*See page 6 for compatible 1/2-size inserts.  
See page 9 for compatible labels.

## France Selections



Part Number	Description	Colour	Label Type
<b>Adapter Kits</b>			
<b>CFPFF2AW</b>	45mm x 45mm adapter with one 1/2-size flat module insert that accepts two Mini-Com™ Modules.	Arctic White	F
<b>CFPFS1SAW</b>	45mm x 45mm adapter with one 1/2-size sloped shuttered insert that accepts one Mini-Com™ Module.		G
<b>CFPFS2AW</b>	45mm x 45mm adapter with one 1/2-size sloped module insert that accepts up to two Mini-Com™ Modules.		F
<b>CFPFS2SAW</b>	45mm x 45mm adapter with one 1/2-size sloped shuttered module insert that accepts up to two Mini-Com™ Modules. Also available in Black (BL).		F
<b>CFP45LS2SAW</b>	45mm x 45mm adapter with one 1/2-size sloped shuttered module insert with label and label cover. Accepts up to two Mini-Com™ Modules.		D

### Adapters

<b>CBFAW</b>	45mm x 45mm adapter frame, accepts one 1/2-size module insert***.	Arctic White	—
<b>CFPFLS1SAW</b>	45mm x 45mm adapter with one-port sloped shuttered module with labels and icon slots. Accepts a single Mini-Com™ Module.		C
<b>CFPFLS2SAW</b>	45mm x 45mm adapter with two-port sloped shuttered module with labels and icon slots. Accepts up to two Mini-Com™ Modules.		C
<b>CFA1FSAW-X</b>	22.5mm x 45mm flat shuttered adapter. Accepts a single Mini-Com™ Module.		E

\*\*\*See page 6 for compatible 1/2-size inserts.  
See page 9 for compatible labels.

## Germany Selections



Part Number	Description	Colour	Label Type
<b>Faceplates</b>			
<b>CFPE3AWY</b>	80mm x 80mm faceplate frame and one 55mm x 55mm sloped faceplate. Accepts up to three Mini-Com™ Modules. Supplied with mounting screws, metal mounting plate, label, and label cover.	Arctic White	C
<b>FCFPAW</b>	80mm x 80mm faceplate frame accepts all Panduit 50mm x 50mm adapters and the CHES3AWY adapter.		
<b>CHES2AWY</b>	50mm x 50mm sloped faceplate holds up to two Mini-Com™ Modules. Supplied with mounting screws, metal mounting plate, label and label cover and icon slots.		
<b>CHES3AWY</b>	55mm x 55mm sloped faceplate holds up to three Mini-Com™ Modules. Supplied with mounting screws, metal mounting plate, label and label cover.		
<b>CFPGAS9SBL</b>	Mini-Com™ 9-port sloped shuttered faceplate, mounts to Ackermann^ GB3 Sub Box. Includes three labels and label covers to identify the nine available ports.	Black	A

^Ackermann is a trademark of Novar PLC, Weybridge, Surrey, United Kingdom.  
See page 6 for compatible 1/2-size inserts.  
See page 9 for compatible labels.

## Italy Selections



CFPH2\*\*



CFPHSL4\*\*

Part Number	Description	Colour	Label Type
<b>Faceplates</b>			
<b>CFPH2IW</b>	Single gang, horizontal faceplate accepts two Mini-Com™ Modules.	Off White, White	F
<b>CFPHSL4IW</b>	Single gang sloped horizontal faceplate accepts four Mini-Com™ Modules. Includes label and label cover.	Off White, International Grey	A

See page 9 for compatible labels.

## One-Position Adapters



CMNZA\*\*-X



CMAA1\*\*-X



CAFPA\*\*-X



CIFPAWH-X

Part Number	Description	Colour
<b>CMNZABL-X</b>	Adapter snaps into 21mm x 21mm opening and accepts one Mini-Com™ Module. For snug fit, panel thickness should be 1.17mm to 1.42mm.	Black
<b>CMAA1WH-X</b>	Adapter snaps into 25mm x 25mm opening and accepts one Mini-Com™ Module. For snug fit, panel thickness should be 1.5mm to 2.0mm.	White
<b>CAFPAIW-X</b>	Faceplate adapter mounts into a Clipsal^ or HPM^ faceplate opening and accepts single-space Mini-Com™ Modules. Not compatible with shuttered modules.	Off White
<b>CIFPAWH-X</b>	Faceplate adapter mounts into a Clipsal^ Iconic^ faceplate opening and accepts single-space Mini-Com™ Modules. Not compatible with shuttered modules.	White

Visit [www.panduit.com](http://www.panduit.com) or contact customer service for availability of other colours.

^Clipsal is a registered trademark of Clipsal Australia Pty Ltd.; HPM is a registered trademark of HPM Pty Ltd. of Australia. See page 9 for compatible labels.

## Inserts



CHS2\*\*-X



CHS2S\*\*-X



CHF2\*\*-X



CHB2\*\*-X

Part Number	Description	Colour	Label Type
<b>CHS2IW-X</b>	Two module space, 1/2-size, sloped insert accepts two Mini-Com™ Modules.	Off White	F
<b>CHS2SIW-X</b>	Two module space, 1/2-size, sloped shuttered insert accepts two Mini-Com™ Modules. Not suitable for use with any audio/video or fibre connector module that protrudes beyond the face of the insert.		
<b>CHF2IW-X</b>	Two module space, 1/2-size flat insert accepts two Mini-Com™ Modules.		
<b>CHB2IW-X</b>	1/2 blank insert. Reserves space for future upgrades.		—

Visit [www.panduit.com](http://www.panduit.com) or contact customer service for availability of other colours.

See page 9 for compatible labels.

## Modular Furniture Faceplates



CFFPL2\*\*



CFFP4\*\*



CFFPL4\*\*



CFFPA2\*\*



CFFPE3BL



MFFPE\*\*



CFFPHM4\*\*



CFFPEBSL4BL

Part Number	Description	Colour**	Label Type
CFFPL2BL	Faceplate snaps into industry standard knockouts found on modular furniture. Accepts up to two Mini-Com™ Modules. Supplied with write-on label and label cover.	Black, and White	B
CFFP4BL	Faceplate snaps into industry standard knockouts found on modular furniture. Accepts up to four Mini-Com™ Modules.		F
CFFPL4BL	Faceplate snaps into industry standard knockouts found on modular furniture. Accepts up to four Mini-Com™ Modules. Supplied with write-on label and label cover.	Black, Off White, White, and Grey	B
CFFPA2BL	Angled faceplate snaps into industry standard knockouts found on modular furniture. Accepts up to two Mini-Com™ Modules.	Black, and White	F
CFFPE3BL	Faceplate snaps into knockouts found on Knoll Morrison^ furniture, as well as industry standard knockouts. Accepts up to three Mini-Com™ Modules.	Black	G
MFFPEBL	Faceplate extender for use when depth inside modular furniture base is limited. Extends plate approximately 12.7mm. Accepts CFFPL2, CFFPL4, and CFFP4 modular faceplates.		—
CFFPHM4BL	Faceplate snaps into knockouts found on Herman Miller^ furniture such as Action Office Series 2 and 3 and Ethospace Baseline. Accepts up to four Mini-Com™ Modules.	Black, and White	F
CFFPEBSL4BL	Sloped faceplate snaps into knockouts found on Herman Miller^ furniture such as Ethospace Beltline. Accepts up to four Mini-Com™ Modules. Supplied with write-on label and label cover and icon slots.	Black	B

\*\*For White, Off White or Grey, replace suffix BL (Black) with WH (White), IW (Off White), or G (Grey).  
 ^HERMAN MILLER is a trademark of Herman Miller, Inc., Zeeland, MI. KNOLL, and MORRISON are trademarks of Knoll, Inc.  
 See page 9 for compatible labels.

## Surface Mount Boxes



CBXQ1AW-A



CBXQ2AW-A



CBXQ4AW-A



CBXQ6AW-A



CBX1AW-A



CBX2AW-AY



CBX4AW-AY



CBXF6AW-AY



CBXF12AW-AY

Part Number	Description	Colour	Label Type
<b>Quick Release (Plenum Rated)</b>			
CBXQ1AW-A	1-port surface mount box with quick release cover and adhesive. Dimensions: 24.8mm H x 37.5mm W x 66.0mm L.	Arctic White	G
CBXQ2AW-A	2-port surface mount box with quick release cover and adhesive. Dimensions: 24.89mm H x 53.46mm W x 66mm L.		C
CBXQ4AW-A	4-port surface mount box with quick release cover and adhesive. Dimensions: 30.0mm H x 95.35mm W x 93.98mm L.		A
CBXQ6AW-A	6-port surface mount box with quick release cover and adhesive. Dimensions: 30.5mm H x 129.01mm W x 93.98mm L.		

Shuttered feature achieved by installing jack modules with spring shuttered door.

### Elongated

CBX1AW-A	Mini-Com™ 1-Port Low Profile Surface Mount Box accepts a single Mini-Com™ Module. Dimensions: 23.2mm H x 26.3mm W x 48.1mm L.	Arctic White	G
CBX2AW-AY	Mini-Com™ Surface Mount Box accepts up to two Mini-Com™ Modules. Includes built-in removable blank to add a second module. Dimensions: 27mm H x 49.5mm W x 92.7mm L.		F
CBX4AW-AY	Mini-Com™ Surface Mount Box accepts four Mini-Com™ Modules. Provides slots that accept cable ties for strain relief. Supplied with label holder/screw cover. Dimensions: 27.0mm H x 73.6mm W x 114.3mm L.		A

### Multimedia

CBXF6AW-AY	Mini-Com™ Surface Mount Box accepts up to six Mini-Com™ Modules. Includes built-in fibre spool that stores up to 24 metres of buffered fibre optic cable. Icon slots available for optional icons. Dimensions: 25.0mm H x 119.4mm W x 169.2mm L.	Arctic White	A
CBXF12AW-AY	Mini-Com™ Surface Mount Box accepts up to twelve Mini-Com™ Modules. Includes built-in fibre spool that stores up to 24 metres of buffered fibre optic cable. Dimensions: 46.1mm H x 119.4mm W x 169.2mm L.		

Visit [www.panduit.com](http://www.panduit.com) or contact customer service for availability of other colours. See page 9 for compatible labels.

## Labeling and Identification

A full line of labelling products, software and printers is available to assist with standards-compliant labelling within your enterprise. Identification solutions comply with ANSI/TIA-606-B and ISO/IEC 14763-2 standards. These standards specify the format of identifiers that are required for data center and telecommunications room components, all the way to the desktop.

Maintaining standards-compliant labelling allows moves, adds, changes, trouble-shooting and repairs to be accomplished faster and more efficiently, to lower the total cost of ownership.

### Label Chart

Label Type	Individual labels with covers	Laser/Ink Jet Desktop Printer label	TDP43ME Thermal Transfer Desktop Printer label	PanTher™ LS8E Hand-Held Printer label
A	CSGLLC-L	C195X040Y1J	C195X040Y1T	C195X040Y1C
B	C4PPLK	C261X035Y1J	C261X035Y1T	C261X035Y1C
C	—	C150X030Y1J	C150X030Y1T	C150X030Y1C
E	—	—	C195X040Y1T	—
F	—	C125X030FJJ*	C125X0300YPT, T031X000FJT‡	C125X030FJC*, T031X000FJC-BK
G	—	C061X030FJJ*	T031X000FJT‡	C061X030FJC*, T031X000FJC-BK
I	—	C252X030FJJ	C252X030YPT	C252X030FJC

‡Adhesive or non-adhesive use (for non-adhesive labelling solution, do not remove liner from label).

\*Adhesive use only.

See [www.panduit.com](http://www.panduit.com) for printers and labeling software.



**PANDUIT™**

Panduit Corp.  
World Headquarters  
Tinley Park, IL 60487

800.777.3300

[www.panduit.com](http://www.panduit.com)