

Ray tech®



IP68
OFFICIALLY
TESTED

**READY
SUBMERSIBLE**







**SUPER
BLOCK**

**COMPACT
COMPLETE**

NEW

GEL BOX

WITH INTEGRATED LEVER CONNECTOR



Lever connectors:
450 V - 32 A
up to 4 mm²

Gel:
non-hazardous
& Halogen-free

Working
temperature
+90°C

Installation
temperature
-40° C/+50 °C

Submersible
use


Underground
use

UV
Resistant


SUPER BLOCK

The GEL BOX range, designed in 2015, is enriched with a new range of compact and waterproof connecting devices. For increasingly secure and high-performance connections over time.

- FOR STRAIGHT OR BRANCH CONNECTIONS OF 3 OR 5 RIGID OR FLEXIBLE WIRES UP TO 4 MM²
- TOOL-LESS
- CAN BE POWERED IMMEDIATELY
- ALWAYS RE-ENTERABLE
- REUSABLE
- PRE-FILLED WITH CONFORMING VISCOELASTIC GEL, NOT CLASSIFIED AS HAZARDOUS.
- WITHOUT SHELF-LIFE



IP68
OFFICIALLY
TESTED | **IMQ**




2




3



4



5



ELECTRICAL PERFORMANCE:

CEI EN 50393 as applicable
(testing under water head of the accessory
installed in a box)

Class 2 according to **CEI 64-8** standard

EN 60998-1 and **EN 60998-2**

GEL UL-94-HB

SUPERBLOCK 3W

Art: SUPERBLOCK3W

Up to 3x4 mm²



67 x 50 x 28 mm

SUPERBLOCK 3

Art: SUPERBLOCK3

Up to 3x4 mm²



57 x 47 x 26 mm

SUPERBLOCK 5W

Art: SUPERBLOCK5W

Up to 5x2,5 mm²



57 x 47 x 26 mm

SUPERBLOCK 5

Art: SUPERBLOCK5


Up to 5x4 mm²



SUPERBLOCK IN-OUT W

Art: SUPERBLOCKINOUTW

Up to 3x4 mm²




67 x 50 x 28 mm

SUPERBLOCK IN-OUT M

Art: SUPERBLOCKINOUTM


Up to 3x4 mm²



SUPERBLOCK IN-OUT

Art: SUPERBLOCKINOUT

Up to 3x4 mm²



LEVER CONNECTORS



Art: **RAYBLOCKB2**
blister of 40 pcs



Art: **RAYBLOCKB3**
blister of 30 pcs



Art: **RAYBLOCKB5**
blister of 18 pcs



Art: **RAYBLOCKBUNO**
blister of 20 pcs



Art: **RAYBLOCK**
box of 50 pcs



IDEAL FOR THE FOLLOWING:



GEL BOX LINE



HAPPY LINE



LITTLE JOINT LINE



**Ray
tech®**

Raytech S.r.l.
Via E. Fermi 11/13/17 - 20019 Settimo Milanese (MI) - Italia
T: +39.02.33500147 - www.raytech.it

Printed in February 2024