



PASCAL



PASCAL

Faretto ad incasso da terra per esterno (IP65) con attacco GU10 che consente di montare lampadina LED. Proposto in forma tonda e quadrata, cassaforma in dotazione. Disponibile nella versione calpestabile con struttura in pressofusione di alluminio, anello in acciaio inox AISI316 e vetro temperato ad alto spessore. La versione carrabile è dotata di struttura in pressofusione di alluminio, anello in acciaio satinato e diffusore in vetro trasparente. Disponibili giunti certificati IP68 per la realizzazione delle connessioni elettriche con barriera anticondensa.


Outdoor recessed luminaire ground installation, with GU10 lamp holder that allows mounting the LED. Available in round and square version, recessed box included. Available as walk over version in die-cast aluminium body, satin AISI316 stainless steel ring and thick tempered glass. Available also as drive over version in die-cast aluminium body, satin steel ring and clear glass diffuser. IP68 linear connectors for moisture protection and anti-condensation linear joints are available, to be ordered separately.



 carrabile
max Kg 2000 - max 25Km/h
drive over
max Kg 2000 - max 25Km/h




Codice Code		Potenza Wattage	Dimensioni mm Dimensions mm
6612	GU10	1x8W LED max	Ø107 x 130



 carrabile
max Kg 2000 - max 25Km/h
drive over
max Kg 2000 - max 25Km/h



Codice Code		Potenza Wattage	Dimensioni mm Dimensions mm
6613	GU10	1x8W LED max	110 x 110 x 135



Finiture Finishes



Acciaio satinato Satin steel

Accessori Accessories



connessione IP68
IP68 connection

p.897




cassaforma
inclusa
recessed box
included



 calpestabile max Kg 1000
walk over max Kg 1000

 AISI304  IP65  IK10


Codice Code		Potenza Wattage	Dimensioni mm Dimensions mm
PAS003	GU10	1x8W LED max	Ø96 x 180



 calpestabile max Kg 1000
walk over max Kg 1000


 AISI304  IP65  IK10

Codice Code		Potenza Wattage	Dimensioni mm Dimensions mm
PAS004	GU10	1x8W LED max	96 x 96 x 180



Grazie al sistema di collegamento ENTRATA-USCITA si possono installare più prodotti senza realizzare cablaggi esterni.

Thanks to the INPUT-OUTPUT connection system, multiple products can be installed without making external wiring.



Finiture Finishes



Acciaio AISI316 Stainless steel AISI316

Accessori Accessories



connessione IP68
IP68 connection

p.897



cassaforma
inclusa
recessed box
included