

Eleganza.
Elegance.



BRAD





Paletto LED da terra per esterno (IP54), in pressofusione di alluminio verniciato a polvere con pretrattamento per uso esterno.

Vetro di protezione del LED opaco e alimentatore LED integrato.

Grazie al suo design moderno ed elegante si adatta perfettamente allo stile di qualsiasi giardino o cortile esterno.

Disponibile in due altezze e due finiture (antracite e corten).

Disponibili giunti certificati IP68 per la realizzazione delle connessioni elettriche, sicure, durevoli e con barriera anticondensa.

Outdoor (IP54) LED bollard. Die-cast aluminium body, powder coated with pretreatment for outdoor use.

Opal glass to protect the LED and integrated LED driver.

Thanks to its modern, minimal and elegant design it adapts perfectly to the style of any garden or outdoor areas.

Available in two heights and in two finishes (anthracite and corten).

IP68 linear connectors for moisture protection and anti-condensation linear joints are available.




BRAD



LED
49°
CRI ≥ 80
IP54

Codice Code	CCT	Flusso lm Flux lm	Potenza Wattage	Dimensioni mm Dimensions mm
BRA001XX	3000K	600	7W	120 x 40 x 350
BRA002XX	3000K	600	7W	120 x 40 x 650



Finiture Finishes



AN



CO

Accessori Accessories



connessione IP68
IP68 connection

p.897