



CRYSTAL







Leggera e trasparente, Crystal è una lampada LED a sospensione, parete e soffitto dalla forma squadrata, con corpo centrale in alluminio e diffusore in PMMA micro-inciso a laser per un illuminamento omogeneo diretto e indiretto. Disponibile in versione 2700K, in diverse misure e relative potenze e in due finiture colore, bianco e oro satinato.

Light and transparent, Crystal is a LED suspension, wall and ceiling lamp with a square shape, with a central aluminium structure and a micro-laser engraved PMMA diffuser for a direct and indirect homogeneous lighting emission. Available in 2700K, in different sizes and related powers, and in two colour finishes, white and satin gold.

CRYSTAL



| Codice Code | CCT | Flusso lm Flux lm | Potenza Wattage | Dimensioni mm Dimensions mm |
|-----------------|-------|----------------------|--------------------|--------------------------------|
| CRY003XX | 2700K | 2500 | 24W | 435 x 315 |
| CRY004XX | 2700K | 4300 | 40W | 705 x 520 |



| Codice Code | CCT | Flusso lm Flux lm | Potenza Wattage | Dimensioni mm Dimensions mm |
|-----------------|-------|----------------------|--------------------|--------------------------------|
| CRY001XX | 2700K | 1800 | 17W | 352 x 255 x 35 |
| CRY002XX | 2700K | 2500 | 24W | 440 x 320 x 35 |



LGP (Light Guide Plate) è una particolare tecnologia luminosa basata su una lastra in resina di polimetilmetacrilato (PMMA) ad elevata purezza, sulla cui superficie viene micro-incisa una speciale matrice. La luce, convogliata lateralmente dalla fonte luminosa, si diffonde sulla lastra e viene distribuita uniformemente sulla superficie del pannello, ottenendo un illuminamento omogeneo, diffuso e privo di abbagliamento.

Lo studio del perfetto equilibrio del pattern è l'elemento fondamentale per creare un effetto luminoso efficiente.

LGP (Light Guide Plate) is a particular light technology based on a high purity polymethylmethacrylate resin (PMMA) plate, on whose surface a special matrix is micro-engraved. The light, conveyed laterally from the light source, diffuses on the plate and is evenly distributed on the panel surface, obtaining a homogeneous, diffused and glarefree illumination.

The study of the perfect balance of the patterns is the essential element to create an efficient lighting effect.

Finiture Finishes

