





OLIVER




Apparecchio per esterno IP65 disponibile a parete e a paletto da terra. Struttura in pressofusione di alluminio verniciato a polveri resistente a raggi UV e corrosione, diffusore in policarbonato opale per un effetto di luce diffusa. Versione a parete disponibile con attacco E27 che consente di montare lampadina LED e in tre finiture, bianco, grigio, antracite.

Versione a paletto da terra disponibile con attacco LED o E27 che consente di montare lampadina LED, due altezze, due finiture, antracite e grigio, per la versione LED in due temperature colore, 3000K e 4000K, e con alimentatore integrato. Disponibili giunti certificati IP68 per la realizzazione di connessioni elettriche, sicure, con barriera anticondensa.

Outdoor IP65 luminaire available in wall version or bollard version. Die-cast aluminium body, painted with polyester powders, highly resistant to UV rays and corrosion, and opal polycarbonate diffuser for diffused emission. Wall version with E27 lamp holder that allows mounting the LED, and in three finishes, white, grey and anthracite.


Bollard version with LED or E27 lamp holder that allows mounting the LED, available in two heights and two finishes, anthracite and grey. For LED version two gradations, 3000K and 4000K, and integrated LED driver. IP68 linear connectors for moisture protection and anticondensation linear joints are available.



OLIVER





Codice Code		Potenza Wattage	Dimensioni mm Dimensions mm
A.10067-XX	E27	1x15W LED max	110 x 250 x 103



Codice Code		Potenza Wattage	Dimensioni mm Dimensions mm
OLI005XX	E27	1x20W LED max	108 x 108 x 265
OLI006XX	E27	1x20W LED max	108 x 108 x 650



Codice Code	CCT	Flusso lm Flux lm	Potenza Wattage	Dimensioni mm Dimensions mm
OLI001XX	3000K	1340	15W	108 x 108 x 265
OLI002XX	3000K	1340	15W	108 x 108 x 650



Finiture Finishes



GR



AN



B

solo per
codice:
only
for code:
A.1067

Accessori Accessories



connessione IP68
IP68 connection

p.945