





KLAUS

Lampada LED 3000K da tavolo e a parete per esterno IP54 realizzata in pressofusione di alluminio verniciato bianco, con alimentatore integrato. Design essenziale e moderno che integra funzionalità ed estetica.

Accensione touch (on/off) per le lampade da tavolo. La versione a parete, in virtù della linea pulita e minimal, si presta per installazione anche in ambienti interni con giunti certificati IP68 per la realizzazione di connessioni elettriche, sicure, durevoli e con barriera anti condensa. Disponibile in tre misure e relative potenze.

Table and Outdoor IP54 wall LED lamp 3000K with die-cast white painted aluminium body and with integrated LED driver. Essential and modern design that integrates functionality and aesthetics.

Touch switch on/off for table lamps.

Wall version, thanks to its clean and minimal design, is also suitable for indoor installation. IP68 linear connectors for moisture protection and anti-condensation linear joints are available. Available with three sizes and related powers.



Codice Code	CCT	Flusso lm Flux lm	Potenza Wattage	Dimensioni mm Dimensions mm
P.6188-B	3000K	540	8,5W	140 x 300



Codice Code	CCT	Flusso lm Flux lm	Potenza Wattage	Dimensioni mm Dimensions mm
P.6187-B	3000K	540	8W	450 x 325

Finiture Finishes



Bianco White

Altre applicazioni Other applications



Parete
Wall





Lampada LED a parete per esterno IP54 realizzata in pressofusione di alluminio verniciato bianco, con alimentatore integrato. Si presta per installazione anche in ambienti interni.

Outdoor IP54 wall LED lamp (3000K) with die-cast white painted aluminium body and with integrated LED driver. Is also suitable for indoor installation.

KLAUS



Codice Code	CCT	Flusso lm Flux lm	Potenza Wattage	Dimensioni mm Dimensions mm
A.10349-15-B	3000K	270	5,5W	150 x 50 x 150
A.10349-30-B	3000K	500	8W	300 x 50 x 150
A.10349-50-B	3000K	810	10,5W	500 x 50 x 150



Finiture Finishes



Bianco White

Altre applicazioni Other applications



Tavolo
Table

p.577