



0017555315067

Altivar /
Lexium

Braking Resistor
VW3A7701...718

	Ω	W			Ω	W	
		40°C 104°F	50°C 122°F			40°C 104°F	50°C 122°F
VW3A7701	100	58	50	VW3A7710	2.75	28750	25000
VW3A7702	60	115	100	VW3A7711	2.10	42550	37000
VW3A7703	28	231	200	VW3A7712	2.10	50600	44000
VW3A7704	15	1154	1000	VW3A7713	1.80	17595	15300
VW3A7705	10	1154	1000	VW3A7714	1.41	24035	20900
VW3A7706	8	1154	1000	VW3A7715	1.05	64400	56000
VW3A7707	5	1154	1000	VW3A7716	1.05	86250	75000
VW3A7708	4	1154	1000	VW3A7717	0.70	128800	112000
VW3A7709	2.5	1154	1000	VW3A7718	0.70	172500	150000

DANGER

HAZARD OF ELECTRIC SHOCK, EXPLOSION, OR ARC FLASH

- Only appropriately trained persons who are familiar with and fully understand the contents of the present manual and all other pertinent product documentation and who have received all necessary training to recognize and avoid hazards involved are authorized to work on and with this equipment.
- Installation, adjustment, repair, and maintenance must be performed by qualified personnel.
- Verify compliance with all local and national electrical code requirements as well as all other applicable regulations with respect to grounding of all equipment.
- Before performing work and/or applying voltage on the equipment, follow the instructions given in the appropriate installation manual.

Failure to follow these instructions will result in death or serious injury.

CAUTION


SHARP EDGES




Use all necessary personal protective equipment (PPE) such as gloves when performing any type of work whatsoever on or with this product.

Failure to follow these instructions can result in injury or equipment damage.


Electrical equipment should be installed, operated, serviced, and maintained only by qualified personnel. No responsibility is assumed by Schneider Electric for any consequences arising out of the use of this product. © 2025 Schneider Electric. All Rights Reserved.



	a	b	c	G	H	Ø
	mm (in.)	mm (in.)	mm (in.)	mm (in.)	mm (in.)	mm (in.)
VW3A7701	95 (3.74)	293 (11.54)	95 (3.74)	70 (2.76)	275 (10.83)	6 x 12 (0.24 x 0.48)
VW3A7702	95 (3.74)	393 (15.47)	95 (3.74)	70 (2.76)	375 (14.76)	6 x 12 (0.24 x 0.48)
VW3A7703	140 (5.51)	393 (15.47)	120 (4.72)	120 (4.72)	375 (14.76)	6 x 12 (0.24 x 0.48)




	a	b	c	G	H	Ø
	mm (in.)	mm (in.)	mm (in.)	mm (in.)	mm (in.)	mm (in.)
VW3A7704...709	240 (9.45)	484 (19.06)	301 (11.85)	210 (8.27)	380 (14.96)	9 (0.35)




	a	b	c	a1	c1	a2	c2	
	mm (in.)	mm (in.)	mm (in.)	mm (in.)	mm (in.)	mm (in.)	mm (in.)	
VW3A7710	860 (33.86)	690 (27.17)	480 (18.90)	832 (32.76)	400 (15.75)	890 (35.04)	540 (21.26)	1 x
VW3A7711	960 (37.80)	1150 (45.28)	380 (14.96)	932 (36.69)	300 (11.81)	1140 (44.88)	460 (18.11)	
VW3A7712	860 (33.86)	1150 (45.28)	540 (21.26)	832 (32.76)	460 (18.11)	1040 (40.94)	620 (24.41)	
VW3A7713	760 (29.92)	440 (17.32)	480 (18.90)	732 (28.82)	400 (15.75)	790 (31.10)	540 (21.26)	
VW3A7714	960 (37.80)	440 (17.32)	480 (18.90)	932 (36.69)	400 (15.75)	990 (38.98)	540 (21.26)	
VW3A7715	960 (37.80)	1150 (45.28)	540 (21.26)	932 (36.69)	460 (18.11)	1140 (44.88)	620 (24.41)	
VW3A7716	960 (37.80)	1150 (45.28)	740 (29.13)	932 (36.69)	660 (25.98)	1140 (44.88)	820 (32.28)	
VW3A7717	960 (37.80)	1150 (45.28)	540 (21.26)	932 (36.69)	460 (18.11)	1140 (44.88)	620 (24.41)	2 x
VW3A7718	960 (37.80)	1150 (45.28)	740 (29.13)	932 (36.69)	660 (25.98)	1140 (44.88)	820 (32.28)	




VW3A7701 ...703




VW3A7704 ...709




VW3A7710 ...718




VW3A7701 ...703




VW3A7704 ...709




VW3A7710 ... 716 a ATV●1●●●●●M3● ATV●1●●●●●N4





VW3A7716 ATV●1●●●●Y



VW3A7717 - 718 ATV●1●●●●M3● ATV●1●●●●N4





1130V~
ATV●1●●●●Y / VW3 A710●

**UK
CA**

MANUFACTURER
Schneider Electric Industries SAS
35 rue Joseph Monier
Rueil Malmaison 92500 France

UK REPRESENTATIVE
Schneider Electric Limited
Stafford Park 5
Telford, TF3 3BL United Kingdom

EAC

Опция для продуктов Altivar и Altistart.
Пожалуйста, обратитесь к сообщению о
преобразователе частоты EAC /
программном сартере в приложении к
началу работы, размещенном на веб-сайте
производителя.

Авторизованный поставщик в Республике Казахстан:
ТОО «Шнейдер Электрик»
Адрес: 050010, РК, г. Алматы, пр. Достык, 38,
бизнес-центр «Кен Дала», 5 этаж, левое крыло.
Тел.: +7 (727) 339 23 57
Номер службы поддержки клиентов:
Тел.: +7 (727) 339 24 52

Altivar және Altistart өніміне арналған опция.
Өндірушінің веб-сайтында орналастырылған
«Жұмысқа кірісу» қосымшасындағы EAC жиілік инвертер
/ бірқалыпты іске қосу құрылғысы хабарламасына
сілтеме жасауыңызды сұраймыз.

Қазақстан Республикасындағы уәкілетті жеткізуші:
ЖШС «Шнейдер Электрик»
Мекен-жайы: 050010, ҚР, Алматы қаласы, Достық
даңғылы, 38, «Кең дала» бизнес орталығы, 5-қабат, сол
қанат.
тел.: +7 (727) 339 23 57
Клиенттерге қызмет
көрсету нөмірі:
тел.: +7 (727) 339 24 52

[1.8 -----] (FLt-) : brP-



www.se.com