

Scheda dati

Specifiche



Piastra adattatore, Harmony XAC, accessorio pulsanti

ZB2BZ4

Prezzo: 17,02 EUR

Presentazione

Compatibilità Del Prodotto ZB2B

Confezionamenti

Unità di misura confezione 1	PCE
Num.unità in pkg.	1
Confezione 1: altezza	0,7 cm
Confezione 1: larghezza	4,1 cm
Confezione 1: profondità	4,6 cm
Peso imballo (Kg)	23,0 g
Unità di misura confezione 2	S01
Numero di unità per confezione 2	65
Confezione 2: altezza	15 cm
Confezione 2: larghezza	15 cm
Confezione 2: profondità	40 cm
Confezione 2: peso	1,674 kg

Garanzia contrattuale

Garanzia (in mesi) 18



Environmental Data

L'obiettivo di Schneider Electric è raggiungere lo status di Net Zero entro il 2050 attraverso partnership nella supply chain, materiali a basso impatto e circolarità, grazie alla nostra campagna "Use Better, Use Longer, Use Again" (Usa meglio, usa più a lungo, utilizza di nuovo), per prolungare la durata dei prodotti e la riciclabilità.

[Spiegazione dei Environmental Data >](#)

[Come valutiamo la sostenibilità dei prodotti >](#)

Use Better

Materiali e imballaggio

Confezione di cartone riciclato	No
Imballaggio senza plastica	No

Use Again

Reimballaggio e rifabbricazione

Ritiro del prodotto	Si
---------------------	----

Offer Marketing Illustration

Product benefits / Features

Features

Easy Harmony XB2



The image features six circular icons, each representing a different feature of the pushbutton:

- Metal bezels with metal fixing collars for impact endurance:** Represented by a circular icon containing a stylized metal bolt or fastener.
- Designed to be used in numerous control and signaling applications:** Represented by a circular icon containing a stylized hand holding a small device.
- Metal screws for secure fix, grounding contact to the panel and anti-rotation:** Represented by a circular icon containing a stylized screwdriver.
- Simple modular design facilitates post installation servicing, modification and adaption of machines by non-specialists:** Represented by a circular icon containing a stylized wrench and screwdriver.
- Available in sub-assemblies for easy mix and match of functionalities:** Represented by a circular icon containing a stylized gear or circular symbol.

Offer Marketing Illustration

Product benefits / Features

Technical Benefits

Easy Harmony XB2

Supports operating temperature from -25°C to +70°C

Excellent resistance to mechanical shock and vibration



Conforming to CE, CCC and ROHS standards

Up to IP65 protection ratings

Image of product / Alternate images

Alternative





