# **Product Environmental Profile**

Variable speed drive, Altivar Machine ATV340, 22kW, heavy duty, 400V, 3 phases, Ethernet

#### **Altivar Machine ATV340**










#### **General information**

Reference product	Variable speed drive, Altivar Machine ATV340, 22kW, heavy duty, 400V, 3 phases, Ethernet - ATV340D22N4E
Description of the product	The main function of the Altivar Machine product range is the speed control and variation of a 3-phase synchronous, asynchronous or reluctance electric motor for fluid management and industrial applications. ATV340 has been designed to meet the needs of applications for harsh environments, such as vibration, shock and non-conductive dust and where high temperature resistance up to 60 °C is needed.
Description of the range	This range consists of products Altivar Machine ATV340, a variable speed drive designed for Original Equipment Manufacturers (OEMs) that meets simple and advanced application requirements for 3 Phases synchronous, asynchronous or reluctance electric motors from 11 to 22 kW (15 to 30 HP).  The environmental impacts of this reference product are representative of the impacts of the other products of the range which are developed with a similar technology.
Functional unit	To adapt the speed and torque of synchronous, asynchronous or reluctance motor to the machine's operating point for 22 kW for heavy duty electric motors for fluid management and industrial applications in IP20/UL type 1 conditions, at 380V to 480V rated 3-phases voltage supply. Calculation of the environmental impacts is based on 10 years of product service lifetime. The usage profile taken into account is 80% uptime in use phase and 20% uptime in stand by phase.



## Constituent materials

Reference product mass 11,9 kg including the product, its packaging, additional elements and accessories





### **Substance assessment**

Details of ROHS and REACH substances information are available on the Schneider-Electric Green Premium website https://www.se.com/ww/en/work/support/green-premium/



## Additional environmental information

End Of Life

Recyclability potential:

66%

The recyclability rate was calculated from the recycling rates of each material making up the product with the exception of data using the ESR database. For materials or components using the ESR database or the absence of data the conservative hypothesis "0% recyclability" was used.

## Environmental impacts

Reference service life time	10 years											
Product category	Other equipments - Active product	Other equipments - Active product										
Installation elements	The product does not require any special installati	ion operations										
Use scenario	power use of 19 W, for 10 years.	The product is in active phase 80% of the time at 75% loading rate with a power use of 532 W and in stand-by phase 20% of the time with a power use of 19 W, for 10 years.  Drive efficiency according to IEC/EN 61800-9-2 (supersedes EN 50598-2).										
Time representativeness	The collected data are representative of the year 2024											
Technological representativeness	The Modules of Technologies such as material production, manufacturing processes and transport technology used in the PEP analysis (LCA EIME in the case) are Similar and représentaive of the actual type of technologies used to make the product.											
Geographical representativeness	Europe											
	[A1 - A3]	[A5]	[B6]	[C1 - C4]								
Energy model used	Electricity Mix; High voltage; 2018; Indonesia, ID	Electricity Mix; Low voltage; 2018; Europe, EU-27	Electricity Mix; Low voltage; 2018; Europe, EU-27	Electricity Mix; Low voltage; 2018; Europe, EU-27								

Detailed results of the optional indicators mentioned in PCRed4 are available in the LCA report and on demand in a digital format - Country Customer Care Center - http://www.schneiderelectric.com/contact

Mandatory Indicators	Variable spee	d drive, Altivar M	achine ATV340,	22kW, heavy du	ity, 400V, 3 phase	s, Ethernet - AT\	/340D22N4E	
Impact indicators	Unit	Total (without Module D)	[A1 - A3] - Manufacturing	[A4] - Distribution	[A5] - Installation	[B1 - B7] - Use	[C1 - C4] - End of life	[D] - Benefits and loads
Contribution to climate change	kg CO2 eq	1,56E+04	1,64E+02	2,32E+00	1,83E+00	1,54E+04	2,21E+01	-5,45E+01
Contribution to climate change-fossil	kg CO2 eq	1,56E+04	1,62E+02	2,32E+00	1,74E+00	1,54E+04	2,21E+01	-5,31E+01
Contribution to climate change-biogenic	kg CO2 eq	2,29E+01	2,21E+00	0*	8,41E-02	2,06E+01	2,36E-02	-1,40E+00
Contribution to climate change-land use and land use change	kg CO2 eq	1,50E-03	1,50E-03	0*	0*	0*	8,01E-07	-1,65E-03
Contribution to ozone depletion	kg CFC-11 eq	8,99E-05	2,35E-05	0*	2,37E-08	6,59E-05	4,57E-07	-6,98E-06
Contribution to acidification	mol H+ eq	8,93E+01	1,30E+00	1,47E-02	0*	8,80E+01	5,50E-02	-3,40E-01
Contribution to eutrophication, freshwater	kg (PO4)³¯ eq	4,43E-02	1,30E-03	0*	4,13E-05	4,22E-02	7,61E-04	-1,91E-04
Contribution to eutrophication marine	kg N eq	1,02E+01	1,54E-01	6,88E-03	2,26E-03	9,99E+00	1,42E-02	-2,92E-02
Contribution to eutrophication, terrestrial	mol N eq	1,52E+02	1,66E+00	7,54E-02	1,58E-02	1,50E+02	1,52E-01	-3,25E-01
Contribution to photochemical ozone formation - human health	kg COVNM eq	3,27E+01	5,57E-01	1,90E-02	3,62E-03	3,21E+01	4,50E-02	-1,10E-01
Contribution to resource use, minerals and metals	kg Sb eq	1,98E-02	1,87E-02	0*	0*	1,12E-03	2,22E-05	-3,05E-03
Contribution to resource use, fossils	MJ	3,97E+05	3,42E+03	0*	0*	3,93E+05	5,96E+02	-8,61E+02
Contribution to water use	m3 eq	6,01E+02	5,15E+01	0*	1,68E-01	5,46E+02	4,03E+00	-1,21E+01

Inventory flows Indicators	Variable speed drive, Altivar Machine ATV340, 22kW, heavy duty, 400V, 3 phases, Ethernet - ATV340D22N4E									
Inventory flows	Unit	Total (without Module D)	[A1 - A3] - Manufacturing	[A4] - Distribution	[A5] - Installation	[B1 - B7] - Use	[C1 - C4] - End of life	[D] - Benefit and loads		
Contribution to use of renewable primary energy excluding renewable primary energy used as raw material	MJ	7,55E+04	7,20E+01	0*	0*	7,54E+04	0*	-3,50E+01		
Contribution to use of renewable primary energy resources used as raw material	MJ	1,14E+01	1,14E+01	0*	0*	0*	0*	4,04E+00		
Contribution to total use of renewable primary energy resources	MJ	7,55E+04	8,34E+01	0*	0*	7,54E+04	0*	-3,10E+01		
Contribution to use of non renewable primary energy excluding non renewable primary energy used as raw material	MJ	3,97E+05	3,32E+03	0*	0*	3,93E+05	5,96E+02	-8,23E+02		
Contribution to use of non renewable primary energy resources used as raw material	MJ	1,01E+02	1,01E+02	0*	0*	0*	0*	-3,86E+01		
Contribution to total use of non-renewable primary energy resources	MJ	3,97E+05	3,42E+03	0*	0*	3,93E+05	5,96E+02	-8,61E+02		
Contribution to use of secondary material	kg	1,82E+00	1,82E+00	0*	0*	0*	0*	0,00E+00		
Contribution to use of renewable secondary fuels	MJ	0,00E+00	0*	0*	0*	0*	0*	0,00E+00		
Contribution to use of non renewable secondary fuels	MJ	0,00E+00	0*	0*	0*	0*	0*	0,00E+00		
Contribution to net use of freshwater	m³	1,40E+01	1,22E+00	0*	3,91E-03	1,27E+01	9,38E-02	-3,02E-01		
Contribution to hazardous waste disposed	kg	5,58E+02	2,66E+02	0*	0*	2,88E+02	3,45E+00	-2,45E+02		
Contribution to non hazardous waste disposed	kg	2,34E+03	1,17E+02	0*	7,88E-01	2,22E+03	3,40E+00	-7,86E+01		
Contribution to radioactive waste disposed	kg	5,56E-01	8,95E-02	5,79E-05	9,60E-05	4,64E-01	2,48E-03	-5,91E-02		
Contribution to components for reuse	kg	0,00E+00	0*	0*	0*	0*	0*	0,00E+00		
Contribution to materials for recycling	kg	7,66E+00	8,52E-01	0*	1,72E-02	0*	6,79E+00	0,00E+00		
Contribution to materials for energy recovery	kg	0,00E+00	0*	0*	0*	0*	0*	0,00E+00		
Contribution to exported energy	MJ	8,27E-02	8,61E-03	0*	7,23E-02	0*	1,73E-03	0,00E+00		

Contribution to biogenic carbon content of the product kg de C 0,00E+00 According to

Contribution to biogenic carbon content of the associated packaging kg de C 4,72E-01 ADEME - EN 16485 - APESA/RECORD

Mandatory Indicators		Variable speed	d drive,	Altivar Machin	e ATV340,	22kW, ł	neavy duty	, 400V, 3 phase	es, Ethernet - ATV3	01
Impact indicators	Unit	[B1 - B7] - Use	[B1]	[B2]	[B3]	[B4]	[B5]	[B6]	[B7]	
Contribution to climate change	kg CO2 eq	1,54E+04	0*	0*	0*	0*	0*	1,54E+04	0*	
Contribution to climate change-fossil	kg CO2 eq	1,54E+04	0*	0*	0*	0*	0*	1,54E+04	0*	
Contribution to climate change-biogenic	kg CO2 eq	2,06E+01	0*	0*	0*	0*	0*	2,06E+01	0*	
Contribution to climate change-land use and land use change	kg CO2 eq	0*	0*	0*	0*	0*	0*	0*	0*	
Contribution to ozone depletion	kg CFC-11 eq	6,59E-05	0*	0*	0*	0*	0*	6,59E-05	0*	
Contribution to acidification	mol H+ eq	8,80E+01	0*	0*	0*	0*	0*	8,80E+01	0*	
Contribution to eutrophication, freshwater	kg (PO4)³¯ eq	4,22E-02	0*	0*	0*	0*	0*	4,22E-02	0*	
Contribution to eutrophication marine	kg N eq	9,99E+00	0*	0*	0*	0*	0*	9,99E+00	0*	
Contribution to eutrophication, terrestrial	mol N eq	1,50E+02	0*	0*	0*	0*	0*	1,50E+02	0*	
Contribution to photochemical ozone formation - human health	kg COVNM eq	3,21E+01	0*	0*	0*	0*	0*	3,21E+01	0*	
Contribution to resource use, minerals and metals	kg Sb eq	1,12E-03	0*	0*	0*	0*	0*	1,12E-03	0*	
Contribution to resource use, fossils	MJ	3,93E+05	0*	0*	0*	0*	0*	3,93E+05	0*	
Contribution to water use	m3 eq	5,46E+02	0*	0*	0*	0*	0*	5,46E+02	0*	

	Variable speed	d drive, <i>i</i>	Altivar Machine	ATV340,	22kW, h	eavy duty	, 400V, 3 phas	es, Ethernet	- ATV340D22N4E
Unit	[B1 - B7] - Use	[B1]	[B2]	[B3]	[B4]	[B5]	[B6]	[B7]	
MJ	7,54E+04	0*	0*	0*	0*	0*	7,54E+04	0*	
MJ	0*	0*	0*	0*	0*	0*	0*	0*	
MJ	7,54E+04	0*	0*	0*	0*	0*	7,54E+04	0*	
MJ	3,93E+05	0*	0*	0*	0*	0*	3,93E+05	0*	
MJ	0*	0*	0*	0*	0*	0*	0*	0*	
MJ	3,93E+05	0*	0*	0*	0*	0*	3,93E+05	0*	
kg	0*	0*	0*	0*	0*	0*	0*	0*	
MJ	0*	0*	0*	0*	0*	0*	0*	0*	
MJ	0*	0*	0*	0*	0*	0*	0*	0*	
m³	1,27E+01	0*	0*	0*	0*	0*	1,27E+01	0*	
kg	2,88E+02	0*	0*	0*	0*	0*	2,88E+02	0*	
kg	2,22E+03	0*	0*	0*	0*	0*	2,22E+03	0*	
kg	4,64E-01	0*	0*	0*	0*	0*	4,64E-01	0*	
kg	0*	0*	0*	0*	0*	0*	0*	0*	
kg	0*	0*	0*	0*	0*	0*	0*	0*	
kg	0*	0*	0*	0*	0*	0*	0*	0*	
MJ	0*	0*	0*	0*	0*	0*	0*	0*	
	MJ MJ MJ MJ MJ kg MJ MJ kg kg kg kg kg kg kg kg	MJ 7,54E+04  MJ 0*  MJ 7,54E+04  MJ 7,54E+04  MJ 3,93E+05  MJ 0*  MJ 0*	Unit         [B1 - B7] - Use         [B1]           MJ         7,54E+04         0*           MJ         0*         0*           MJ         7,54E+04         0*           MJ         3,93E+05         0*           MJ         0*         0*           MJ         0*         0*           kg         0*         0*           MJ         0*         0*           MJ	Unit         [B1 - B7] - Use         [B1]         [B2]           MJ         7,54E+04         0*         0*           MJ         0*         0*         0*           MJ         7,54E+04         0*         0*           MJ         3,93E+05         0*         0*           MJ         0*         0*         0*           MJ <td>Unit         [B1 - B7] - Use         [B1]         [B2]         [B3]           MJ         7,54E+04         0°         0°         0°           MJ         0°         0°         0°         0°           MJ         7,54E+04         0°         0°         0°           MJ         3,93E+05         0°         0°         0°           MJ         0°         0°         0°         0°           kg         0°         0°         0°         0°           MJ         0°         0°         0°         0°           kg         2,88E+02         0°         0°</td> <td>Unit         [B1 - B7] - Use         [B1]         [B2]         [B3]         [B4]           MJ         7,54E+04         0°         0°         0°         0°         0°           MJ         7,54E+04         0°         0°         0°         0°         0°           MJ         3,93E+05         0°         0°         0°         0°         0°           MJ         0°         0°         0°         0°         0°         0°           MJ         3,93E+05         0°         0°         0°         0°         0°           kg         0°         0°         0°         0°         0°         0°           kg         0°         0°         0°         0°         0°         0°           MJ         0°         0°         0°         0°         0°         0°           kg         0°         0°         0°         0°</td> <td>Unit         [B1 - B7] - Use         [B1]         [B2]         [B3]         [B4]         [B5]           MJ         7,54E+04         0°         0°         0°         0°         0°           MJ         7,54E+04         0°         0°         0°         0°         0°           MJ         3,93E+05         0°         0°         0°         0°         0°           MJ         0°         0°         0°         0°         0°         0°           MJ         3,93E+05         0°         0°         0°         0°         0°           MJ         3,93E+05         0°         0°         0°         0°         0°           kg         0°         0°         0°         0°         0°         0°           kg         0°         0°         0°         0°         0°         0°           MJ         0°         0°         0°         0°         0°         0°           MJ         0°         0°         0°         0°         0°         0°           MJ         0°         0°         0°         0°         0°         0°           kg         0°         0°</td> <td>Unit         [B1 - B7] - Use         [B1]         [B2]         [B3]         [B4]         [B5]         [B6]           MJ         7,54E+04         0*</td> <td>MJ 7,54E+04 0* 0* 0* 0* 0* 0* 0* 7,54E+04 0*  MJ 0* 0* 0* 0* 0* 0* 0* 0* 0* 0*  MJ 7,54E+04 0* 0* 0* 0* 0* 0* 0* 7,54E+04 0*  MJ 3,93E+05 0* 0* 0* 0* 0* 0* 0* 0* 0*  MJ 0* 0* 0* 0* 0* 0* 0* 0* 0* 0*  MJ 0* 0* 0* 0* 0* 0* 0* 0* 0* 0*  MJ 3,93E+05 0* 0* 0* 0* 0* 0* 0* 0* 0*  MJ 0* 0* 0* 0* 0* 0* 0* 0* 0* 0* 0*  MJ 0* 0* 0* 0* 0* 0* 0* 0* 0* 0* 0*  MJ 0* 0* 0* 0* 0* 0* 0* 0* 0* 0* 0*  MJ 0* 0* 0* 0* 0* 0* 0* 0* 0* 0* 0*  MJ 0* 0* 0* 0* 0* 0* 0* 0* 0* 0* 0*  MJ 0* 0* 0* 0* 0* 0* 0* 0* 0* 0* 0*  MJ 0* 0* 0* 0* 0* 0* 0* 0* 0* 0* 0*  MJ 0* 0* 0* 0* 0* 0* 0* 0* 0* 0* 0*  Mg 2,88E+02 0* 0* 0* 0* 0* 0* 0* 2,28E+02 0*  kg 2,22E+03 0* 0* 0* 0* 0* 0* 0* 0* 2,22E+03 0*  kg 4,64E-01 0* 0* 0* 0* 0* 0* 0* 0* 0* 0*  kg 0* 0* 0* 0* 0* 0* 0* 0* 0* 0* 0* 0*  kg 0* 0* 0* 0* 0* 0* 0* 0* 0* 0* 0*  kg 0* 0* 0* 0* 0* 0* 0* 0* 0* 0* 0*  kg 0* 0* 0* 0* 0* 0* 0* 0* 0* 0* 0*  kg 0* 0* 0* 0* 0* 0* 0* 0* 0* 0* 0*  kg 0* 0* 0* 0* 0* 0* 0* 0* 0* 0* 0* 0*</td>	Unit         [B1 - B7] - Use         [B1]         [B2]         [B3]           MJ         7,54E+04         0°         0°         0°           MJ         0°         0°         0°         0°           MJ         7,54E+04         0°         0°         0°           MJ         3,93E+05         0°         0°         0°           MJ         0°         0°         0°         0°           kg         0°         0°         0°         0°           MJ         0°         0°         0°         0°           kg         2,88E+02         0°         0°	Unit         [B1 - B7] - Use         [B1]         [B2]         [B3]         [B4]           MJ         7,54E+04         0°         0°         0°         0°         0°           MJ         7,54E+04         0°         0°         0°         0°         0°           MJ         3,93E+05         0°         0°         0°         0°         0°           MJ         0°         0°         0°         0°         0°         0°           MJ         3,93E+05         0°         0°         0°         0°         0°           kg         0°         0°         0°         0°         0°         0°           kg         0°         0°         0°         0°         0°         0°           MJ         0°         0°         0°         0°         0°         0°           kg         0°         0°         0°         0°	Unit         [B1 - B7] - Use         [B1]         [B2]         [B3]         [B4]         [B5]           MJ         7,54E+04         0°         0°         0°         0°         0°           MJ         7,54E+04         0°         0°         0°         0°         0°           MJ         3,93E+05         0°         0°         0°         0°         0°           MJ         0°         0°         0°         0°         0°         0°           MJ         3,93E+05         0°         0°         0°         0°         0°           MJ         3,93E+05         0°         0°         0°         0°         0°           kg         0°         0°         0°         0°         0°         0°           kg         0°         0°         0°         0°         0°         0°           MJ         0°         0°         0°         0°         0°         0°           MJ         0°         0°         0°         0°         0°         0°           MJ         0°         0°         0°         0°         0°         0°           kg         0°         0°	Unit         [B1 - B7] - Use         [B1]         [B2]         [B3]         [B4]         [B5]         [B6]           MJ         7,54E+04         0*	MJ 7,54E+04 0* 0* 0* 0* 0* 0* 0* 7,54E+04 0*  MJ 0* 0* 0* 0* 0* 0* 0* 0* 0* 0*  MJ 7,54E+04 0* 0* 0* 0* 0* 0* 0* 7,54E+04 0*  MJ 3,93E+05 0* 0* 0* 0* 0* 0* 0* 0* 0*  MJ 0* 0* 0* 0* 0* 0* 0* 0* 0* 0*  MJ 0* 0* 0* 0* 0* 0* 0* 0* 0* 0*  MJ 3,93E+05 0* 0* 0* 0* 0* 0* 0* 0* 0*  MJ 0* 0* 0* 0* 0* 0* 0* 0* 0* 0* 0*  MJ 0* 0* 0* 0* 0* 0* 0* 0* 0* 0* 0*  MJ 0* 0* 0* 0* 0* 0* 0* 0* 0* 0* 0*  MJ 0* 0* 0* 0* 0* 0* 0* 0* 0* 0* 0*  MJ 0* 0* 0* 0* 0* 0* 0* 0* 0* 0* 0*  MJ 0* 0* 0* 0* 0* 0* 0* 0* 0* 0* 0*  MJ 0* 0* 0* 0* 0* 0* 0* 0* 0* 0* 0*  MJ 0* 0* 0* 0* 0* 0* 0* 0* 0* 0* 0*  Mg 2,88E+02 0* 0* 0* 0* 0* 0* 0* 2,28E+02 0*  kg 2,22E+03 0* 0* 0* 0* 0* 0* 0* 0* 2,22E+03 0*  kg 4,64E-01 0* 0* 0* 0* 0* 0* 0* 0* 0* 0*  kg 0* 0* 0* 0* 0* 0* 0* 0* 0* 0* 0* 0*  kg 0* 0* 0* 0* 0* 0* 0* 0* 0* 0* 0*  kg 0* 0* 0* 0* 0* 0* 0* 0* 0* 0* 0*  kg 0* 0* 0* 0* 0* 0* 0* 0* 0* 0* 0*  kg 0* 0* 0* 0* 0* 0* 0* 0* 0* 0* 0*  kg 0* 0* 0* 0* 0* 0* 0* 0* 0* 0* 0* 0*

<sup>\*</sup> represents less than 0.01% of the total life cycle of the reference flow

Life cycle assessment performed with EIME version v6.1, database version 2023-02 in compliance with ISO14044, EF 3.0 method is applied, for biogenic carbon storage, assessment methodology 0/0 is used

According to this environmental analysis, proportionality rules may be used to evaluate the impacts of other products of this range, ratios to apply can be provided upon request

Please note that the values given above are only valid within the context specified and cannot be used directly to draw up the environmental assessment of an installation.

To extrapolate the impact to another product from the range, apply the following extrapolation rules to each indicator per life cycle stage:

MANUFACTURING(i) = Mass of (product+packaging) in grams / Mass of (reference product+reference packaging) in grams DISTRIBUTION (i) = Mass of (product+packaging) in grams / Mass of (reference product+reference packaging) in grams

INSTALLATION (i) = Mass of (packaging) in grams / Mass of (reference packaging) in grams

USE (i) = Power dissipated in Watts / Power dissipated of the reference product in Watts

END OF LIFE (i) )= Mass of (product) in grams / Mass of (reference product) in grams

TOTAL (i) = Σ Life Cycle Stages (i)

Registration number :	SCHN-01230-V01.01-EN	Drafting rules	PCR-4-ed4-EN-2021 09 06						
		Supplemented by	PSR-0005-ed3.1-EN-2023 12 08						
Verifier accreditation N°	VH08	Information and reference documents	www.pep-ecopassport.org						
Date of issue	07-2024	Validity period	5 years						
Independent verification of the declaration and data, in compliance with ISO 14025 : 2006									
Internal	External X								

The PCR review was conducted by a panel of experts chaired by Julie Orgelet (DDemain)

PEPs are compliant with XP C08-100-1:2016 and EN 50693:2019 or NF E38-500 :2022

The components of the present PEP may not be compared with components from any other program.

Document complies with ISO 14025:2006 "Environmental labels and declarations. Type III environmental declarations"



Schneider Electric Industries SAS

Country Customer Care Center http://www.se.com/contact

Head Office

35, rue Joseph Monier

CS 30323

F- 92500 Rueil Malmaison Cedex RCS Nanterre 954 503 439

Capital social 928 298 512 €

www.se.com SCHN-01230-V01.01-EN Published by Schneider Electric

©2024 - Schneider Electric - All rights reserved

07-2024