Product Environmental Profile

Modicon TM3 Expert Counter Module - TM3XF/H







General information


Reference product	Modicon TM3 Expert Counter Module - TM3XF/H - TM3XFHSC202						
Description of the product	This product is part of Modicon TM3, a range of expansion I/O modules for Modicon plcs. This counter module provides 10 fast inputs and 8 fast outputs. It is a high-speed counter with reflex output management and event management. It is used to count the pulses generated by a sensor or to process signals from an incremental encoder. Its counting frequency is 200kHz. It works via a 24VDC external power supply.						
Functional unit	To count the pulses generated by a sensor or to process signals from an incremental encoder 100% of the time for 10 years						
Specifications are:	U = Rated voltage(V) = 24 V DC IP = IP20 with protective cover in place Standards:- CSA C22.2 No 142 ANSI/ISA 12-12-01 UL 1604 CSA C22.2 No 213 EN/IEC 61131-2:2007 UL 508						

<u>&</u>

Constituent materials

Reference product mass

320 g including the product, its packaging and additional elements and accessories



Substance assessment

Details of ROHS and REACH substances information are available on the Schneider-Electric Green Premium website https://www.se.com/ww/en/work/support/green-premium/

(19) Additional environmental information

End Of Life

Recyclability potential:

0.5%

The recyclability rate was calculated from the recycling rates of each material making up the product with the exception of data using the ESR database. For materials or components using the ESR database or the absence of data the conservative hypothesis "0% recyclability" was used.



Environmental impacts

Reference service life time	10 years									
Product category	Other equipments - Active product									
Installation elements	The product doesn't require special installation procedure and requires little to no energy to install.									
Use scenario	The product is in active mode 100% of the time with a power use of 1.7W for 10 years.									
Time representativeness	The collected data are representative of the year	The collected data are representative of the year 2024								
Technological representativeness	The Modules of Technologies such as material production, manufacturing processes and transport technology used in the PEP analysis (LCA EIME in the case) are Similar and représentaive of the actual type of technologies used to make the product.									
Geographical representativeness	Rest of the World									
	[A1 - A3] [A5] [B6] [C1 - C4]									
Energy model used	Electricity Mix; Low voltage; 2018; Indonesia, ID	Electricity Mix; Low voltage; 2018; China, CN	Electricity Mix; Low voltage; 2018; China, CN	Electricity Mix; Low voltage; 2018; China, CN						
	Lieutinity wix, Low vollage, 2016, Illumesia, ID	Electricity Mix; Low voltage; 2018; Italy, IT	Electricity Mix; Low voltage; 2018; Italy, IT	Electricity Mix; Low voltage; 2018; Italy, IT						

Detailed results of the optional indicators mentioned in PCRed4 are available in the LCA report and on demand in a digital format - Country Customer Care Center - http://www.schneiderelectric.com/contact

Mandatory Indicators		Modicon TM3 Expert Counter Module - TM3XF/H - TM3XFHSC202								
Impact indicators	Unit	Total (without Module D)	[A1 - A3] - Manufacturing	[A4] - Distribution	[A5] - Installation	[B1 - B7] - Use	[C1 - C4] - End of life	[D] - Benefits and loads		
Contribution to climate change	kg CO2 eq	1.46E+02	1.61E+01	1.73E+00	0*	1.28E+02	4.43E-01	0.00E+00		
Contribution to climate change-fossil	kg CO2 eq	1.46E+02	1.60E+01	1.73E+00	0*	1.28E+02	3.99E-01	0.00E+00		
Contribution to climate change-biogenic	kg CO2 eq	1.40E-01	7.73E-02	0*	0*	1.96E-02	4.34E-02	0.00E+00		
Contribution to climate change-land use and land use change	kg CO2 eq	1.24E-05	1.24E-05	0*	0*	0*	0*	0.00E+00		
Contribution to ozone depletion	kg CFC-11 eq	4.28E-06	2.04E-06	1.52E-06	0*	7.24E-07	4.37E-10	0.00E+00		
Contribution to acidification	mol H+ eq	1.07E+00	1.07E-01	7.09E-03	0*	9.52E-01	2.79E-04	0.00E+00		
Contribution to eutrophication, freshwater	kg (PO4)³- eq	6.91E-05	3.77E-05	2.01E-07	2.90E-08	2.67E-05	4.52E-06	0.00E+00		
Contribution to eutrophication marine	kg N eq	1.17E-01	1.13E-02	3.23E-03	3.73E-05	1.02E-01	1.41E-04	0.00E+00		
Contribution to eutrophication, terrestrial	mol N eq	1.31E+00	1.19E-01	3.50E-02	3.79E-04	1.16E+00	1.39E-03	0.00E+00		
Contribution to photochemical ozone formation - human health	kg COVNM eq	3.93E-01	4.07E-02	1.17E-02	9.11E-05	3.40E-01	3.40E-04	0.00E+00		
Contribution to resource use, minerals and metals	kg Sb eq	1.55E-03	1.54E-03	0*	0*	1.70E-06	0*	0.00E+00		
Contribution to resource use, fossils	MJ	2.29E+03	2.02E+02	2.14E+01	0*	2.07E+03	6.11E-01	0.00E+00		
Contribution to water use	m3 eq	1.04E+01	4.67E+00	8.72E-02	1.39E-02	5.61E+00	1.05E-02	0.00E+00		

11-2024 ENVPEP1904007_V2-EN

Inventory flows Indicators		Modicon '	TM3 Expert Cou	er Module - TM3XF/H - TM3XFHSC202							
Inventory flows	Unit	Total (without Module D)	[A1 - A3] - Manufacturing	[A4] - Distribution	[A5] - Installation	[B1 - B7] - Use	[C1 - C4] - End of life	[D] - Benefits and loads			
Contribution to use of renewable primary energy excluding renewable primary energy used as raw materia	l MJ	2.29E+02	4.40E+00	0*	0*	2.24E+02	0*	0.00E+00			
Contribution to use of renewable primary energy resources used as raw material	MJ	4.23E+00	4.23E+00	0*	0*	0*	0*	0.00E+00			
Contribution to total use of renewable primary energy resources	MJ	2.33E+02	8.63E+00	0*	0*	2.24E+02	0*	0.00E+00			
Contribution to use of non renewable primary energy excluding non renewable primary energy used as raw material	MJ	2.29E+03	2.01E+02	2.14E+01	0*	2.07E+03	6.11E-01	0.00E+00			
Contribution to use of non renewable primary energy resources used as raw material	MJ	1.51E+00	1.51E+00	0*	0*	0*	0*	0.00E+00			
Contribution to total use of non-renewable primary energy resources	['] MJ	2.29E+03	2.02E+02	2.14E+01	0*	2.07E+03	6.11E-01	0.00E+00			
Contribution to use of secondary material	kg	3.83E-05	3.83E-05	0*	0*	0*	0*	0.00E+00			
Contribution to use of renewable secondary fuels	MJ	0.00E+00	0*	0*	0*	0*	0*	0.00E+00			
Contribution to use of non renewable secondary fuels	MJ	0.00E+00	0*	0*	0*	0*	0*	0.00E+00			
Contribution to net use of freshwater	m³	2.42E-01	1.09E-01	2.03E-03	3.23E-04	1.31E-01	2.45E-04	0.00E+00			
Contribution to hazardous waste disposed	kg	2.72E+01	2.33E+01	0*	0*	3.85E+00	1.05E-01	0.00E+00			
Contribution to non hazardous waste disposed	kg	3.01E+01	7.81E+00	0*	1.52E-01	2.21E+01	7.19E-02	0.00E+00			
Contribution to radioactive waste disposed	kg	3.10E-03	1.85E-03	3.42E-04	0*	9.14E-04	1.10E-06	0.00E+00			
Contribution to components for reuse	kg	0.00E+00	0*	0*	0*	0*	0*	0.00E+00			
Contribution to materials for recycling	kg	1.00E-03	1.32E-04	0*	0*	0*	8.70E-04	0.00E+00			
Contribution to materials for energy recovery	kg	0.00E+00	0*	0*	0*	0*	0*	0.00E+00			
Contribution to exported energy	MJ	1.57E-05	7.05E-06	0*	0*	0*	8.61E-06	0.00E+00			
* represents less than 0.01% of the total life cycle of the reference flow											
Contribution to biogenic carbon content of the product	kg of C	0.00E+00									
Contribution to biogenic carbon content of the associated packaging	kg of C	4.24E-02									

Mandatory Indicators	Modicon TM3 Expert Counter Module - TM3XF/H - TM3XFHSC202							ISC202	
Impact indicators	Unit	[B1 - B7] - Use	[B1]	[B2]	[B3]	[B4]	[B5]	[B6]	[B7]
Contribution to climate change	kg CO2 eq	1.28E+02	0*	0*	0*	0*	0*	1.28E+02	0*
Contribution to climate change-fossil	kg CO2 eq	1.28E+02	0*	0*	0*	0*	0*	1.28E+02	0*
Contribution to climate change-biogenic	kg CO2 eq	1.96E-02	0*	0*	0*	0*	0*	1.96E-02	0*
Contribution to climate change-land use and land use change	kg CO2 eq	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to ozone depletion	kg CFC-11 eq	7.24E-07	0*	0*	0*	0*	0*	7.24E-07	0*
Contribution to acidification	mol H+ eq	9.52E-01	0*	0*	0*	0*	0*	9.52E-01	0*
Contribution to eutrophication, freshwater	kg (PO4) ³⁻ eq	2.67E-05	0*	0*	0*	0*	0*	2.67E-05	0*
Contribution to eutrophication marine	kg N eq	1.02E-01	0*	0*	0*	0*	0*	1.02E-01	0*
Contribution to eutrophication, terrestrial	mol N eq	1.16E+00	0*	0*	0*	0*	0*	1.16E+00	0*
Contribution to photochemical ozone formation - human health	kg COVNM eq	3.40E-01	0*	0*	0*	0*	0*	3.40E-01	0*
Contribution to resource use, minerals and metals	kg Sb eq	1.70E-06	0*	0*	0*	0*	0*	1.70E-06	0*
Contribution to resource use, fossils	MJ	2.07E+03	0*	0*	0*	0*	0*	2.07E+03	0*
Contribution to water use	m3 eq	5.61E+00	0*	0*	0*	0*	0*	5.61E+00	0*

Inventory flows Indicators				Modicon TM3 Ex	xpert Cour	nter Mod	ule - TM3	XF/H - TM3XFI	ISC202
Inventory flows	Unit	[B1 - B7] - Use	[B1]	[B2]	[B3]	[B4]	[B5]	[B6]	[B7]
Contribution to use of renewable primary energy excluding renewable primary energy used as raw materi	al ^{MJ}	2.24E+02	0*	0*	0*	0*	0*	2.24E+02	0*
Contribution to use of renewable primary energy esources used as raw material	MJ	0*	0*	0*	0*	0*	0*	0*	0*
contribution to total use of renewable primary energy esources	MJ	2.24E+02	0*	0*	0*	0*	0*	2.24E+02	0*
ontribution to use of non renewable primary energy xcluding non renewable primary energy used as raw laterial	MJ	2.07E+03	0*	0*	0*	0*	0*	2.07E+03	0*
contribution to use of non renewable primary energy esources used as raw material	MJ	0*	0*	0*	0*	0*	0*	0*	0*
ontribution to total use of non-renewable primary energ sources	^{gy} MJ	2.07E+03	0*	0*	0*	0*	0*	2.07E+03	0*
ontribution to use of secondary material	kg	0*	0*	0*	0*	0*	0*	0*	0*
ontribution to use of renewable secondary fuels	MJ	0*	0*	0*	0*	0*	0*	0*	0*
entribution to use of non renewable secondary fuels	MJ	0*	0*	0*	0*	0*	0*	0*	0*
ntribution to net use of freshwater	m³	1.31E-01	0*	0*	0*	0*	0*	1.31E-01	0*
ontribution to hazardous waste disposed	kg	3.85E+00	0*	0*	0*	0*	0*	3.85E+00	0*
ontribution to non hazardous waste disposed	kg	2.21E+01	0*	0*	0*	0*	0*	2.21E+01	0*
ontribution to radioactive waste disposed	kg	9.14E-04	0*	0*	0*	0*	0*	9.14E-04	0*
ontribution to components for reuse	kg	0*	0*	0*	0*	0*	0*	0*	0*
ntribution to materials for recycling	kg	0*	0*	0*	0*	0*	0*	0*	0*
ntribution to materials for energy recovery	kg	0*	0*	0*	0*	0*	0*	0*	0*
ontribution to exported energy	MJ	0*	0*	0*	0*	0*	0*	0*	0*

^{*} represents less than 0.01% of the total life cycle of the reference flow

Life cycle assessment performed with EIME version v6.2.2, database version 2023-02 in compliance with ISO14044, EF 3.0 method is applied, for biogenic carbon storage, assessment methodology 0/0 is used

Please note that the values given above are only valid within the context specified and cannot be used directly to draw up the environmental assessment of an installation.

Registration number :	ENVPEP1904007_V2-EN	Drafting rules	PCR-4-ed4-EN-2021 09 06							
		Supplemented by	PSR-0005-ed3.1-EN-2023 12 08							
Date of issue	11-2024	Information and reference documents	www.pep-ecopassport.org							
		Validity period	5 years							
Independent verification of the d	Independent verification of the declaration and data, in compliance with ISO 14021 : 2016									
Internal X	Internal X External									
The PCR review was conducted	The PCR review was conducted by a panel of experts chaired by Julie Orgelet (DDemain)									
PEPs are compliant with XP C08-100-1:2016 and EN 50693:2019 or NF E38-500 :2022										
The components of the present PEP may not be compared with components from any other program.										
Document complies with ISO 14021:2016 "Environmental labels and declarations. Type II environmental declarations"										

Schneider Electric Industries SAS
Country Customer Care Center
http://www.se.com/contact
35, rue Joseph Monier
CS 30323
F - 92500 Rueil Malmaison Cedex
RCS Nanterre 954 503 439

RCS Nanterre 954 503 439 Capital social 928 298 512 €

www.se.com

Published by Schneider Electric

ENVPEP1904007_V2-EN ©2024 - Schneider Electric – All rights reserved

11-2024