# **Product Environmental Profile**

### Harmony XPS Safety Modules, Universal Range







ENVPEP1811003\_V2 11-2024


### **General information**

Reference product	Harmony XPS Safety Modules, Universal Range - XPSUAT13A3AP
Description of the product	Safety modules Harmony XPSUAT allows you to reach up to Cat.4, PLe, according to ISO13849-1 and SILCL3, according to IEC62061, and stop categories 0 & 1 with the appropriated safety input and output devices.
Functional unit	To monitor signals from a variety of different sensors/devices for safety-related interruption of safety-related electrical circuits at 100% for 10 years.
Specifications are:	U = Rated voltage(V) = 24 V  ACIP = IP54 mounting area IEC 60947-1  IP40 housing IEC 60947-1  IP20 terminals IEC 60947-1  Functional safety standard :  IEC 60947-5-1IEC 61508-1  IEC 61508-2  IEC 61508-3  IEC 61508-4  IEC 61508-5  IEC 61508-6  IEC 61508-7  ISO 13849-1  IEC 62061

### Constituent materials

Reference product mass

440 g including the product, its packaging and additional elements and accessories



Others 93.1%

#### **Substance assessment**

Details of ROHS and REACH substances information are available on the Schneider-Electric Green Premium website https://www.se.com/ww/en/work/support/green-premium/

ENVPEP1811003\_V2 11-2024

# (1) Additional environmental information

End Of Life

Recyclability potential:

0.0%

The recyclability rate was calculated from the recycling rates of each material making up the product with the exception of data using the ESR database. For materials or components using the ESR database or the absence of data the conservative hypothesis "0% recyclability" was used.

## Environmental impacts

Reference service life time	10 years										
Product category	Other equipments - Active product										
Installation elements	The product doesn't require special installation procedure and requires little to no energy to install										
Use scenario	The product is in active mode 100% of the time with a power use of 3W for 10 years.										
Time representativeness	The collected data are representative of the year 2024										
Technological representativeness	The Modules of Technologies such as material production, manufacturing processes and transport technology used in the PEP analysis (LCA EIME in the case) are Similar and représentaive of the actual type of technologies used to make the product.										
Geographical representativeness	Rest of the World										
	[A1 - A3]	[A5]	[B6]	[C1 - C4]							
		Electricity Mix; Low voltage; 2018; Italy, IT	Electricity Mix; Low voltage; 2018; Italy, IT	Electricity Mix; Low voltage; 2018; Italy, IT							
		Electricity Mix; Low voltage; 2018; France, FR	Electricity Mix; Low voltage; 2018; France, FR	Electricity Mix; Low voltage; 2018; France, FR							
Energy model used	Electricity Mix; Low voltage; 2018; Indonesia, ID	Electricity Mix; Low voltage; 2018; China, CN	Electricity Mix; Low voltage; 2018; China, CN	Electricity Mix; Low voltage; 2018; China, CN							
		Electricity Mix; Low voltage; 2018; United States, US	Electricity Mix; Low voltage; 2018; United States, US	Electricity Mix; Low voltage; 2018; United States, US							
		Electricity Mix; Low voltage; 2018; Switzerland, CH	Electricity Mix; Low voltage; 2018; Switzerland, CH	Electricity Mix; Low voltage; 2018; Switzerland, CH							

Detailed results of the optional indicators mentioned in PCRed4 are available in the LCA report and on demand in a digital format - Country Customer Care Center - http://www.schneider-

Mandatory Indicators		Harmony XPS Safety Modules, Universal Range - XPSUAT13A3AP								
Impact indicators	Unit	Total (without Module D)	[A1 - A3] - Manufacturing	[A4] - Distribution	[A5] - Installation	[B1 - B7] - Use	[C1 - C4] - End of life	[D] - Benefits and Ioads		
Contribution to climate change	kg CO2 eq	1.06E+02	7.81E+00	2.04E-01	1.57E-02	9.69E+01	9.62E-01	0.00E+00		
Contribution to climate change-fossil	kg CO2 eq	1.06E+02	7.70E+00	2.04E-01	1.57E-02	9.68E+01	9.05E-01	0.00E+00		
Contribution to climate change-biogenic	kg CO2 eq	2.46E-01	1.15E-01	0*	0*	7.43E-02	5.66E-02	0.00E+00		
Contribution to climate change-land use and land use change	kg CO2 eq	3.24E-05	3.24E-05	0*	0*	0*	0*	0.00E+00		
Contribution to ozone depletion	kg CFC-11 eq	1.71E-06	1.13E-06	1.80E-07	0*	4.00E-07	8.68E-10	0.00E+00		
Contribution to acidification	mol H+ eq	5.90E-01	6.39E-02	8.87E-04	0*	5.25E-01	6.09E-04	0.00E+00		
Contribution to eutrophication, freshwater	kg (PO4)3 <sup>-</sup> eq	3.09E-04	2.06E-05	0*	0*	2.80E-04	8.44E-06	0.00E+00		
Contribution to eutrophication marine	kg N eq	6.76E-02	6.26E-03	4.08E-04	2.30E-05	6.06E-02	3.14E-04	0.00E+00		
Contribution to eutrophication, terrestrial	mol N eq	9.12E-01	6.68E-02	4.42E-03	2.38E-04	8.37E-01	3.11E-03	0.00E+00		
Contribution to photochemical ozone formation - human health	kg COVNM eq	2.25E-01	2.41E-02	1.45E-03	5.65E-05	1.99E-01	7.53E-04	0.00E+00		
Contribution to resource use, minerals and metals	kg Sb eq	5.30E-03	5.30E-03	0*	0*	5.62E-06	0*	0.00E+00		
Contribution to resource use, fossils	MJ	2.63E+03	1.28E+02	2.54E+00	0*	2.50E+03	9.91E-01	0.00E+00		
Contribution to water use	m3 eq	6.70E+00	3.22E+00	1.04E-02	9.45E-03	3.44E+00	2.03E-02	0.00E+00		

11-2024 ENVPEP1811003\_V2

Inventory flows Indicators			Harmony	XPS Safety Mod	ules, Universal R	ange - XPSUAT1	ЗАЗАР	
Inventory flows	Un	it Total (without Module D)	[A1 - A3] - Manufacturing	[A4] - Distribution	[A5] - Installation	[B1 - B7] - Use	[C1 - C4] - End of life	[D] - Benefits and loads
Contribution to use of renewable primary energy excluding renewable primary energy used as raw material	MJ	4.45E+02	2.54E+00	0*	0*	4.43E+02	0*	0.00E+00
Contribution to use of renewable primary energy resources used as raw material	MJ	3.33E+00	3.33E+00	0*	0*	0*	0*	0.00E+00
Contribution to total use of renewable primary energy resources	MJ	4.48E+02	5.87E+00	0*	0*	4.43E+02	0*	0.00E+00
Contribution to use of non renewable primary energy excluding non renewable primary energy used as raw material	MJ	2.63E+03	1.26E+02	2.54E+00	0*	2.50E+03	9.91E-01	0.00E+00
Contribution to use of non renewable primary energy resources used as raw material	MJ	2.41E+00	2.41E+00	0*	0*	0*	0*	0.00E+00
Contribution to total use of non-renewable primary energy resources	MJ	2.63E+03	1.28E+02	2.54E+00	0*	2.50E+03	9.91E-01	0.00E+00
Contribution to use of secondary material	kg	1.35E-05	1.35E-05	0*	0*	0*	0*	0.00E+00
Contribution to use of renewable secondary fuels	MJ	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to use of non renewable secondary fuels	MJ	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to net use of freshwater	m³	1.56E-01	7.53E-02	2.41E-04	2.20E-04	8.01E-02	4.73E-04	0.00E+00
Contribution to hazardous waste disposed	kg	2.05E+01	1.85E+01	0*	0*	1.74E+00	2.45E-01	0.00E+00
Contribution to non hazardous waste disposed	kg	1.34E+01	1.59E+00	0*	9.68E-02	1.16E+01	1.09E-01	0.00E+00
Contribution to radioactive waste disposed	kg	2.39E-03	1.08E-03	4.06E-05	2.47E-07	1.26E-03	2.60E-06	0.00E+00
Contribution to components for reuse	kg	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to materials for recycling	kg	2.12E-06	2.12E-06	0*	0*	0*	0*	0.00E+00
Contribution to materials for energy recovery	kg	1.03E-07	1.03E-07	0*	0*	0*	0*	0.00E+00
Contribution to exported energy	MJ	7.86E-06	7.86E-06	0*	0*	0*	0*	0.00E+00

 $<sup>^{\</sup>star}$  represents less than 0.01% of the total life cycle of the reference flow

Contribution to biogenic carbon content of the product kg of C 0.00E+00

Contribution to biogenic carbon content of the associated packaging 2.56E-02 kg of C

Mandatory Indicators				larmony XPS Sa	afety Modu	ıles, Uni	versal Ra	ange - XPSUAT	13A3AP
Impact indicators	Unit	[B1 - B7] - Use	[B1]	[B2]	[B3]	[B4]	[B5]	[B6]	[B7]
Contribution to climate change	kg CO2 eq	9.69E+01	0*	0*	0*	0*	0*	9.69E+01	0*
ntribution to climate change-fossil	kg CO2 eq	9.68E+01	0*	0*	0*	0*	0*	9.68E+01	0*
ntribution to climate change-biogenic	kg CO2 eq	7.43E-02	0*	0*	0*	0*	0*	7.43E-02	0*
tribution to climate change-land use and land use nge	kg CO2 eq	0*	0*	0*	0*	0*	0*	0*	0*
tribution to ozone depletion	kg CFC-11 eq	4.00E-07	0*	0*	0*	0*	0*	4.00E-07	0*
stribution to acidification	mol H+ eq	5.25E-01	0*	0*	0*	0*	0*	5.25E-01	0*
ibution to eutrophication, freshwater	kg (PO4) <sup>3-</sup> eq	2.80E-04	0*	0*	0*	0*	0*	2.80E-04	0*
bution to eutrophication marine	kg N eq	6.06E-02	0*	0*	0*	0*	0*	6.06E-02	0*
ibution to eutrophication, terrestrial	mol N eq	8.37E-01	0*	0*	0*	0*	0*	8.37E-01	0*
ibution to photochemical ozone formation - n health	kg COVNM eq	1.99E-01	0*	0*	0*	0*	0*	1.99E-01	0*
ibution to resource use, minerals and metals	kg Sb eq	5.62E-06	0*	0*	0*	0*	0*	5.62E-06	0*
oution to resource use, fossils	MJ	2.50E+03	0*	0*	0*	0*	0*	2.50E+03	0*
bution to water use	m3 eq	3.44E+00	0*	0*	0*	0*	0*	3.44E+00	0*

ENVPEP1811003\_V2 11-2024

Inventory flows Indicators	Harmony XPS Saf	ety Modu	ıles, Uni	versal Ra	ange - XPSUAT	13A3AP			
Inventory flows	Uni	[B1 - B7] - t Use	[B1]	[B2]	[B3]	[B4]	[B5]	[B6]	[B7]
ontribution to use of renewable primary energy xcluding renewable primary energy used as raw laterial	MJ	4.43E+02	0*	0*	0*	0*	0*	4.43E+02	0*
entribution to use of renewable primary energy sources used as raw material	MJ	0*	0*	0*	0*	0*	0*	0*	0*
ntribution to total use of renewable primary energy ources	MJ	4.43E+02	0*	0*	0*	0*	0*	4.43E+02	0*
tribution to use of non renewable primary energy uding non renewable primary energy used as raw erial	MJ	2.50E+03	0*	0*	0*	0*	0*	2.50E+03	0*
tribution to use of non renewable primary energy urces used as raw material	MJ	0*	0*	0*	0*	0*	0*	0*	0*
ribution to total use of non-renewable primary gy resources	MJ	2.50E+03	0*	0*	0*	0*	0*	2.50E+03	0*
ribution to use of secondary material	kg	0*	0*	0*	0*	0*	0*	0*	0*
ribution to use of renewable secondary fuels	MJ	0*	0*	0*	0*	0*	0*	0*	0*
ribution to use of non renewable secondary fuels	MJ	0*	0*	0*	0*	0*	0*	0*	0*
ribution to net use of freshwater	m³	8.01E-02	0*	0*	0*	0*	0*	8.01E-02	0*
tribution to hazardous waste disposed	kg	1.74E+00	0*	0*	0*	0*	0*	1.74E+00	0*
ribution to non hazardous waste disposed	kg	1.16E+01	0*	0*	0*	0*	0*	1.16E+01	0*
tribution to radioactive waste disposed	kg	1.26E-03	0*	0*	0*	0*	0*	1.26E-03	0*
ribution to components for reuse	kg	0*	0*	0*	0*	0*	0*	0*	0*
ibution to materials for recycling	kg	0*	0*	0*	0*	0*	0*	0*	0*
ribution to materials for energy recovery	kg	0*	0*	0*	0*	0*	0*	0*	0*
tribution to exported energy	MJ	0*	0*	0*	0*	0*	0*	0*	0*

 $<sup>^{\</sup>star}$  represents less than 0.01% of the total life cycle of the reference flow

Life cycle assessment performed with EIME version v6.2.2, database version 2023-02 in compliance with ISO14044, EF 3.0 method is applied, for biogenic carbon storage, assessment methodology 0/0 is used

Please note that the values given above are only valid within the context specified and cannot be used directly to draw up the environmental assessment of an installation.

Registration number :	ENVPEP1811003_V2	Drafting rules	PCR-4-ed4-EN-2021 09 06							
		Supplemented by	PSR-0005-ed3.1-EN-2023 12 08							
Date of issue	11-2024	Information and reference documents	www.pep-ecopassport.org							
		Validity period	5 years							
Independent verification of the de-	Independent verification of the declaration and data, in compliance with ISO 14021: 2016									
Internal X	Extern									
The PCR review was conducted	by a panel of experts chaired by Julie Orgelet (DDemain)									
PEPs are compliant with XP C08-100-1:2016 and EN 50693:2019 or NF E38-500 :2022										
The components of the present PEP may not be compared with components from any other program.										
Document complies with ISO 14021:2016 "Environmental labels and declarations. Type II environmental declarations"										

Schneider Electric Industries SAS
Country Customer Care Center
http://www.se.com/contact
35, rue Joseph Monier
CS 30323
F- 92500 Rueil Malmaison Cedex
RCS Nanterre 954 503 439

Capital social 928 298 512 €

www.se.com

Published by Schneider Electric

ENVPEP1811003\_V2 ©2024 - Schneider Electric – All rights reserved

ENVPEP1811003\_V2 11-2024

11-2024