Product Environmental Profile

SpaceLogic SE8000 Room Controller












Reference product	SpaceLogic SE8000 Room Controller - SE8350U0B11
Description of the product	Control HVAC applications such as RTU/FCU/Heatpump. The product is packed in a polyethylene layer, boxed in cardboard and labelled.
Description of the range	Single product
Functional unit	Other switchgear and controlgear solutions mentioned in the scope (e.g. fuses TC32, all-or-nothing relays TC94, Measuring relays and protection equipment TC95), apply the general rules of PCR and mention in the accompanying report the functional unit, the reference product characteristics, the reference lifetime and the use scenario which are applied consistently with the relevant IEC technical standards.
Specifications are:	SE8300 Series room controllers are used for Low Voltage Fan Coil Unit control. The room controllers rated supply voltage range is 24 to 28V AC at 50 or 60Hz +/-15%. The rated current is 4A. Standards:- EN/IEC 60730-1 FCC part 15 Subpart B ICES-003 ETSI EN 300 328 ETSI EN 301 489-1:v1.9.2 FCC part 15 Subpart C UL 60730-2-9 ETSI EN 301 489-17:v2.2.1, 2012

Constituent materials

Reference product mass

230.9 g Including the product and its packaging.





Substance assessment

Details of ROHS and REACH substances information are available on the Schneider-Electric Green Premium website https://www.se.com/ww/en/work/support/green-premium/



(1) Additional environmental information

End Of Life

Recyclability potential:

0.26%

The recyclability rate was calculated from the recycling rates of each material making up the product based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the EIME database, the ESR database and the related PSR was taken. If no data was found a conservative assumption was used (0% recyclability).

Environmental impacts

Reference service life time	10 years										
Product category	Other equipments - Active product										
Installation elements	The product does not require any installation operate	The product does not require any installation operations.									
Use scenario	The product is in active mode 100% of the time with	The product is in active mode 100% of the time with a power use of 3.408W for 10 years.									
Time representativeness	The collected data are representative of the year 20	024									
Technological representativeness	The Modules of Technologies such as material production, manufacturing processes and transport technology used in the PEP analysis (LCA EIME in the case) are Similar and representative of the actual type of technologies used to make the product.										
Final assembly site	Invensys, Mexico										
Geographical representativeness	Rest of the World										
	[A1 - A3]	[A1 - A3] [A5] [B6] [C1 - C4]									
Energy model used	Electricity Mix; Low voltage; 2018; China (A1) Electricity Mix; Low voltage; 2018; Europe (A1-A2) Electricity Mix; Low voltage; 2018; Mexico, MX (A3)	Electricity Mix; Low voltage; 2018; Europe, EU-27	Electricity Mix; Low voltage; 2018; United States, US Electricity Mix; Low voltage; 2018; Europe, EU-27 Electricity Mix; Low voltage; 2018; Asia Pacific, APAC	Electricity Mix; Low voltage; 2018; Europe, EU-27							

Detailed results of the optional indicators mentioned in PCRed4 are available in the LCA report and on demand in a digital format - Country Customer Care Center - http://www.schneider-

Mandatory Indicators		Spac	eLogic SE8000	Room Controll	er - SE8350U0B11	l		
Impact indicators	Unit	Total (without Module D)	[A1 - A3] - Manufacturing	[A4] - Distribution	[A5] - Installation	[B1 - B7] - Use	[C1 - C4] - End of life	[D] - Benefits and loads
Contribution to climate change	kg CO2 eq	1.84E+02	1.69E+01	5.59E-01	1.31E-02	1.66E+02	5.57E-01	-1.85E-03
Contribution to climate change-fossil	kg CO2 eq	1.84E+02	1.69E+01	5.59E-01	1.31E-02	1.66E+02	5.54E-01	-1.84E-03
Contribution to climate change-biogenic	kg CO2 eq	2.04E-01	4.10E-02	0*	0*	1.59E-01	3.35E-03	-8.54E-06
Contribution to climate change-land use and land use change	e kg CO2 eq	8.10E-05	8.10E-05	0*	0*	0*	8.28E-11	0.00E+00
Contribution to ozone depletion	kg CFC-11 eq	3.34E-06	2.12E-06	4.91E-07	7.85E-11	7.34E-07	4.59E-10	-2.80E-10
Contribution to acidification	mol H+ eq	1.05E+00	1.12E-01	2.30E-03	2.59E-05	9.38E-01	3.74E-04	-1.46E-05
Contribution to eutrophication, freshwater	kg (PO4)³-eq	2.83E-04	3.95E-05	6.52E-08	8.91E-09	2.40E-04	3.08E-06	-2.78E-09
Contribution to eutrophication marine	kg N eq	1.23E-01	1.28E-02	1.05E-03	1.18E-05	1.09E-01	1.84E-04	-1.09E-06
Contribution to eutrophication, terrestrial	mol N eq	1.47E+00	1.35E-01	1.13E-02	1.23E-04	1.32E+00	1.89E-03	-1.27E-05
Contribution to photochemical ozone formation - human health	kg COVNM eq	4.07E-01	4.39E-02	3.78E-03	2.90E-05	3.59E-01	4.57E-04	-4.65E-06
Contribution to resource use, minerals and metals	kg Sb eq	3.62E-03	3.61E-03	4.79E-11	8.72E-11	6.60E-06	0*	-5.94E-07
Contribution to resource use, fossils	MJ	3.67E+03	2.11E+02	6.93E+00	2.33E-02	3.45E+03	7.54E-01	-4.20E-02
Contribution to water use	m3 eq	1.15E+01	5.34E+00	2.82E-02	5.22E-03	6.10E+00	2.02E-02	-9.31E-04

Inventory flows Indicators				Room Controll	er - SE8350U0B11	l	
Unit	Total (without Module D)	[A1 - A3] - Manufacturing	[A4] - Distribution	[A5] - Installation	[B1 - B7] - Use	[C1 - C4] - End of life	[D] - Benefits and loads
MJ	4.64E+02	7.62E+00	0*	0*	4.56E+02	0*	-4.26E-04
MJ	1.04E+00	1.04E+00	0*	0*	0*	0*	0.00E+00
MJ	4.65E+02	8.66E+00	0*	0*	4.56E+02	0*	-4.26E-04
MJ	3.67E+03	2.07E+02	6.93E+00	0*	3.45E+03	7.54E-01	-4.20E-02
MJ	3.83E+00	3.83E+00	0*	0*	0*	0*	0.00E+00
MJ	3.67E+03	2.11E+02	6.93E+00	0*	3.45E+03	7.54E-01	-4.20E-02
kg	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
MJ	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
MJ	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
m³	2.69E-01	1.25E-01	6.58E-04	1.22E-04	1.42E-01	4.71E-04	-2.17E-05
kg	6.94E+01	6.59E+01	0*	0*	3.46E+00	1.18E-01	-4.73E-02
kg	2.88E+01	3.78E+00	0*	5.00E-02	2.49E+01	7.38E-02	-1.45E-03
kg	6.21E-03	1.92E-03	1.11E-04	0*	4.18E-03	3.24E-06	-6.57E-07
kg	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
kg	5.57E-04	7.37E-05	0*	0*	0*	4.84E-04	0.00E+00
kg	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
MJ	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
	MJ MJ MJ MJ MJ MJ MJ kg MJ MJ kg kg kg kg kg kg	MJ 4.64E+02 MJ 1.04E+00 MJ 4.65E+02 MJ 3.67E+03 MJ 3.83E+00 MJ 3.67E+03 kg 0.00E+00 MJ 0.00E+00 MJ 0.00E+00 m3 2.69E-01 kg 6.94E+01 kg 6.21E-03 kg 0.00E+00 kg 6.21E-03 kg 0.00E+00 kg 6.557E-04 kg 0.00E+00	Unit Total (without Module D) [A1 - A3] - Manufacturing MJ 4.64E+02 7.62E+00 MJ 1.04E+00 1.04E+00 MJ 4.65E+02 8.66E+00 MJ 3.67E+03 2.07E+02 MJ 3.67E+03 2.11E+02 kg 0.00E+00 0* MJ 0.00E+00 0* MJ 0.00E+00 0* MJ 0.00E+00 0* kg 6.94E+01 6.59E+01 kg 6.21E-03 1.92E-03 kg 0.00E+00 0* kg 5.57E-04 7.37E-05 kg 0.00E+00 0*	Unit Total (without Module D) [A1 - A3] - Manufacturing [A4] - Distribution MJ 4.64E+02 7.62E+00 0° MJ 1.04E+00 1.04E+00 0° MJ 4.65E+02 8.66E+00 0° MJ 3.67E+03 2.07E+02 6.93E+00 MJ 3.67E+03 2.11E+02 6.93E+00 MJ 3.67E+03 2.11E+02 6.93E+00 MJ 0.00E+00 0° 0° kg 6.94E+01 6.59E+01 0° kg 6.21E-03 1.92E-03 1.11E-04 kg 0.00E+00 0° 0° kg 5.57E-04 7.37E-05 0° kg 0.00E+00 0° 0°	Unit Total (without Module D) [A1 - A3] - Manufacturing [A4] - Distribution [A5] - Installation MJ 4.64E+02 7.62E+00 0° 0° MJ 1.04E+00 1.04E+00 0° 0° MJ 4.65E+02 8.66E+00 0° 0° MJ 3.67E+03 2.07E+02 6.93E+00 0° MJ 3.67E+03 2.11E+02 6.93E+00 0° MJ 3.67E+03 2.11E+02 6.93E+00 0° MJ 0.00E+00 0° 0° 0° Mg 6.94E+01 6.59E+01 0° 0° kg 6.21E-03 1.92E-03 1.11E-04 0° kg 0.00E+00 0° 0° 0° 0°	Unit Total (without Module D) [A1 - A3] - Manufacturing [A4] - Distribution [A5] - Installation [B1 - B7] - Use MJ 4.64E+02 7.62E+00 0° 0° 4.56E+02 MJ 1.04E+00 1.04E+00 0° 0° 0° MJ 4.65E+02 8.66E+00 0° 0° 4.56E+02 MJ 3.67E+03 2.07E+02 6.93E+00 0° 3.45E+03 MJ 3.67E+03 2.11E+02 6.93E+00 0° 0° MJ 3.67E+03 2.11E+02 6.93E+00 0° 0° MJ 0.00E+00 0° 0° 0° 0°	Onit Module D) Manufacturing Distribution Installation [81-87]-Use of life MJ 4.64E+02 7.62E+00 0° 0° 4.56E+02 0° MJ 1.04E+00 1.04E+00 0° 0° 0° 0° MJ 4.65E+02 8.66E+00 0° 0° 4.56E+02 0° MJ 3.67E+03 2.07E+02 6.93E+00 0° 3.45E+03 7.54E-01 MJ 3.83E+00 3.83E+00 0° 0° 0° 0° MJ 3.67E+03 2.11E+02 6.93E+00 0° 3.45E+03 7.54E-01 kg 0.00E+00 0° 0° 0° 0° 0° MJ 0.00E+00 0° 0°

 $^{^{\}star}$ represents less than 0.01% of the total life cycle of the reference flow

Contribution to biogenic carbon content of the product kg of C 0.00E+00

Contribution to biogenic carbon content of the associated packaging kg of C 1.29E-02

^{*} The calculation of the biogenic carbon is based on the Ademe for the Cardboard (28%).

Mandatory Indicators				SpaceLogi	ic SE8000	Room (ontroller	- SE8350U0B1	1
Impact indicators	Unit	[B1 - B7] - Use	[B1]	[B2]	[B3]	[B4]	[B5]	[B6]	[B7]
Contribution to climate change	kg CO2 eq	1.66E+02	0*	0*	0*	0*	0*	1.66E+02	0*
Contribution to climate change-fossil	kg CO2 eq	1.66E+02	0*	0*	0*	0*	0*	1.66E+02	0*
Contribution to climate change-biogenic	kg CO2 eq	1.59E-01	0*	0*	0*	0*	0*	1.59E-01	0*
Contribution to climate change-land use and land use change	kg CO2 eq	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to ozone depletion	kg CFC-11 eq	7.34E-07	0*	0*	0*	0*	0*	7.34E-07	0*
Contribution to acidification	mol H+ eq	9.38E-01	0*	0*	0*	0*	0*	9.38E-01	0*
Contribution to eutrophication, freshwater	kg (PO4) ³⁻ eq	2.40E-04	0*	0*	0*	0*	0*	2.40E-04	0*
Contribution to eutrophication marine	kg N eq	1.09E-01	0*	0*	0*	0*	0*	1.09E-01	0*
Contribution to eutrophication, terrestrial	mol N eq	1.32E+00	0*	0*	0*	0*	0*	1.32E+00	0*
Contribution to photochemical ozone formation - human health	kg COVNM eq	3.59E-01	0*	0*	0*	0*	0*	3.59E-01	0*
Contribution to resource use, minerals and metals	kg Sb eq	6.60E-06	0*	0*	0*	0*	0*	6.60E-06	0*
Contribution to resource use, fossils	MJ	3.45E+03	0*	0*	0*	0*	0*	3.45E+03	0*
Contribution to water use	m3 eq	6.10E+00	0*	0*	0*	0*	0*	6.10E+00	0*

Inventory flows Indicators				SpaceLogi	ic SE8000	Room (ontrolle	r - SE8350U0B1	11
Inventory flows	Unit	[B1 - B7] - Use	[B1]	[B2]	[B3]	[B4]	[B5]	[B6]	[B7]
Contribution to use of renewable primary energy excluding renewable primary energy used as raw material	MJ	4.56E+02	0*	0*	0*	0*	0*	4.56E+02	0*
Contribution to use of renewable primary energy resources used as raw material	MJ	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to total use of renewable primary energy resources	MJ	4.56E+02	0*	0*	0*	0*	0*	4.56E+02	0*
Contribution to use of non renewable primary energy excluding non renewable primary energy used as raw material	MJ	3.45E+03	0*	0*	0*	0*	0*	3.45E+03	0*
Contribution to use of non renewable primary energy resources used as raw material	MJ	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to total use of non-renewable primary energy resources	MJ	3.45E+03	0*	0*	0*	0*	0*	3.45E+03	0*
Contribution to use of secondary material	kg	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to use of renewable secondary fuels	MJ	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to use of non renewable secondary fuels	MJ	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to net use of freshwater	m³	1.42E-01	0*	0*	0*	0*	0*	1.42E-01	0*
Contribution to hazardous waste disposed	kg	3.46E+00	0*	0*	0*	0*	0*	3.46E+00	0*
Contribution to non hazardous waste disposed	kg	2.49E+01	0*	0*	0*	0*	0*	2.49E+01	0*
Contribution to radioactive waste disposed	kg	4.18E-03	0*	0*	0*	0*	0*	4.18E-03	0*
Contribution to components for reuse	kg	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to materials for recycling	kg	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to materials for energy recovery	kg	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to exported energy	MJ	0*	0*	0*	0*	0*	0*	0*	0*

 $^{^{\}star}$ represents less than 0.01% of the total life cycle of the reference flow

Life cycle assessment performed with EIME version v6.2.2, database version 2024-04 in compliance with ISO14044, EF 3.0 method is applied, for biogenic carbon storage, assessment methodology 0/0 is used

Please note that the values given above are only valid within the context specified and cannot be used directly to draw up the environmental assessment of an installation.

Registration number :	SCHN-01198-V01.01-EN	Drafting rules	PCR-4-ed4-EN-2021 09 06					
	•	Supplemented by	PSR-0005-ed3.1-EN-2023 12 08					
Verifier accreditation N°	VH42	Information and reference documents	www.pep-ecopassport.org					
Date of issue	07-2024	Validity period	5 years					
Independent verification of the declaration and data, in compliance with ISO 14025 : 2006								
Internal External X								
The PCR review was conducted by a panel of experts chaired by Julie Orgelet (DDemain)								
PEPs are compliant with XP C08-100-1:2016 and EN 50693:2019 or NF E38-500 :2022								
The components of the present PEP may not be compared with components from any other program.								
Document complies with ISO 14025:2006 "Environmental labels and declarations. Type III environmental declarations"								

Schneider Electric Industries SAS Country Customer Care Center http://www.se.com/contact

35, rue Joseph Monier

CS 30323

F- 92500 Rueil Malmaison Cedex RCS Nanterre 954 503 439

Capital social 928 298 512 €

SCHN-01198-V01.01-EN

ww.se.com

Published by Schneider Electric

©2024 - Schneider Electric - All rights reserved

07-2024