Product Environmental Profile

Harmony XVS Voice Alarms





ENVPEP2312027_V1 02-2025


General information

Reference product	Harmony XVS Voice Alarms - XVSV7BWN
Description of the product	The product is an audible signaling units designed for long distance indication of the operating status or sequences of a machine or installation. They are used mainly in the factory applications, construction sites, safety applications and in public areas.
Description of the range	Single product
Functional unit	This editable electronic alarm is an accessory designed as an audible and signaling unit for custom assembly. It has a voice signal and its sound acoustic level is adjustable. These audible units come with different degree of environment protection; IP65, IP 53 and IP 54 and input voltage range from 12 to 24 Vdc and 12 to 230 Vac. it works with power consumption of 1.8 W in 1 % active mode with life span of 10 years.
Specifications are:	IP Degree of Protection: Panel mounted: IP65 conforming to EN/IEC60529, Wall mounted: IP20 Vibration Resistance - 7 gn Relative Humidity - 3585 % without condensation Pollution Degree - 2

<u>ළු</u>

Constituent materials

Reference product mass 365.1 g including the product, its packaging and additional elements and accessories



Substance assessment

Details of ROHS and REACH substances information are available on the Schneider-Electric Green Premium website https://www.se.com/ww/en/work/support/green-premium/

ENVPEP2312027_V1 02-2025

Additional environmental information

Recyclability potential:

17%

The recyclability rate was calculated from the recycling rates of each material making up the product with the exception of data using the ESR database. For materials or components using the ESR database or the absence of data the conservative hypothesis "0% recyclability" was used.



Environmental impacts

Reference service life time	10 years									
Product category	Other equipments - Active product									
Installation elements	The product does not require special installation	procedure and requires little to	no energy to install.							
Use scenario	The product is in active mode 1% of the time with years.	The product is in active mode 1% of the time with a power use of 1.8W and in off mode 99% of the time with a power use of 0W for 10 years.								
Time representativeness	The collected data are representative of the year 2024									
Technological representativeness	The Modules of Technologies such as material production, manufacturing processes and transport technology used in the PEP analysis (LCA EIME in the case) are similar and representative of the actual type of technologies used to make the product.									
Geographical representativeness	Rest of the World									
	[A1 - A3]	[A5]	[B6]	[C1 - C4]						
Energy model used	Electricity Mix; Low voltage; 2018; Asia Pacific, APAC									
	Electricity Mix; Low voltage; 2018; Indonesia, ID	Electricity Mix; Low voltage; 2018; Europe, EU-27	Electricity Mix; Low voltage; 2018; Europe, EU-27	Electricity Mix; Low voltage; 2018; Europe, EU-27						

Detailed results of the optional indicators mentioned in PCRed4 are available in the LCA report and on demand in a digital format - Country Customer Care Center - http://www.schneiderelectric.com/contact

Mandatory Indicators	Harmony XVS Voice Alarms - XVSV7BWN							
Impact indicators	Unit	Total (without Module D)	[A1 - A3] - Manufacturing	[A4] - Distribution	[A5] - Installation	[B1 - B7] - Use	[C1 - C4] - End of life	[D] - Benefits and loads
Contribution to climate change	kg CO2 eq	9.96E+00	6.43E+00	1.85E+00	8.24E-03	1.18E+00	5.02E-01	-1.20E-01
Contribution to climate change-fossil	kg CO2 eq	9.90E+00	6.37E+00	1.85E+00	8.24E-03	1.17E+00	5.02E-01	-1.19E-01
Contribution to climate change-biogenic	kg CO2 eq	5.97E-02	5.92E-02	0*	0*	5.12E-04	0*	-2.63E-04
Contribution to climate change-land use and land use change	e kg CO2 eq	5.42E-05	5.42E-05	0*	0*	0*	0*	0.00E+00
Contribution to ozone depletion	kg CFC-11 eq	2.47E-06	8.38E-07	1.62E-06	3.06E-10	5.98E-09	3.54E-10	-2.21E-08
Contribution to acidification	mol H+ eq	6.28E-02	4.65E-02	7.58E-03	1.03E-04	8.02E-03	5.89E-04	-6.91E-04
Contribution to eutrophication, freshwater	kg (PO4)³- eq	3.29E-05	3.03E-05	2.15E-07	3.80E-08	4.80E-07	1.91E-06	-2.24E-07
Contribution to eutrophication marine	kg N eq	1.10E-02	6.42E-03	3.45E-03	4.89E-05	8.76E-04	2.01E-04	-6.80E-05
Contribution to eutrophication, terrestrial	mol N eq	1.18E-01	6.77E-02	3.74E-02	4.98E-04	1.02E-02	2.13E-03	-7.86E-04
Contribution to photochemical ozone formation - human health	kg COVNM eq	3.73E-02	2.12E-02	1.25E-02	1.19E-04	2.91E-03	5.83E-04	-2.80E-04
Contribution to resource use, minerals and metals	kg Sb eq	1.31E-03	1.31E-03	1.58E-10	0*	0*	0*	-3.27E-05
Contribution to resource use, fossils	MJ	1.36E+02	8.69E+01	2.28E+01	8.81E-02	1.98E+01	6.71E+00	-2.48E+00
Contribution to water use	m3 eq	2.01E+00	1.80E+00	9.32E-02	1.82E-02	4.78E-02	4.89E-02	-5.00E-02

02-2025 ENVPEP2312027_V1

Inventory flows Indicators	Harmony XVS Voice Alarms - XVSV7BWN							
Inventory flows	Unit	Total (without Module D)	[A1 - A3] - Manufacturing	[A4] - Distribution	[A5] - Installation	[B1 - B7] - Use	[C1 - C4] - End of life	[D] - Benefits and loads
Contribution to use of renewable primary energy excluding renewable primary energy used as raw material	MJ	3.90E+00	1.77E+00	1.49E-04	6.71E-05	2.12E+00	1.11E-03	-1.92E-02
Contribution to use of renewable primary energy resources used as raw material	MJ	4.10E+00	4.10E+00	0*	0*	0*	0*	0.00E+00
Contribution to total use of renewable primary energy resources	MJ	8.00E+00	5.88E+00	0*	0*	2.12E+00	1.11E-03	-1.92E-02
Contribution to use of non renewable primary energy excluding non renewable primary energy used as raw material	MJ	1.33E+02	8.35E+01	2.28E+01	8.81E-02	1.98E+01	6.71E+00	-2.48E+00
Contribution to use of non renewable primary energy resources used as raw material	MJ	3.36E+00	3.36E+00	0*	0*	0*	0*	0.00E+00
Contribution to total use of non-renewable primary energy resources	MJ	1.36E+02	8.69E+01	2.28E+01	8.81E-02	1.98E+01	6.71E+00	-2.48E+00
Contribution to use of secondary material	kg	8.83E-06	8.83E-06	0*	0*	0*	0*	0.00E+00
Contribution to use of renewable secondary fuels	MJ	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to use of non renewable secondary fuels	MJ	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to net use of freshwater	m³	4.74E-02	4.26E-02	2.17E-03	4.24E-04	1.11E-03	1.14E-03	-1.17E-03
Contribution to hazardous waste disposed	kg	2.94E+01	2.93E+01	0*	0*	3.09E-02	7.82E-02	-2.56E+00
Contribution to non hazardous waste disposed	kg	2.21E+00	1.75E+00	1.87E-03	1.99E-01	1.92E-01	6.78E-02	-8.37E-02
Contribution to radioactive waste disposed	kg	1.23E-03	8.43E-04	3.65E-04	1.68E-07	1.64E-05	3.09E-06	-3.79E-05
Contribution to components for reuse	kg	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to materials for recycling	kg	3.37E-02	4.39E-03	0*	0*	0*	2.93E-02	0.00E+00
Contribution to materials for energy recovery	kg	0.00E+00	0*	0*	0*	0*	0*	0.00E+00
Contribution to exported energy	MJ	2.01E-02	1.98E-02	0*	0*	0*	2.89E-04	0.00E+00
* represents less than 0.01% of the total life cycle of the refe	erence flow							
Contribution to biogenic carbon content of the product	kg of C	0.00E+00						
Contribution to biogenic carbon content of the associated packaging	kg of C	5.56E-02						

Mandatory Indicators				Harmony XVS Voice Alarms - XVSV7BWN					
Impact indicators	Unit	[B1 - B7] - Use	[B1]	[B2]	[B3]	[B4]	[B5]	[B6]	[B7]
contribution to climate change	kg CO2 eq	1.18E+00	0*	0*	0*	0*	0*	1.18E+00	0*
contribution to climate change-fossil	kg CO2 eq	1.17E+00	0*	0*	0*	0*	0*	1.17E+00	0*
contribution to climate change-biogenic	kg CO2 eq	5.12E-04	0*	0*	0*	0*	0*	5.12E-04	0*
contribution to climate change-land use and land use change	e kg CO2 eq	0*	0*	0*	0*	0*	0*	0*	0*
ontribution to ozone depletion	kg CFC-11 eq	5.98E-09	0*	0*	0*	0*	0*	5.98E-09	0*
ontribution to acidification	mol H+ eq	8.02E-03	0*	0*	0*	0*	0*	8.02E-03	0*
ntribution to eutrophication, freshwater	kg (PO4) ³⁻ eq	4.80E-07	0*	0*	0*	0*	0*	4.80E-07	0*
ntribution to eutrophication marine	kg N eq	8.76E-04	0*	0*	0*	0*	0*	8.76E-04	0*
ontribution to eutrophication, terrestrial	mol N eq	1.02E-02	0*	0*	0*	0*	0*	1.02E-02	0*
ontribution to photochemical ozone formation - human salth	kg COVNM eq	2.91E-03	0*	0*	0*	0*	0*	2.91E-03	0*
ontribution to resource use, minerals and metals	kg Sb eq	0*	0*	0*	0*	0*	0*	0*	0*
ntribution to resource use, fossils	MJ	1.98E+01	0*	0*	0*	0*	0*	1.98E+01	0*
ontribution to water use	m3 eq	4.78E-02	0*	0*	0*	0*	0*	4.78E-02	0*

ENVPEP2312027_V1 02-2025

Inventory flows Indicators	Harmony XVS Voice Alarms - XVSV7BWN								
Inventory flows	Unit	[B1 - B7] - Use	[B1]	[B2]	[B3]	[B4]	[B5]	[B6]	[B7]
Contribution to use of renewable primary energy excluding renewable primary energy used as raw material	MJ	2.12E+00	0*	0*	0*	0*	0*	2.12E+00	0*
Contribution to use of renewable primary energy resources used as raw material	MJ	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to total use of renewable primary energy resources	MJ	2.12E+00	0*	0*	0*	0*	0*	2.12E+00	0*
Contribution to use of non renewable primary energy excluding non renewable primary energy used as raw material	MJ	1.98E+01	0*	0*	0*	0*	0*	1.98E+01	0*
Contribution to use of non renewable primary energy resources used as raw material	MJ	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to total use of non-renewable primary energy resources	MJ	1.98E+01	0*	0*	0*	0*	0*	1.98E+01	0*
Contribution to use of secondary material	kg	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to use of renewable secondary fuels	MJ	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to use of non renewable secondary fuels	MJ	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to net use of freshwater	m³	1.11E-03	0*	0*	0*	0*	0*	1.11E-03	0*
Contribution to hazardous waste disposed	kg	3.09E-02	0*	0*	0*	0*	0*	3.09E-02	0*
Contribution to non hazardous waste disposed	kg	1.92E-01	0*	0*	0*	0*	0*	1.92E-01	0*
Contribution to radioactive waste disposed	kg	1.64E-05	0*	0*	0*	0*	0*	1.64E-05	0*
Contribution to components for reuse	kg	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to materials for recycling	kg	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to materials for energy recovery	kg	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to exported energy	MJ	0*	0*	0*	0*	0*	0*	0*	0*

 $^{^{\}star}$ represents less than 0.01% of the total life cycle of the reference flow

Life cycle assessment performed with EIME version v6.2-6, database version 2024-04 in compliance with ISO14044, EF 3.0 method is applied, for biogenic carbon storage, assessment methodology 0/0 is used

Please note that the values given above are only valid within the context specified and cannot be used directly to draw up the environmental assessment of an installation.

Registration number :	ENVPEP2312027_V1	Drafting rules	PCR-4-ed4-EN-2021 09 06							
		Supplemented by	PSR-0005-ed3.1-EN-2023 12 08							
Date of issue	02-2025	Information and reference documents	www.pep-ecopassport.org							
		Validity period	5 years							
Independent verification of the de	eclaration and data, in compliance with ISO 14021 : 2016									
Internal X	Internal X External									
The PCR review was conducted by a panel of experts chaired by Julie Orgelet (DDemain)										
PEPs are compliant with XP C08-100-1:2016 and EN 50693:2019 or NF E38-500 :2022										
The components of the present PEP may not be compared with components from any other program.										
Document complies with ISO 14021:2016 "Environmental labels and declarations. Type II environmental declarations"										

Schneider Electric Industries SAS Country Customer Care Center http://www.se.com/contact 35, rue Joseph Monier CS 30323 F- 92500 Rueil Malmaison Cedex

RCS Nanterre 954 503 439 Capital social 928 298 512 € www.se.com

ENVPEP2312027_V1

©2024 - Schneider Electric - All rights reserved

Published by Schneider Electric 02-2025

02-2025 ENVPEP2312027_V1