Product Environmental Profile

Harmony ZB5R Transmitter






ENVPEP2506038_V1 06-2025

General information

Reference product	Harmony ZB5R Transmitter - ZB5RTA3
Description of the product	This is a wireless and batteryless transmitter pushbutton. It functions as a wireless transmitter that sends a signal when button is pressed in industrial applications. The device operates without batteries and it's generates own energy through the mechanical action of pressing the button.
Description of the range	Single product
Functional unit	This transmitter is part of the Harmony XB5R (plastic) and XB4R (metal) ranges of wireless and batteryless pushbuttons. It features a transmitter that operates without batteries or wiring, sending a single radio frame each time the button is pressed. The device communicates using the Zigbee Green Power protocol at 2.4 GHz, in compliance with IEEE 802.15.4 standard. The pushbutton has a response time of less than 2 milliseconds and can operate over distances of up to 100 meters in open fields or up to 300 meters with a relay antenna during 10 years of lifetime.
Specifications are:	IP degree of protection: IP66 (front face) conforming to IEC 60529 IP67 (front face) conforming to IEC 60529 IP69 (front face) conforming to IEC 60529 IP69K (front face) conforming to IEC 60529 IR69K (front face) conforming to IEC 60529 IK degree of protection: IK03 conforming to IEC 50102 Mechanical durability: 1000000 cycles Vibration resistance: 5 gn (f= 11500 Hz) conforming to IEC 60068-2-6 +/- 10 mm (f= 211 Hz) conforming to IEC 60068-2-6 Product certifications: CSA, GOST, CCC, C-Tick, UL, BT 2006/95/EC Standards: CSA C22.2 No 14 IEC 60947-5-1 UL 508

Constituent materials



ENVPEP2506038_V1 06-2025

Substance assessment

Details of ROHS and REACH substances information are available on the Schneider-Electric website https://www.se.com

(19) Additional environmental information

End Of Life

Recyclability potential:

13%

The recyclability rate was calculated from the recycling rates of each material making up the product based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the EIME database and the related PSR was taken. If no data was found a conservative assumption was used (0% recyclability).

Environmental impacts

Reference service life time	10 years									
Product category	Other equipments - Active product									
Life cycle of the product	The manufacturing, the distribution, the installation, the use and the end of life were taken into consideration in this study									
Electricity consumption	The electricity consumed during manufacturing processes is considered for each part of the product individually, the final assembly generates a negligible consumption									
Installation elements	The product does not require any installation ope	erations								
Use scenario	This is green power product means the energy is produced when the user pushes the pushbutton.									
Time representativeness	The collected data are representative of the year 2025									
Technological representativeness	The Modules of Technologies such as material production, manufacturing processes and transport technology used in the PEP analysis (LCA EIME in the case) are similar and representative of the actual type of technologies used to make the product.									
Geographical	Final assembly site Use phase End-of-life									
representativeness	France, Europe Global Global									
Energy model used	[A1 - A3] [A5] [B6] [C1 - C4] Electricity Mix; High voltage; 2020; France, FR No energy used Electricity Mix; Low voltage; 2020; Global, GLO French datasets and the control of the contro									

Detailed results of the optional indicators mentioned in PCRed4 are available in the LCA report and on demand in a digital format - Country Customer Care Center - http://www.se.com/contact

Total (without Module D) 4.57E-01	[A1 - A3] - Manufacturing	[A4] - Distribution	[A5] -	[B1 - B7] -	[C1 - C4] -	[D] -
4.57E-01			Installation	Use	End of life	Benefits and loads
	3.29E-01	3.49E-02	5.45E-04	0*	9.29E-02	-1.37E-02
4.81E-01	3.55E-01	3.49E-02	5.45E-04	0*	9.13E-02	-1.49E-02
-2.45E-02	-2.62E-02	0*	0*	0*	0*	1.18E-03
1.56E-06	1.55E-06	0*	0*	0*	1.85E-09	0.00E+00
8.23E-08	5.10E-08	3.08E-08	2.22E-11	0*	4.96E-10	-2.08E-09
2.38E-03	2.13E-03	1.49E-04	7.52E - 06	0*	9.81E-05	-8.76E-05
5.64E-06	5.37E-06	4.09E-09	2.77E-09	0*	2.65E-07	-3.76E-08
4.41E-04	3.35E-04	6.84E-05	3.56E-06	0*	3.45E-05	-9.71E-06
4.60E-03	3.44E-03	7.41E-04	3.62E-05	0*	3.76E-04	-1.08E-04
1.57E-03	1.22E-03	2.44E-04	8.69E-06	0*	9.33E-05	-3.62E-05
1.16E-04	1.16E-04	0*	0*	0*	0*	-4.46E-06
6.88E+00	6.23E+00	4.34E-01	6.40E-03	0*	2.07E-01	-3.38E-01
3.18E-01	3.07E-01	1.77E-03	1.32E-03	0*	7.47E-03	-6.23E-03
	4.81E-01 -2.45E-02 1.56E-06 8.23E-08 2.38E-03 5.64E-06 4.41E-04 4.60E-03 1.57E-03 1.16E-04 6.88E+00	4.81E-01 3.55E-01 -2.45E-02 -2.62E-02 1.56E-06 1.55E-06 8.23E-08 5.10E-08 2.38E-03 2.13E-03 5.64E-06 5.37E-06 4.41E-04 3.35E-04 4.60E-03 3.44E-03 1.57E-03 1.22E-03 1.16E-04 1.16E-04 6.88E+00 6.23E+00	4.81E-01 3.55E-01 3.49E-02 -2.45E-02 -2.62E-02 0* 1.56E-06 1.55E-06 0* 8.23E-08 5.10E-08 3.08E-08 2.38E-03 2.13E-03 1.49E-04 5.64E-06 5.37E-06 4.09E-09 4.41E-04 3.35E-04 6.84E-05 4.60E-03 3.44E-03 7.41E-04 1.57E-03 1.22E-03 2.44E-04 1.16E-04 0* 6.88E+00 6.23E+00 4.34E-01	4.81E-01 3.55E-01 3.49E-02 5.45E-04 -2.45E-02 -2.62E-02 0* 0* 1.56E-06 1.55E-06 0* 0* 8.23E-08 5.10E-08 3.08E-08 2.22E-11 2.38E-03 2.13E-03 1.49E-04 7.52E-06 5.64E-06 5.37E-06 4.09E-09 2.77E-09 4.41E-04 3.35E-04 6.84E-05 3.56E-06 4.60E-03 3.44E-03 7.41E-04 3.62E-05 1.57E-03 1.22E-03 2.44E-04 8.69E-06 1.16E-04 1.16E-04 0* 0* 6.88E+00 6.23E+00 4.34E-01 6.40E-03	4.81E-01 3.55E-01 3.49E-02 5.45E-04 0* -2.45E-02 -2.62E-02 0* 0* 0* 1.56E-06 1.55E-06 0* 0* 0* 8.23E-08 5.10E-08 3.08E-08 2.22E-11 0* 2.38E-03 2.13E-03 1.49E-04 7.52E-06 0* 5.64E-06 5.37E-06 4.09E-09 2.77E-09 0* 4.41E-04 3.35E-04 6.84E-05 3.56E-06 0* 4.60E-03 3.44E-03 7.41E-04 3.62E-05 0* 1.57E-03 1.22E-03 2.44E-04 8.69E-06 0* 1.16E-04 0* 0* 0* 0* 6.88E+00 6.23E+00 4.34E-01 6.40E-03 0*	4.81E-01 3.55E-01 3.49E-02 5.45E-04 0* 9.13E-02 -2.45E-02 -2.62E-02 0* 0* 0* 0* 0* 1.56E-06 1.55E-06 0* 0* 0* 1.85E-09 8.23E-08 5.10E-08 3.08E-08 2.22E-11 0* 4.96E-10 2.38E-03 2.13E-03 1.49E-04 7.52E-06 0* 9.81E-05 5.64E-06 5.37E-06 4.09E-09 2.77E-09 0* 2.65E-07 4.41E-04 3.35E-04 6.84E-05 3.56E-06 0* 3.45E-05 4.60E-03 3.44E-03 7.41E-04 3.62E-05 0* 3.76E-04 1.57E-03 1.22E-03 2.44E-04 8.69E-06 0* 9.33E-05 1.16E-04 1.16E-04 0* 0* 0* 0* 6.88E+00 6.23E+00 4.34E-01 6.40E-03 0* 2.07E-01

ENVPEP2506038_V1 06-2025

Inventory flows Indicators		Harmony ZB5R Transmitter - ZB5RTA3									
Inventory flows	Unit	Total (without Module D)	[A1 - A3] - Manufacturing	[A4] - Distribution	[A5] - Installation	[B1 - B7] - Use	[C1 - C4] - End of life	[D] - Benefits and Ioads			
Contribution to renewable primary energy used as energy	MJ	2.58E-01	2.40E-01	0*	0*	0*	1.77E-02	9.67E-04			
Contribution to renewable primary energy used as raw material	MJ	1.42E-01	1.42E-01	0*	0*	0*	0*	-1.54E-02			
Contribution to total renewable primary energy	MJ	4.01E-01	3.83E-01	0*	0*	0*	1.77E-02	-1.44E-02			
Contribution to non renewable primary energy used as energy	MJ	6.03E+00	5.38E+00	4.34E-01	6.40E-03	0*	2.07E-01	-3.38E-01			
Contribution to non renewable primary energy used as raw material	MJ	8.53E-01	8.53E-01	0*	0*	0*	0*	0.00E+00			
Contribution to total non renewable primary energy	MJ	6.88E+00	6.23E+00	4.34E-01	6.40E-03	0*	2.07E-01	-3.38E-01			
Contribution to use of secondary material	kg	7.59E-03	7.59E-03	0*	0*	0*	0*	0.00E+00			
Contribution to use of renewable secondary fuels	MJ	0.00E+00	0*	0*	0*	0*	0*	0.00E+00			
Contribution to use of non renewable secondary fuels	MJ	0.00E+00	0*	0*	0*	0*	0*	0.00E+00			
Contribution to net use of fresh water	m³	7.40E-03	7.15E-03	4.12E-05	3.08E-05	0*	1.80E-04	-1.45E-04			
Contribution to hazardous waste disposed	kg	7.94E-01	7.83E-01	0*	0*	0*	1.08E-02	-3.52E-01			
Contribution to non hazardous waste disposed	kg	2.47E-01	2.06E-01	3.55E-05	1.45E-02	0*	2.64E - 02	-1.21E-02			
Contribution to radioactive waste disposed	kg	9.34E-05	8.54E-05	6.94E-06	1.17E-08	0*	1.06E-06	-5.46E-06			
Contribution to components for reuse	kg	0.00E+00	0*	0*	0*	0*	0*	0.00E+00			
Contribution to materials for recycling	kg	5.05E-03	5.57E-04	0*	0*	0*	4.50E-03	0.00E+00			
Contribution to materials for energy recovery	kg	0.00E+00	0*	0*	0*	0*	0*	0.00E+00			
Contribution to exported energy	MJ	9.60E-05	6.28E-06	0*	0*	0*	8.97E-05	0.00E+00			

 $[\]ensuremath{^{\star}}$ represents less than 0.01% of the total life cycle of the reference flow

Contribution to biogenic carbon content of the product kg of C 0.00E+00

Contribution to biogenic carbon content of the associated packaging kg of C 4.68E-03

^{*} The calculation of the biogenic carbon is based on the Ademe for the Cardboard (28%), EN16485 for Wood (39,52%), and APESA/RECORD for Paper (37,8%)

Mandatory Indicators				На	rmony ZE	35R Tran	smitter -	ZB5RTA3	
Impact indicators	Unit	[B1 - B7] - Use	[B1]	[B2]	[B3]	[B4]	[B5]	[B6]	[B7]
Contribution to climate change	kg CO2 eq	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to climate change-fossil	kg CO2 eq	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to climate change-biogenic	kg CO2 eq	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to climate change-land use and land use change	∍ kg CO2 eq	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to ozone depletion	kg CFC-11 eq	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to acidification	mol H+ eq	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to eutrophication, freshwater	kg P eq	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to eutrophication marine	kg N eq	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to eutrophication, terrestrial	mol N eq	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to photochemical ozone formation - human health	kg COVNM eq	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to resource use, minerals and metals	kg Sb eq	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to resource use, fossils	MJ	0*	0*	0*	0*	0*	0*	0*	0*
Contribution to water use	m3 eq	0*	0*	0*	0*	0*	0*	0*	0*

ENVPEP2506038_V1 06-2025

Inventory flows Indicators	Harmony ZB5R Transmitter - ZB5RTA3									
Inventory flows	Unit	[B1 - B7] - Use	[B1]	[B2]	[B3]	[B4]	[B5]	[B6]	[B7]	
Contribution to use of renewable primary energy excluding renewable primary energy used as raw material	MJ	0*	0*	0*	0*	0*	0*	0*	0*	
Contribution to use of renewable primary energy resources used as raw material	MJ	0*	0*	0*	0*	0*	0*	0*	0*	
Contribution to total use of renewable primary energy resources	MJ	0*	0*	0*	0*	0*	0*	0*	0*	
Contribution to use of non renewable primary energy excluding non renewable primary energy used as raw material	MJ	0*	0*	0*	0*	0*	0*	0*	0*	
Contribution to use of non renewable primary energy resources used as raw material	MJ	0*	0*	0*	0*	0*	0*	0*	0*	
Contribution to total use of non-renewable primary energy esources	MJ	0*	0*	0*	0*	0*	0*	0*	0*	
Contribution to use of secondary material	kg	0*	0*	0*	0*	0*	0*	0*	0*	
Contribution to use of renewable secondary fuels	MJ	0*	0*	0*	0*	0*	0*	0*	0*	
Contribution to use of non renewable secondary fuels	MJ	0*	0*	0*	0*	0*	0*	0*	0*	
Contribution to net use of freshwater	m^3	0*	0*	0*	0*	0*	0*	0*	0*	
Contribution to hazardous waste disposed	kg	0*	0*	0*	0*	0*	0*	0*	0*	
Contribution to non hazardous waste disposed	kg	0*	0*	0*	0*	0*	0*	0*	0*	
Contribution to radioactive waste disposed	kg	0*	0*	0*	0*	0*	0*	0*	0*	
Contribution to components for reuse	kg	0*	0*	0*	0*	0*	0*	0*	0*	
Contribution to materials for recycling	kg	0*	0*	0*	0*	0*	0*	0*	0*	
Contribution to materials for energy recovery	kg	0*	0*	0*	0*	0*	0*	0*	0*	
Contribution to exported energy	MJ	0*	0*	0*	0*	0*	0*	0*	0*	

 $^{^{\}star}$ represents less than 0.01% of the total life cycle of the reference flow

Life cycle assessment performed with EIME version v6.3.0.1-18, database version 2024-01 in compliance with ISO14044, EF3.1 method is applied, for biogenic carbon storage, assessment methodology -1/1 is used

Please note that the values given above are only valid within the context specified and cannot be used directly to draw up the environmental assessment of an installation.

Registration number :	ENVPEP2506038_V1	Drafting rules	PEP-PCR-ed4-2021 09 06						
		Supplemented by	PSR-0005-ed3.1-EN-2023 12 08						
Date of issue	06-2025	Information and reference documents	www.pep-ecopassport.org						
		Validity period	5 years						
Independent verification of the declaration and data, in compliance with ISO 14021 : 2016									
Internal X	X External								
The PCR review was conducted	by a panel of experts chaired by Julie Orgelet (DDemain)								
PEPs are compliant with XP C08-100-1:2016 and EN 50693:2019 or NF E38-500 :2022									
The components of the present PEP may not be compared with components from any other program.									
Document complies with ISO 14021:2016 "Environmental labels and declarations. Type II environmental declarations"									

Schneider Electric Industries SAS Country Customer Care Center http://www.se.com/contact Head Office 35, rue Joseph Monier CS 30323 F- 92500 Rueil Malmaison Cedex RCS Nanterre 954 503 439

Capital social 928 298 512 €

www.se.com

Published by Schneider Electric

ENVPEP2506038_V1 ©2024 - Schneider Electric - All rights reserved 06-2025

ENVPEP2506038_V1 06-2025