



Product End of Life Instructions

NSX undervoltage release MN 220-240V 50/60HZ screwless



End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	Other plastic parts with brominated flame retardants	3,1	Plastic part with halogenated flame retardant
To be depolluted	2	PC, ABS-PC, PA, PA6, HDPE, SAN with brominated flame retardants	1,7	Plastic part with halogenated flame retardant

Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric
Product function	The NSX undervoltage release opens the circuit breaker when the MN supply voltage drops under defined value. It automatically trips the breaker.
Product reference	LV429407
Additional similar product references	LV429407 LV429404 LV429405 LV429406 LV429407 LV429408 LV429409 LV429402 LV429410 LV429411 LV429412 LV429403 LV429413 LV429414
Total representative product mass	104 g
Representative product dimensions	33 mm x 38 mm x 45 mm
Date of information release	12/2021



Additional information

<p>Legal information</p>	<p>This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.</p>	
<p>Recyclability potential</p>	<p>80%</p>	<p>Based on “ECO'DEEE recyclability and recoverability calculation method” (version V1, 20 Sep. 2008 presented to the French Agency for Environment and Energy Management: ADEME).</p>

Schneider Electric Industries SAS
 Country Customer Care Center
<http://www.schneider-electric.com/contact>
 35, rue Joseph Monier
 CS 30323
 F- 92506 Rueil Malmaison Cedex
 RCS Nanterre 954 503 439
 Capital social 896 313 776 €

www.se.com

ENVEOLI2109008_V1

Published by Schneider Electric

© 2019 - Schneider Electric – All rights reserved

12/2021