## **Product End-of-Life Instructions**

Product Range: Altira

Marketing Model/Name: Push-button Universal Dimmer 0-350W/VA, Ref. ALB45190

Push-button Universal Dimmer 0-350W/VA, Ref. ALB45190 Push-button Universal Dimmer 0-350W/VA, Ref. ALB44190 Push-button Universal Dimmer 0-350W/VA, Ref. ALB46190 Push-button Universal Dimmer 0-350W/VA, Ref. ALB47190 Time delay switch 8A / 1840W (2s – 12min), Ref. ALB45139 Time delay switch 8A / 1840W (2s – 12min), Ref. ALB44139 Time delay switch 8A / 1840W (2s – 12min), Ref. ALB46139

## Purpose:

The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.

#### Note:

This product family is in the scope of EU directive 2002/96/EC, Waste Electrical and Electronic Equipment (WEEE).



Size in mm:

H x L x D in mm: 45 x 45 x 45


Weight in g: 81.1 grams



# Operations recommended for the end of life treatment

There are several steps to process the products at the end of life so as to recover components, materials or energy: Reuse  $\rightarrow$  Separation for special treament  $\rightarrow$  Other dismantling  $\rightarrow$  Shredding.

The components of the products that optimize the recycling performances are listed, identified and located hereunder.



Recommendation	Number on drawing	Components	Weight (g)	Comment
Depollution	1	Printed circuit board	21.00 g	[8]
Dismantling	2	Plastic parts	17.98 g	[1,4,5]
Shredding	3	Metal parts	7.99 g	[6]
	2	Plastic parts	0.47 a	[2.3.7]

## Schneider Electric SA

43-45, boulevard Franklin Roosevelt F-92500 Rueil-Malmaison Cedex (France) Tel.: +33 (0) 1 41 29 70 00 www.schneider-electric.com

The version of the Guide used to create the document: End of Life Instruction Drafting Guide of Schneider Electric

ENVEOLI0601004EN Publication date: 08/2018