Product End of Life Instructions

Exiway Trend Standard IP65 1250 lumen








狐

Potential disassembly risks

End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be dismantled	1	PE (SEALING CAPS)	1	
To be dismantled	2	PC (TREND body)	148	
To be depolluted	3	PC (Reflective body to fix PCBA)	60	
To be dismantled	4	ABS Acrylonitrile Butadiene Styrene (GASKET)	1	
To be dismantled	5	Electronic Board (Power) > 10cm ² (Connector)	3	
To be depolluted	6	Battery (BATT.LFP3IFR18650 BST9,6V1,5AH+N LCF3)	132	
To be dismantled	7	PE (Cable Gland)	11	
To be dismantled	8	PC (Transparent screen)	85	
To be depolluted	9	Electronic Board (Power) > 10cm² (CS TREND STD-LMR-25LED)	70	

Product description

Manufacturer identification	Schneider Electric Industries SAS	
Brand name	Schneider Electric	
Product function	Maintained and non Maintained Emergency Luminaire compliant to EN 60598-2-22	
Product reference	OVA47025	
Additional similar product references	OVA47022 OVA47023 OVA47024	
Total representative product mass	530 g	
Representative product dimensions	292 x 116 x 37 mm	
Date of information release	07/2023	

Additional information

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.		
Recyclability potential	Recyclability rate has been calculated based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the "ECO'DE recyclability and recoverability calculation method" was taken. If no data was found a conservative assumption was used (0% recyclability).		

Schneider Electric Industries SAS

Country Customer Care Center http://www.schneider-electric.com/contact

35, rue Joseph Monier

CS 30323

F- 92500 Rueil Malmaison Cedex RCS Nanterre 954 503 439

Capital social 896 313 776 €

www.se.com

ENVEOLI2303009_V1

Published by Schneider Electric

© 2023 - Schneider Electric - All rights reserved

07/2023