Product End of Life Instructions

ComPacT NSX250 DC EP 1500VDC 250A 4P TMD


ComPact NSX







♦ End of Life Instructions



| Recommendation | Number on drawing | Component / Material | Weight (in g) | Comment |
|------------------|-------------------|---|---------------|---------|
| To be depolluted | 1,2,3 | PC, ABS-PC, PA, PA6, HDPE, SAN with brominates flame retardants | 13.05 | |
| To be depolluted | 4 | Other plastic parts with brominates flame retardants | 1.18 | |

Product description

| Manufacturer identification | Schneider Electric Industries SAS |
|---------------------------------------|---|
| Brand name | Schneider Electric |
| Product function | The NSX250 DC 1500V 250A 4P TMD is designed to provide protection against overloads and short-circuits for industrial and commercial electrical distribution systems |
| Product reference | C25F4TM250D3 |
| Additional similar product references | C25F4TM250D3 C25F4TM160D3 C25F4TM200D3 C25F4TM125D3 C254100D3S C254160D3S C254200D3S C254250D3S C25F4TM100D3B C25F4TM160D3B C25F4TM200D3B C25F4TM125D3B C25F4TM100D3U C25F4TM125D3U C25F4TM160D3U C25F4TM250D3U C25F4TM200D3U |
| Total representative product mass | 2800 g |
| Representative product dimensions | 161mm x 140mm x 86mm |
| Accessories | No |
| Date of information release | 04/04/2025 |

Additional information

| Legal information | This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product. | |
|--|--|--|
| In case of special transportation: transportation method | No | |
| Recyclability potential | The recyclability rate was calculated from the recycling rates of each material making us the product based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the EIME database and the related PSR was taken. If no data was found a conservative assumption was used (0% recyclability). | |

Schneider Electric Industries SAS
Country Customer Care Center
http://www.se.com/contact
35, rue Joseph Monier
CS 30323
F- 92500 Rueil Malmaison Cedex
RCS Nanterre 954 503 439

www.se.com

ENVEOLI2106001_V2

Capital social 928 298 512 €

Published by Schneider Electric

© 2023 - Schneider Electric - All rights reserved

04/04/2025