Product End of Life Instructions

TeSys Deca 3-pole contactor 09A DC


TeSys Deca contactor







End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	Plastic with brominated FR	14.9	

☐ Product description

Manufacturer identification	Schneider Electric Industries SAS	
Brand name	Schneider Electric	
Product function	The main purpose of the product is to switch on and off electrical power supply of a downstream installation with an electrical and/or mechanical control.	
Product reference	LC1D09BD	
Additional similar product references	DC Contactors LC1D/LC2D 06, 09, 12, 18, 093, 123, 096, 126, 186, 099, 129 (*) LC1DT/LC2DT 20, 25, 203, 253, 206, 256 (*) LC1D/LC2D 098, 128, 0983, 1283 (*) LC1D/LC2D 25, 32, 38, 183, 253, 323, 256, 326, 386 (*) LC1DT/LC2DT 32, 40, 323, 403, 326, 406 (*) LC1DT/LC2D 188, 258, 1883, 2583 (*) DPE 09,12,18,25.32.38 (*)may be followed by suffix S003, S135, S137, S167, S172, S177, S182, S183, S219, S207, XS207, S232, S303, S335;	
Total representative product mass	480 g	
Representative product dimensions	77mm x 45mm x 95mm	
Accessories	No	
Date of information release	2023/08/07	

Additional information

Legal information	and Electing legislation facilities.	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the egislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.		
In case of special transportation: transportation method	No			
Recyclability potential 75%		Recyclability rate has been calculated based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the "ECO' DEEE recyclability and recoverability calculation method" was taken. If no data was found a conservative assumption was used (0% recyclability).		

Schneider Electric Industries SAS
Country Customer Care Center
http://www.schneider-electric.com/contact
35, rue Joseph Monier
CS 30323
F- 92500 Rueil Malmaison Cedex
RCS Nanterre 954 503 439
Capital social 896 313 776 €

www.se.com

Published by Schneider Electric

ENVEOLI1102030_V3

© 2023 - Schneider Electric - All rights reserved

2023/08/07