


Product End of Life Instructions

Harmony GTU Smart Display

Harmony GTU






Potential disassembly risks

The Circularity profile provides information about preparation for re-use and treatment. It identifies the relevant EEE components and materials as well as their location. Safety instructions for product dismantling and depollution are provided into the User manual or maintenance guide.



End of Life Instructions



| Recommendation | Number on drawing | Component / Material | Weight (in g) | Comment |
|------------------|-------------------|---|---------------|---------|
| To be depolluted | 1 | Electronic Board (Communication) > 10cm ² | 199.3 | PCBA |
| To be depolluted | 2 | LCD (surface > 100cm ²) and all those back-lighted with gas discharge lamps | 870 | LCD |
| Other | | | 3430.7 | |
| | | | | |
| | | | | |



Product description

| | |
|---------------------------------------|---|
| Manufacturer identification | Schneider Electric Industries SAS |
| Brand name | Schneider Electric |
| Product function | Multi touch screen |
| Product reference | HMIDT732 |
| Additional similar product references | HMIDT732FC HMIDT643 HMIDT642 HMIDT542 HMIDT542FC HMIDT75XFH HMIDT75X HMIDT752 HMIDT952 SQD-HMIDT542 |
| Total representative product mass | 4500 g |
| Representative product dimensions | 296 x 397 x 67 |
| Accessories | No |
| Date of information release | 2023/12/05 |



Additional information

| | | |
|---------------------------------------|---|---|
| <p>Legal information</p> | <p>This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.</p> | |
| <p>Recyclability potential</p> | <p>55%</p> | <p>Recyclability rate has been calculated based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the "ECO' DEEE recyclability and recoverability calculation method" was taken. If no data was found a conservative assumption was used (0% recyclability).</p> |

Schneider Electric Industries SAS

Country Customer Care Center
<http://www.se.com/contact>

35, rue Joseph Monier
 CS 30323
 F- 92500 Rueil Malmaison Cedex
 RCS Nanterre 954 503 439
 Capital social 928 298 512 €

www.se.com
 ENVEOLI1402016_V2

Published by Schneider Electric
 © 2023 - Schneider Electric – All rights reserved

2023/12/05