
Product End of Life Instructions

Harmony GTO 10" & 12" Series

Harmony GTO







ENVEOLI1402026_V2 2023/10/23

⚠ Potential disassembly risks

The Circularity profile provides information about preparation for re-use and treatment. It identifies the relevant EEE components and materials as well as their location. Safety instructions for product dismantling and depollution are provided into the User manual or maintenance guide.


AWARNING

HAZARD OF ARC FLASH OR FIRE

- Disconnect battery terminals before disassembly
- Avoid any electrical connection between the terminals

Failure to follow these instructions can result in death or serious injury.

End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	Electronic Board (Communication) > 10cm ²	367.8	PCBA
To be depolluted	2	LCD (surface > 100cm²) and all those back-lighted with gas discharge lamps	750	LCD Screen
Potential hazards	3	Batteries	2.5	
Other			1379.7	

ENVEOLI1402026_V2 2023/10/23



Product description

Manufacturer identification	Schneider Electric Industries SAS	
Brand name	Schneider Electric	
Product function	Advanced touchscreen panel	
Product reference	HMIGTO6310	
Additional similar product references	HMIGTO6315 HMIGTO5310 HMIGTO5315	
Total representative product mass	2500 g	
Representative product dimensions	241mm x 315mm x 56mm	
Accessories	No	
Date of information release	2023/10/23	



(19) Additional information

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.		
Recyclability potential	26%	Recyclability rate has been calculated based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the "ECO DEEE recyclability and recoverability calculation method" was taken. If no data w found a conservative assumption was used (0% recyclability).	

Schneider Electric Industries SAS

Country Customer Care Center http://www.se.com/contact

35, rue Joseph Monier CS 30323 F- 92500 Rueil Malmaison Cedex RCS Nanterre 954 503 439 Capital social 928 298 512 €

www.se.com

ENVEOLI1402026_V2

Published by Schneider Electric © 2023 - Schneider Electric - All rights reserved

2023/10/23

ENVEOLI1402026_V2 2023/10/23