Product End of Life Instructions

TeSys Giga electronic thermal overload relay

TeSys LRG

End of Life Instructions



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
Potential hazards	1	Plastic parts with brominates flame retardants	2.4	
To be depolluted	2	Electronic Board (Communication) > 10cm²	59.4	

Product description

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric
Product function	The main purpose of thermal overload relays is to detect overload currents in order to protect the motor
Product reference	LR9G225
Additional similar product references	LR9G115 LR9G115C LR9G225C LR9G500 LR9G500C LR9G630 LR9G630C LR9G115
Total representative product mass	900 g
Representative product dimensions	103 x 106 x 126 mm
Accessories	No
Date of information release	07-2024

Additional information

Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.	
In case of special transportation: transportation method	No	
Recyclability potential	**42%**	Recyclability rate has been calculated based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the “ECO’DEEE recyclability and recoverability calculation method” was taken. If no data was found a conservative assumption was used (0% recyclability).

Schneider Electric Industries SAS
Country Customer Care Center
http://www.se.com/contact

35, rue Joseph Monier
CS 30323
F- 92500 Rueil Malmaison Cedex
RCS Nanterre 954 503 439
Capital social 928 298 512 €

www.se.com
ENVEOLI2105014_V2
Published by Schneider Electric

07-2024