
## Product End of Life Instructions

## TeSys Ultra Non reversing power base + Control unit





## **End of Life Instructions**



Recommendation	Number on drawing	Component / Material	Weight (in g)	Comment
To be depolluted	1	PA with brominates flame retardants	1	W416296720215
To be depolluted	2	PBT with brominates flame retardants	7.9	W416295540122
To be depolluted	3	PBT with brominates flame retardants	8.7	W416295550122
To be depolluted	4	Electronic Board (Communication) > 10cm <sup>2</sup>	12.13	AAV70048

## **Product description**

Manufacturer identification	Schneider Electric Industries SAS
Brand name	Schneider Electric
Product function	The product is for advance motor management system and protection
Product reference	LUB12 + LUCA12FU
Additional similar product references	No
Total representative product mass	944 g
Representative product dimensions	125mmx160mmx45mm
Accessories	no
Date of information release	06-2024

Additional information				
Legal information	This product family is in the scope of European Union directive 2012/19/EU on Waste Electrical and Electronic Equipment (WEEE). The product family must be disposed according to the legislation of the country. This document is intended for use by end of life recyclers or treatment facilities. It provides the basic information to assure an appropriate end of life treatment for the components and materials of the product.			
In case of special transportation: transportation method	no			
Recyclability potential	57%	Recyclability rate has been calculated based on REEECY'LAB tool developed by Ecosystem, for components/materials not covered by the tool, data from the "ECO' DEEE recyclability and recoverability calculation method" was taken. If no data was found a conservative assumption was used (0% recyclability).		

Schneider Electric Industries SAS Country Customer Care Center http://www.se.com/contact 35, rue Joseph Monier CS 30323 F- 92500 Rueil Malmaison Cedex RCS Nanterre 954 503 439 Capital social 928 298 512 €

www.se.com

ENVEOLI2406038\_V1

Published by Schneider Electric © 2023 - Schneider Electric – All rights reserved

06-2024